	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

	TIME (Every 20 minutes)																											
POST DM	pH																											
	Conductivity																											
POST R.O WATER	TIME (Every 1 hour)																											
	pH																											
	Conductivity																											
WFI	TIME (Every 1 hour)																											
	pH																											
	Conductivity																											

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER	BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD

	BIOMEDICAL LIMITED 1, Ohimege Road, Ilorin, Kwara State		
	Title	**WATER TREATMENT HANDOVER BOOKLET**	
	DOCUMENT NUMBER	BML-ENG-NG-003-F03	SOP REFERENCE NUMBER: BML-ENG-NG-003

Name(s): **Shift:** **Day/Date:** **Factory:**

POST DM	TIME (Every 20 minutes)																					
	pH																					
	Conductivity																					
POST R.O WATER	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					
WFI	TIME (Every 1 hour)																					
	pH																					
	Conductivity																					

EQUIPMENT USAGE

SAND & CARBON PLANT USAGE			SOFTENER PLANT USAGE			DM PLANT USAGE			REVERSE OSMOSIS PLANT USAGE			MCDP USAGE		
S&C PLANT	TIME ON	TIME OFF	S. PLANT	TIME ON	TIME OFF	DM PLANT	TIME ON	TIME OFF	RO PLANT	TIME ON	TIME OFF	MCDP	TIME ON	TIME OFF

Once daily (Morning shift)	PARAMETERS		
	pH	Cond.	Hardness
SOFTENER 1			
SOFTENER 2			

Sand & Carbon backwash (Morning shift only)
Check Ph & Conductivity after backwashing.

	pH	Cond.
SAND & CARBON 1		
SAND & CARBON 2		

CATRIDGE FILTER	IS THE FILTER CLEAN?			
Filter 1	YES		NO	
Filter 2	YES		NO	

If No, Tick No & Replace Immediately

	Is The UV Light Working?			
UV LIGHT 1	YES		NO	
UV LIGHT 2				

ISSUE(S)/WATCHOUT

DM PLANT REGENERATION

PLANT	Pre. Regen.		Hcl (Ltrs)	NaOH (KG)	Start Time	Stop Time	Post. Regen.		Done BY
	pH	Cond.					pH	Cond.	

SOFTENER PLANT RECHARGING (SUN & THUR)

PLANT	NACL(KG) / WATER(LTRS	Start Time	Stop Time	Done BY

PARAMETER	Phamalab MCDP	IVEN MCDP
Conductivity meter indication		
RTD Temperature indication/inspection		
Flow meter indication/inspection		
Air Pressure gauge Indication/inspection		
Steam Pressure gauge Indication/inspection		

CHECKED BY:

BIOMEDICAL LTD