Biomedical

MASTER COPY

BIOMEDICAL LIMITED.

INCIDENCE/DEVIATION ALERT FORM

BML-QDG-QA-058-F01

Department:	Date:	DEV/INC No.:
Reported By:		
Description of Event:		

Location:

Time:

Date of occurrence:

Details of event:

Immediate correction plan:

Head of Department: Name Sign/Date.....

QA Officer: Name Sign/Date.....

CONTROL COPY

MASTER COPY

biomedical United

BIOMEDICAL LIMITED.

DEVIATION FORM

BML-QDG-QA-058-F02

Deviation Number:	**Department:**	
Deviation Observed By:	**Function:**	
Date of occurrence:		
Time of Occurrence:		
Name of Material/Product:		
Product/Material Code		
Stage:	**Location:**	**Batch No./ Lot No./ AR No.:**
Process Owner:		

Description of Deviation: *(Describe exact event along with immediate responsible personnel/ operator/ machine/ environment for the event, date, precise time)*

Section one

Event type

- Failure to follow GMP
- Customer Compliant / Concern
- Staff Observation
- Breach in Gowning or Entry/Exit Procedure
- Housekeeping deviation
- Out-of-specification
- HSE Hazard
- Environmental data failure
- Internal Quality Audits
- Quality Assurance Inspection
- Failure to document process
- Process Data failure
- Equipment breakdown
- Mislabeling
- Data Trending
- External Audit

CONTROL COPY

MASTER COPY

biomedical United

BIOMEDICAL LIMITED.

DEVIATION FORM

BML-QDG-QA-058-F02

Categorization of Event

ASSESSMENT	YES/NO
Are the corrective actions to be taken described in a procedure?	
Can the event affect a product attribute, manufacturing operational parameter or the product's quality?	
Does the event contradict or omit a requirement or instruction contemplated in any kind of approved written procedure or specification?	
Impact to patients (or personnel or environment) is highly probable, including life threatening situation,	
Has event exceeded the maximum number of repeats allowed?(5 per annum)	

Key:

- If answer to all is NO = Incident
- If there is one or more YES = Deviation

Category: .....

Preliminary Assessment of Event

Function	Activity
Scope of event – batch affected	
Quantity affected	
Trends and number of time of occurrence – relating to similar products, materials, equipment and testing processes, complaints, previous deviations, periodic product quality review, and /or returned goods as appropriate	

CONTROL COPY

MASTER COPY

biomedical United

BIOMEDICAL LIMITED.

DEVIATION FORM

BML-QDG-QA-058-F02

Criticality rating

Criteria For Assessing Severity And Probability Of Non-Detection Of An Event		
Risk	Score	Assessment
Severity	5	The deviation affects a critical product quality attribute or parameter
	3	The deviation affects a process, attribute or parameter that is not critical to product quality
	1	The deviation does not affect product quality or a documented process but must be documented
Probability of non-detection	5	No controls are carried out
	3	Final control on completed process or on manufactured product only
	1	In-process control or other controls in place

Severity Score: .....Probability of non-detection Score: .....

Risk Matrix

		Probability of non-detection		
		5	3	1
Severity	5	25	15	5
	3	15	9	3
	1	5	3	1

- Risk level > 9 (red zone): Critical deviation. Requires in-depth investigation, root cause and impact assessment;
- Risk level > 3 ≤ 9 (orange zone): Major deviation. To be investigated in proportion to the risk;
- Risk level ≤3 (green zone); Incident or Other Deviation. Record, To be investigated in proportion to the risk

Classification of Event

[ ] Incident [ ] Other Deviation [ ] Major Deviation [ ] Critical Deviation

HOD	Name	Signature/Date	
QA Assessment:			
QA Documentation Head:	Name	Signature/Date	
QAM	Name	Signature/Date	

CONTROL COPY

MASTER COPY

BIOMEDICAL LIMITED.

DEVIATION FORM

BML-QDG-QA-058-F02

Tools used (to be attached):	
Root cause identification	
S/I	Root/probable causes

CAPA OBJECTIVES TO ADDRESS THE ROOT CAUSE (to be attached)
Deviation Closure- Closing remark with sign and date by QA representative.

Head of department: Name/Sign/date.....

Documentation Head: [Review] Name/Sign/date.....

Quality Assurance Manager: [Approval]: Name/Sign/date.....

CONTROL COPY