MASTER COPY

biomedical Limited pioneer manufacturers of intravenous fluids	BIOMEDICAL LIMITED, ILORIN QUALITY DEPARTMENT	SOP Ref. No. BML-QDG-QA-025
	PACKAGING INSPECTION SHEET FOR SYRUP PLANT	Version Number: 02
	BML/QDG/QA/025/F02	

Product Name: ..... B/N: ..... Date: .....

S/N	CHECKS	15MINS	15MINS	15MINS	15MINS	15MINS	15MINS	15MINS	15MINS
CAPPING									
1	Measuring cap								
2	Badly caped								
3	Leaking cap/ leakages								
LABEL/STICKER									
4	Wrong Label								
5	Badly placed Label								
6	Missing Batch No								
7	Wrong Batch No								
8	No Label								
9	Creased label								
11	Wrong product								
FILLING/BOTTLING									
12	Damaged bottle								
13	Wrong bottle								
14	Non - clarity								
15	Over filled								
16	Under -filled								
17	Particles								
MONO CARTON/OUTER CARTON									
18	Badly Folded								
19	Missing lid								
20	Leaflet								
21	Wrong packet								
22	Badly sealed Carton								
23	Torn / perforated								
24	Uncoded mono carton								
25	Uncoded outer carton								
26	Wrongly coded outer carton								
27	Quantity inside the outer carton								
	Total Defect								

$$\text{Percentage (\%) Defect} = \frac{\text{Total Defect}}{\text{Tot No of Bottles Inspected}} \times 100 =$$

Q.A Officer (sign/date)

CONTROL COPY