BIOMEDICAL LIMITED

# CHANGE REQUEST FORM

**BML-QDG-QA-071-F02**

MASTER COPY

| Change Control Request Number: | |
|---|---|
| Change Control Request Title: | |
| Date Requested | |

| CHANGE REQUESTER DETAILS | |
|---|---|
| Name: | |
| Job Title: | |
| Department: | |

| DETAILS OF CHANGE CONTROL REQUEST | | |
|---|---|---|
| Change Title | | |
| Change Type | Process/Procedure Facility/Equipment Product Material Utility, Document, Other…….. | |
| Nature of Change | Temporary | Permanent |
| Description of current situation/status (including what is prompting the change ): | | |
| Change Proposal: | | |

BIOMEDICAL LTD

CONTROL COPY

MASTER COPY

| Change Control Request Number: | |
|---|---|
| Reason/ Justification for proposed change (including supporting data): | |
| Acceptance Criteria: | |
| Potential benefits of proposed change: | |
| Risks if the change is implemented: | |
| Risk if the change is not implemented: | |

BIOMEDICAL LTD

CONTROL COPY

BIOMEDICAL LIMITED

**CHANGE REQUEST FORM**

**BML-QDG-QA-071-F02**

MASTER COPY

| Change Control Request Number: | |
|---|---|
| **ASSESSMENT BY QA/PROCESS OWNER** | |
| **IMPACT OF CHANGE** | |
| Names of impacted Product(s) /Material(s) | |
| **Cross Functional Assessment:**<br>Quality Assurance ☐ Quality Control ☐ Warehouse ☐ Engineering ☐<br>Production-Pharma ☐ Production-Infusion ☐ Packaging Pharma ☐ Packaging Infusion ☐<br>Regulatory Affairs ☐ Sales/Marketing ☐ Procurement HR/Admin ☐ House Keeping ☐ | |
| Processes impacted by the change | |
| Procedure impacted by the change | |
| System(s) impacted by the change | |
| Facility or equipment impacted by change | |
| What is the primary benefit of this change? | Compliance Cost Safety Process Improvement<br>Assurance of supply others (Specify) |
| Has the availability of resources for the change identified and agreed? | Yes / No / N/A |
| Indicate if all impacted departments have been consulted about this change proposal | Yes / No / N/A |
| **Classification of Change** | Major ☐ Minor ☐ |

**Activities required to implement change (See Attachment)**

| Action | Responsible Personnel | Target Completion Date | Verification/ Date |
|---|---|---|---|
| | | | |

**ENDORSEMENT FOR CHANGE CONTROL REQUEST BY INITIATOR/HOD/ QUALITY ASSURANCE**

| | | | |
|---|---|---|---|
| **Prepared By Initiator:** | Name | Sign/date | |
| **Reviewed By HOD:** | Name | Sign/date | |
| **QA(NAME)** | Name | Sign/date | |

BIOMEDICAL LTD

CONTROL COPY

MASTER COPY

**CHANGE CONTROL REQUEST ASSESSMENT BY QUALITY ASSURANCE MANAGER**

| CHECK | YES | NO | FOLLOW-UP CHECK |
|---|---|---|---|
| Does this change impact production area? | | | If yes, specify all impacted areas |
| Is there a regulatory impact? | | | If yes, give details |
| Is there an impact on retest or expiry dates? | | | If yes, give details |
| Is there an impact on any test methods? | | | If yes detail the methods impacted |
| Is there an impact on the validation/verification status | | | If yes, identify the impact |
| Do any raw materials or components require testing? | | | If yes, detail test requirements and acceptance level |
| Does the change require Software update | | | If yes, give details |
| Does test specification require creation or update? | | | If yes, give details |
| Do manufacturing/ packaging documents require updating | | | If yes, give details |
| Is product stability testing affected? | | | If yes, outline additional testing requirements and justification |
| Is there an impact on packaging? | | | If yes, give details |
| Will any batches be affected? | | | If yes, give details |
| Is a post implementation review required? | | | If yes, give details |
| Is there any training impact with this change? | | | If yes, give details |

**Quality Assurance Manager**

| Name | | Signature/ Date | | Approved | Escalate to second level |
|---|---|---|---|---|---|

BIOMEDICAL LTD

CONTROL COPY