

# FAQ

## Execution Environment

Host name	202102359 - KPO-Blicicil.pdc.megafinance.co.id
Local OS	Windows 10 64bit
Katalon version	8.6.0.208
Browser	Chrome 114.0.0.0

## Summary

ID	Test Suites/FAQ		
Description			
Total	5		
Passed	3	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	2023-07-14 14:54:57	End	2023-07-14 14:56:26
Elapsed	1m - 28.328s		

#	ID	Description	Status
1	Test Cases/FAQS/Beranda		PASSED
2	Test Cases/FAQS/Success/Searching Success		FAILED
3	Test Cases/FAQS/Failed/Searching Failed		PASSED
4	Test Cases/FAQS/Success/Add Success		PASSED
5	Test Cases/FAQS/Failed/Add Failed		FAILED

# Beranda

## Information

ID	Test Cases/FAQS/Beranda		
Description			
Tag			
Start	2023-07-14 14:54:57	End	2023-07-14 14:55:13
Elapsed	15.519s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	2.350s	PASSED
2	maximizeWindow()  Current window maximized	0.029s	PASSED
3	navigateToUrl("https://uat-dashboard.blicicil.com/auth/login")  Navigate to 'https://uat-dashboard.blicicil.com/auth/login' successfully	0.649s	PASSED
4	setText(findTestObject("Object Repository/FAQS/Beranda/input_Email_email"), "eva.mayadila@megafinance.co.id")  Text 'eva.mayadila@megafinance.co.id' is set on object 'Object Repository/FAQS/Beranda/input_Email_email'	0.811s	PASSED
5	setEncryptedText(findTestObject("Object Repository/FAQS/Beranda/input_Password_password"), "aeHFOx8jV/A=")  Text ***** has been set on object 'Object Repository/FAQS/Beranda/input_Password_password'	0.427s	PASSED
6	click(findTestObject("Object Repository/FAQS/Beranda/button_Login"))  Object: 'Object Repository/FAQS/Beranda/button_Login' is clicked on	0.491s	PASSED

# Beranda

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/FAQS/Beranda/a_FAQ"))  Object: 'Object Repository/FAQS/Beranda/a_FAQ' is clicked on	2.082s	PASSED
8	click(findTestObject("Object Repository/FAQS/Beranda/a_Next"))  Object: 'Object Repository/FAQS/Beranda/a_Next' is clicked on	1.057s	PASSED
9	click(findTestObject("Object Repository/FAQS/Beranda/a_Previous"))  Object: 'Object Repository/FAQS/Beranda/a_Previous' is clicked on	0.474s	PASSED
10	click(findTestObject("Object Repository/FAQS/Beranda/button_Unpublish"))  Object: 'Object Repository/FAQS/Beranda/button_Unpublish' is clicked on	0.586s	PASSED
11	click(findTestObject("Object Repository/FAQS/Beranda/button_No"))  Object: 'Object Repository/FAQS/Beranda/button_No' is clicked on	0.481s	PASSED
12	click(findTestObject("Object Repository/FAQS/Beranda/button_Unpublish"))  Object: 'Object Repository/FAQS/Beranda/button_Unpublish' is clicked on	0.687s	PASSED
13	click(findTestObject("Object Repository/FAQS/Beranda/button_Yes"))  Object: 'Object Repository/FAQS/Beranda/button_Yes' is clicked on	0.490s	PASSED
14	click(findTestObject("Object Repository/FAQS/Beranda/a_2"))  Object: 'Object Repository/FAQS/Beranda/a_2' is clicked on	1.123s	PASSED
15	click(findTestObject("Object Repository/FAQS/Beranda/a_1"))  Object: 'Object Repository/FAQS/Beranda/a_1' is clicked on	0.469s	PASSED
16	click(findTestObject("Object Repository/FAQS/Beranda/button_Publish"))  Object: 'Object Repository/FAQS/Beranda/button_Publish' is clicked on	0.611s	PASSED

## Beranda

---

#	Description	Elapsed	Status
17	click(findTestObject("Object Repository/FAQS/Beranda/button_No"))  Object: 'Object Repository/FAQS/Beranda/button_No' is clicked on	0.568s	PASSED
18	click(findTestObject("Object Repository/FAQS/Beranda/button_Publish"))  Object: 'Object Repository/FAQS/Beranda/button_Publish' is clicked on	0.680s	PASSED
19	click(findTestObject("Object Repository/FAQS/Beranda/button_Yes"))  Object: 'Object Repository/FAQS/Beranda/button_Yes' is clicked on	0.473s	PASSED
20	closeBrowser(STOP_ON_FAILURE)  Browser is closed	0.681s	PASSED

# Searching Success

## Information

ID	Test Cases/FAQS/Success/Searching Success		
Description			
Tag			
Start	2023-07-14 14:55:13	End	2023-07-14 14:55:57
Elapsed	43.804s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.325s	PASSED
2	maximizeWindow()  Current window maximized	0.016s	PASSED
3	navigateToUrl("https://uat-dashboard.blicicil.com/auth/login")  Navigate to 'https://uat-dashboard.blicicil.com/auth/login' successfully	0.477s	PASSED
4	setText(findTestObject("Object Repository/FAQS/Searching Success/input_Email_email"), "eva.mayadila@megafinance.co.id")  Text 'eva.mayadila@megafinance.co.id' is set on object 'Object Repository/FAQS/Searching Success/input_Email_email'	0.907s	PASSED
5	setEncryptedText(findTestObject("Object Repository/FAQS/Searching Success/input_Password_password"), "aeHFOx8jV/A=")  Text ***** has been set on object 'Object Repository/FAQS/Searching Success/input_Password_password'	0.383s	PASSED
6	click(findTestObject("Object Repository/FAQS/Searching Success/button_Login"))  Object: 'Object Repository/FAQS/Searching Success/button_Login' is clicked on	0.472s	PASSED

## Searching Success

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/FAQS/Searching Success/a_FAQ"))  Object: 'Object Repository/FAQS/Searching Success/a_FAQ' is clicked on	2.111s	PASSED
8	setText(findTestObject("Object Repository/FAQS/Searching Success/input_Search_form-control form-control-sm"), "Limit Kredit")  Text 'Limit Kredit' is set on object 'Object Repository/FAQS/Searching Success/input_Search_form-control form-control-sm'	1.396s	PASSED
9	sendKeys(findTestObject("Object Repository/FAQS/Searching Success/input_Search_form-control form-control-sm"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/FAQS/Searching Success/input_Search_form-control form-control-sm'	0.473s	PASSED
10	click(findTestObject("Object Repository/FAQS/Searching Success/button_Publish"))  Object: 'Object Repository/FAQS/Searching Success/button_Publish' is clicked on	0.357s	PASSED
11	click(findTestObject("Object Repository/FAQS/Searching Success/button_No"))  Object: 'Object Repository/FAQS/Searching Success/button_No' is clicked on	0.468s	PASSED
12	click(findTestObject("Object Repository/FAQS/Searching Success/button_Publish"))  Object: 'Object Repository/FAQS/Searching Success/button_Publish' is clicked on	0.689s	PASSED
13	click(findTestObject("Object Repository/FAQS/Searching Success/button_Yes"))  Object: 'Object Repository/FAQS/Searching Success/button_Yes' is clicked on	0.562s	PASSED
14	refresh()  Refresh successfully	0.296s	PASSED
15	setText(findTestObject("Object Repository/FAQS/Searching Success/input_Search_form-control form-control-sm"), "modal instan")  Text 'modal instan' is set on object 'Object Repository/FAQS/Searching Success/input_Search_form-control form-control-sm'	1.393s	PASSED

# Searching Success


#	Description	Elapsed	Status
16	<div>sendKeys(findTestObject("Object Repository/FAQS/Searching Success/input_Search_form-control form-control-sm"), Keys.chord(ENTER))</div> <div>Keys 'ENTER + ' sent to object: 'Object Repository/FAQS/Searching Success/input_Search_form-control form-control-sm'</div>	0.552s	PASSED
17	<div>click(findTestObject("Object Repository/FAQS/Searching Success/button_Unpublish"))</div> <div>Object: 'Object Repository/FAQS/Searching Success/button_Unpublish' is clicked on</div>	0.350s	PASSED

# Searching Success

#	Description	Elapsed	Status
18	click(findTestObject("Object Repository/FAQS/Searching Success/button_No"))  Unable to click on object 'Object Repository/FAQS/Searching Success/button_No' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/FAQS/Searching Success/button_No' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$4.call (Unknown Source) at Searching Success.run(Searching Success:56) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1689321295830.run(TempTestSuite1689321295830.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/FAQS/Searching Success/button_No' located by '//button[@type='button']'[17]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1376) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.	31.363s	FAILED



# Searching Success

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$4.call (Unknown Source)     at Script1689319836257.run(Script1689319836257.groovy:56)     ... 13 more )</pre>		
			

# Searching Failed

## Information

ID	Test Cases/FAQS/Failed/Searching Failed		
Description			
Tag			
Start	2023-07-14 14:55:57	End	2023-07-14 14:56:07
Elapsed	10.599s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.954s	PASSED
2	maximizeWindow()  Current window maximized	0.015s	PASSED
3	navigateToUrl("https://uat-dashboard.blicicil.com/auth/login")  Navigate to 'https://uat-dashboard.blicicil.com/auth/login' successfully	0.497s	PASSED
4	setText(findTestObject("Object Repository/FAQS/Searching Failed/input_Email_email"), "eva.mayadila@megafinance.co.id")  Text 'eva.mayadila@megafinance.co.id' is set on object 'Object Repository/FAQS/Searching Failed/input_Email_email'	0.896s	PASSED
5	setEncryptedText(findTestObject("Object Repository/FAQS/Searching Failed/input_Password_password"), "aeHFOx8jV/A=")  Text ***** has been set on object 'Object Repository/FAQS/Searching Failed/input_Password_password'	0.398s	PASSED
6	click(findTestObject("Object Repository/FAQS/Searching Failed/button_Login"))  Object: 'Object Repository/FAQS/Searching Failed/button_Login' is clicked on	0.468s	PASSED

## Searching Failed

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/FAQS/Searching Failed/a_FAQ"))  Object: 'Object Repository/FAQS/Searching Failed/a_FAQ' is clicked on	2.156s	PASSED
8	getText(findTestObject("Object Repository/FAQS/Searching Failed/div_List FAQs BliCicil Admin as _3c8d92"))  Text of object 'Object Repository/FAQS/Searching Failed/div_List FAQs BliCicil Admin as _3c8d92' is: 'List FAQs BliCicil Admin as New FAQ'	1.020s	PASSED
9	setText(findTestObject("Object Repository/FAQS/Searching Failed/input_Search_form-control form-control-sm"), "12345678")  Text '12345678' is set on object 'Object Repository/FAQS/Searching Failed/input_Search_form-control form-control-sm'	0.667s	PASSED
10	sendKeys(findTestObject("Object Repository/FAQS/Searching Failed/input_Search_form-control form-control-sm"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/FAQS/Searching Failed/input_Search_form-control form-control-sm'	0.551s	PASSED
11	setText(findTestObject("Object Repository/FAQS/Searching Failed/input_Search_form-control form-control-sm"), "products")  Text 'products' is set on object 'Object Repository/FAQS/Searching Failed/input_Search_form-control form-control-sm'	0.685s	PASSED
12	sendKeys(findTestObject("Object Repository/FAQS/Searching Failed/input_Search_form-control form-control-sm"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/FAQS/Searching Failed/input_Search_form-control form-control-sm'	0.459s	PASSED
13	closeBrowser()  Browser is closed	0.643s	PASSED

# Add Success

## Information

ID	Test Cases/FAQS/Success/Add Success		
Description			
Tag			
Start	2023-07-14 14:56:07	End	2023-07-14 14:56:19
Elapsed	11.723s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Membuka chrome  Browser is opened with url: "	1.318s	PASSED
2	Mazimize Windows Chrome  Current window maximized	0.018s	PASSED
3	Membuka halaman login  Navigate to 'https://uat-dashboard.blicicil.com/auth/login' successfully	1.088s	PASSED
4	menginputkan email valid  Text 'eva.mayadila@megafinance.co.id' is set on object 'Object Repository/FAQS/Add FAQ Success/input_Email_email'	0.894s	PASSED
5	Menginputkan password valid  Text '*****' has been set on object 'Object Repository/FAQS/Add FAQ Success/input_Password_password'	0.385s	PASSED
6	Mengklik button login  Object: 'Object Repository/FAQS/Add FAQ Success/button_Login' is clicked on	0.456s	PASSED

## Add Success

#	Description	Elapsed	Status
7	Mengklik menu FAQ  Object: 'Object Repository/FAQS/Add FAQ Success/a_FAQ' is clicked on	2.185s	PASSED
8	Mengklik button Add FAQ  Object: 'Object Repository/FAQS/Add FAQ Success/span_New FAQ' is clicked on	1.481s	PASSED
9	Menginputkan judul / pertanyaan FAQ  Text 'Testingss' is set on object 'Object Repository/FAQS/Add FAQ Success/input_Judul_txtProductName'	1.026s	PASSED
10	Mendeklarasi isi inputan di deskripsi	0.000s	PASSED
11	Menginputkan isi deskripsi  Text 'testing' is set on object 'Object Repository/FAQS/Add FAQ Success/p'	0.548s	PASSED
12	Mendapatkan atribut inputan deskripsinya  Attribute 'value' of object 'Object Repository/FAQS/Add FAQ Success/p' is: 'null'	1.105s	PASSED
13	Mengklik button Submit  Object: 'Object Repository/FAQS/Add FAQ Success/button_Submit' is clicked on	0.344s	PASSED
14	Menutup chrome  Browser is closed	0.670s	PASSED

# Add Failed

## Information

ID	Test Cases/FAQS/Failed/Add Failed		
Description			
Tag			
Start	2023-07-14 14:56:19	End	2023-07-14 14:56:26
Elapsed	6.459s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	Membuka chrome  Browser is opened with url: "	1.645s	PASSED
2	Mazimize Windows Chrome  Current window maximized	0.015s	PASSED
3	Membuka halaman login  Navigate to 'https://uat-dashboard.blicicil.com/auth/login' successfully	0.642s	PASSED
4	Menginputkan email valid  Text 'eva.mayadila@megafinance.co.id' is set on object 'Object Repository/FAQS/Add FAQ Failed/input_Email_email'	0.913s	PASSED
5	Menginputkan password valid  Text '*****' has been set on object 'Object Repository/FAQS/Add FAQ Failed/input_Password_password'	0.386s	PASSED
6	Mengklik button login  Object: 'Object Repository/FAQS/Add FAQ Failed/button_Login' is clicked on	0.484s	PASSED

## Add Failed

---

#	Description	Elapsed	Status
7	Mengklik menu FAQ	1.956s	PASSED

Object: 'Object Repository/FAQS/Add FAQ Failed/a\_FAQ' is clicked on

## Add Failed

#	Description	Elapsed	Status
8	Mengklik menu Add FAQ	0.132s	FAILED
<p>Unable to click on object 'Object Repository/FAQS/Add FAQ Failed/span_New FAQ' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/FAQS/Add FAQ Failed/span_New FAQ'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$4.call (Unknown Source)</p> <p>at Add Failed.run (Add Failed:42)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:187)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)</p> <p>at TempTestSuite1689321295830.run (TempTestSuite1689321295830.groovy:36)</p> <p>Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed</p> <p>from unknown error: web view not found</p> <p>(Session info: chrome=114.0.5735.199)</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'KPO-BLICICIL', ip: '192.168.16.53', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'</p> <p>Driver info: com.kms.katalon.selenium.driver.CChromeDriver</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\WINDOWS\SystemTemp\scope...}, goog:chromeOptions: {debuggerAddress: localhost:56559}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:</p>			



## Add Failed

#	Description	Elapsed	Status
	<pre>300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension: credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c810a44ff548e30e2e9544892e0cc1e7 *** Element info: {Using=xpath, value=//section[@id='complex-header-datatable']} /div/div/div/div/div[2]/a/span}     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)     at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)     at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)     at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)     at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)     at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)     at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105)     at com.sun.proxy.\$Proxy10.findElements(Unknown Source)     at org.openqa.selenium.support.events.EventFiringWebDriver.findElements (EventFiringWebDriver.java:182)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1022)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:912)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889)     at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720)     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1371)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)</pre>		

# Add Failed

#	Description	Elapsed	Status
	<div>at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$4.call (Unknown Source) at Script1689319811978.run(Script1689319811978.groovy:42) ... 13 more )</div>		