

# Customer Managament

## Execution Environment

Host name	202102359 - KPO-Blicicil.pdc.megafinance.co.id
Local OS	Windows 10 64bit
Katalon version	8.6.0.208
Browser	Chrome 114.0.0.0

## Summary

ID	Test Suites/Customer Managament		
Description			
Total	4		
Passed	4	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	2023-07-11 09:56:21	End	2023-07-11 09:58:26
Elapsed	2m - 4.764s		

#	ID	Description	Status
1	Test Cases/Customer Management/Beranda		PASSED
2	Test Cases/Customer Management/Detail		PASSED
3	Test Cases/Customer Management/Searching Failed		PASSED
4	Test Cases/Customer Management/Searching Success		PASSED

# Beranda

## Information

ID	Test Cases/Customer Management/Beranda		
Description			
Tag			
Start	2023-07-11 09:56:22	End	2023-07-11 09:56:39
Elapsed	17.760s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	3.499s	PASSED
2	maximizeWindow()  Current window maximized	0.052s	PASSED
3	navigateToUrl("https://uat-dashboard.blicicil.com/auth/login")  Navigate to 'https://uat-dashboard.blicicil.com/auth/login' successfully	1.006s	PASSED
4	setText(findTestObject("Object Repository/Customer Managementt/Beranda/input_Email_email"), "eva.mayadila@megafinance.co.id")  Text 'eva.mayadila@megafinance.co.id' is set on object 'Object Repository/Customer Managementt/Beranda/input_Email_email'	1.354s	PASSED
5	setEncryptedText(findTestObject("Object Repository/Customer Managementt/Beranda/input_Password_password"), "aeHFOx8jV/A=")  Text ***** has been set on object 'Object Repository/Customer Managementt/Beranda/input_Password_password'	0.583s	PASSED
6	click(findTestObject("Object Repository/Customer Managementt/Beranda/button_Login"))  Object: 'Object Repository/Customer Managementt/Beranda/button_Login' is clicked on	0.610s	PASSED

# Beranda

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Customer Managementt/Beranda/span_Customer Management"))  Object: 'Object Repository/Customer Managementt/Beranda/span_Customer Management' is clicked on	2.659s	PASSED
8	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Beranda/select_Show _69175e"), "10", true)  All options with value '10' are selected in object 'Object Repository/Customer Managementt/Beranda/select_Show _69175e' using regular expression	1.761s	PASSED
9	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Beranda/select_Show _69175e"), "25", true)  All options with value '25' are selected in object 'Object Repository/Customer Managementt/Beranda/select_Show _69175e' using regular expression	1.239s	PASSED
10	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Beranda/select_Show _69175e"), "5", true)  All options with value '5' are selected in object 'Object Repository/Customer Managementt/Beranda/select_Show _69175e' using regular expression	1.263s	PASSED
11	click(findTestObject("Object Repository/Customer Managementt/Beranda/a_4"))  Object: 'Object Repository/Customer Managementt/Beranda/a_4' is clicked on	0.547s	PASSED
12	click(findTestObject("Object Repository/Customer Managementt/Beranda/a_5"))  Object: 'Object Repository/Customer Managementt/Beranda/a_5' is clicked on	0.640s	PASSED
13	click(findTestObject("Object Repository/Customer Managementt/Beranda/a_Prev"))  Object: 'Object Repository/Customer Managementt/Beranda/a_Prev' is clicked on	0.629s	PASSED
14	click(findTestObject("Object Repository/Customer Managementt/Beranda/a_Next"))  Object: 'Object Repository/Customer Managementt/Beranda/a_Next' is clicked on	0.620s	PASSED

# Beranda

---

#	Description	Elapsed	Status
15	closeBrowser()  Browser is closed	0.721s	PASSED

# Detail

## Information

ID	Test Cases/Customer Management/Detail		
Description			
Tag			
Start	2023-07-11 09:56:39	End	2023-07-11 09:57:17
Elapsed	37.445s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	<div>openBrowser("")  Browser is opened with url: "</div>	1.687s	PASSED
2	<div>maximizeWindow()  Current window maximized</div>	0.013s	PASSED
3	<div>navigateToUrl("https://uat-dashboard.blicicil.com/auth/login")  Navigate to 'https://uat-dashboard.blicicil.com/auth/login' successfully</div>	0.653s	PASSED
4	<div>setText(findTestObject("Object Repository/Customer Managementt/Detail/input_Email_email"), "eva.mayadila@megafinance.co.id")  Text 'eva.mayadila@megafinance.co.id' is set on object 'Object Repository/Customer Managementt/Detail/input_Email_email'</div>	0.946s	PASSED
5	<div>setEncryptedText(findTestObject("Object Repository/Customer Managementt/Detail/input_Password_password"), "aeHFOx8jV/A=")  Text ***** has been set on object 'Object Repository/Customer Managementt/Detail/input_Password_password'</div>	0.446s	PASSED
6	<div>click(findTestObject("Object Repository/Customer Managementt/Detail/button_Login"))  Object: 'Object Repository/Customer Managementt/Detail/button_Login' is clicked on</div>	0.525s	PASSED

## Detail

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Customer Managementt/Detail/span_Customer Management"))  Object: 'Object Repository/Customer Managementt/Detail/span_Customer Management' is clicked on	2.409s	PASSED
8	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Detail"))  Object: 'Object Repository/Customer Managementt/Detail/a_Detail' is clicked on	1.380s	PASSED
9	click(findTestObject("Object Repository/Customer Managementt/Detail/h3_User Profile"))  Object: 'Object Repository/Customer Managementt/Detail/h3_User Profile' is clicked on	0.981s	PASSED
10	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Alamat"))  Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Alamat' is clicked on	0.373s	PASSED
11	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan"))  Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan' is clicked on	0.399s	PASSED
12	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Kontak"))  Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Kontak' is clicked on	0.432s	PASSED
13	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Foto Identitas"))  Object: 'Object Repository/Customer Managementt/Detail/a_Foto Identitas' is clicked on	0.443s	PASSED
14	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Customer Management"))  Object: 'Object Repository/Customer Managementt/Detail/a_Customer Management' is clicked on	0.872s	PASSED

## Detail

#	Description	Elapsed	Status
15	click(findTestObject("Object Repository/Customer Managementt/Detail/a_3"))  Object: 'Object Repository/Customer Managementt/Detail/a_3' is clicked on	8.118s	PASSED
16	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Detail_1"))  Object: 'Object Repository/Customer Managementt/Detail/a_Detail_1' is clicked on	1.292s	PASSED
17	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Alamat"))  Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Alamat' is clicked on	0.975s	PASSED
18	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan"))  Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan' is clicked on	0.448s	PASSED
19	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Kontak"))  Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Kontak' is clicked on	0.532s	PASSED
20	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Foto Identitas"))  Object: 'Object Repository/Customer Managementt/Detail/a_Foto Identitas' is clicked on	0.475s	PASSED
21	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Customer Management"))  Object: 'Object Repository/Customer Managementt/Detail/a_Customer Management' is clicked on	0.987s	PASSED
22	click(findTestObject("Object Repository/Customer Managementt/Detail/a_5"))  Object: 'Object Repository/Customer Managementt/Detail/a_5' is clicked on	0.997s	PASSED
23	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Detail_1_2"))  Object: 'Object Repository/Customer Managementt/Detail/a_Detail_1_2' is clicked on	0.941s	PASSED

## Detail

#	Description	Elapsed	Status
24	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Alamat"))  Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Alamat' is clicked on	1.063s	PASSED
25	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan"))  Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan' is clicked on	0.370s	PASSED
26	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Kontak"))  Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Kontak' is clicked on	0.369s	PASSED
27	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Foto Identitas"))  Object: 'Object Repository/Customer Managementt/Detail/a_Foto Identitas' is clicked on	0.377s	PASSED
28	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Customer Management"))  Object: 'Object Repository/Customer Managementt/Detail/a_Customer Management' is clicked on	0.703s	PASSED
29	click(findTestObject("Object Repository/Customer Managementt/Detail/a_5"))  Object: 'Object Repository/Customer Managementt/Detail/a_5' is clicked on	1.050s	PASSED
30	click(findTestObject("Object Repository/Customer Managementt/Detail/a_7"))  Object: 'Object Repository/Customer Managementt/Detail/a_7' is clicked on	0.580s	PASSED
31	click(findTestObject("Object Repository/Customer Managementt/Detail/a_9"))  Object: 'Object Repository/Customer Managementt/Detail/a_9' is clicked on	0.604s	PASSED
32	click(findTestObject("Object Repository/Customer Managementt/Detail/a_11"))  Object: 'Object Repository/Customer Managementt/Detail/a_11' is clicked on	0.580s	PASSED



## Detail

#	Description	Elapsed	Status
33	click(findTestObject("Object Repository/Customer Managementt/Detail/a_13"))  Object: 'Object Repository/Customer Managementt/Detail/a_13' is clicked on	0.579s	PASSED
34	click(findTestObject("Object Repository/Customer Managementt/Detail/a_15"))  Object: 'Object Repository/Customer Managementt/Detail/a_15' is clicked on	0.573s	PASSED
35	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Detail_1_2_3"))  Object: 'Object Repository/Customer Managementt/Detail/a_Detail_1_2_3' is clicked on	1.063s	PASSED
36	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Alamat"))  Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Alamat' is clicked on	0.961s	PASSED
37	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan"))  Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan' is clicked on	0.402s	PASSED
38	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Kontak"))  Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Kontak' is clicked on	0.366s	PASSED
39	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Foto Identitas"))  Object: 'Object Repository/Customer Managementt/Detail/a_Foto Identitas' is clicked on	0.359s	PASSED
40	closeBrowser()  Browser is closed	0.775s	PASSED

# Searching Failed

## Information

ID	Test Cases/Customer Management/Searching Failed		
Description			
Tag			
Start	2023-07-11 09:57:17	End	2023-07-11 09:57:42
Elapsed	25.454s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.792s	PASSED
2	maximizeWindow()  Current window maximized	0.017s	PASSED
3	navigateToUrl("https://uat-dashboard.blicicil.com/auth/login")  Navigate to 'https://uat-dashboard.blicicil.com/auth/login' successfully	1.621s	PASSED
4	setText(findTestObject("Object Repository/Customer Management/Searching Failed/input_Email_email"), "eva.mayadila@megafinance.co.id")  Text 'eva.mayadila@megafinance.co.id' is set on object 'Object Repository/Customer Management/Searching Failed/input_Email_email'	1.179s	PASSED
5	setEncryptedText(findTestObject("Object Repository/Customer Management/Searching Failed/input_Password_password"), "aeHFOx8jV/A=")  Text ***** has been set on object 'Object Repository/Customer Management/Searching Failed/input_Password_password'	0.617s	PASSED
6	click(findTestObject("Object Repository/Customer Management/Searching Failed/button_Login"))  Object: 'Object Repository/Customer Management/Searching Failed/button_Login' is clicked on	0.632s	PASSED

## Searching Failed

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Customer Managementt/Searching Failed/span_Customer Management"))  Object: 'Object Repository/Customer Managementt/Searching Failed/span_Customer Management' is clicked on	2.511s	PASSED
8	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Searching Failed/select_Search by _8b0677"), "name", true)  All options with value 'name' are selected in object 'Object Repository/Customer Managementt/Searching Failed/select_Search by _8b0677' using regular expression	1.624s	PASSED
9	setText(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch"), "Dono")  Text 'Dono' is set on object 'Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch'	0.740s	PASSED
10	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch'	0.495s	PASSED
11	delay(2)  Delayed 2 second(s)	2.049s	PASSED
12	refresh()  Refresh successfully	0.499s	PASSED
13	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Searching Failed/select_Search by _8b0677"), "mobile_phone", true)  All options with value 'mobile_phone' are selected in object 'Object Repository/Customer Managementt/Searching Failed/select_Search by _8b0677' using regular expression	1.737s	PASSED

## Searching Failed

#	Description	Elapsed	Status
14	setText(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1"), "233333")  Text '233333' is set on object 'Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1'	0.672s	PASSED
15	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1'	0.351s	PASSED
16	delay(2)  Delayed 2 second(s)	2.016s	PASSED
17	refresh()  Refresh successfully	0.366s	PASSED
18	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Searching Failed/select_Search by _8b0677"), "nik", true)  All options with value 'nik' are selected in object 'Object Repository/Customer Managementt/Searching Failed/select_Search by _8b0677' using regular expression	2.007s	PASSED
19	setText(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1"), "123456")  Text '123456' is set on object 'Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1'	0.729s	PASSED
20	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1'	0.414s	PASSED
21	delay(2)  Delayed 2 second(s)	2.012s	PASSED

## Searching Failed

---

#	Description	Elapsed	Status
22	closeBrowser()  Browser is closed	0.782s	PASSED

# Searching Success

## Information

ID	Test Cases/Customer Management/Searching Success		
Description			
Tag			
Start	2023-07-11 09:57:42	End	2023-07-11 09:58:26
Elapsed	43.706s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	2.739s	PASSED
2	maximizeWindow()  Current window maximized	0.020s	PASSED
3	navigateToUrl("https://uat-dashboard.blicicil.com/auth/login")  Navigate to 'https://uat-dashboard.blicicil.com/auth/login' successfully	0.820s	PASSED
4	setText(findTestObject("Object Repository/Customer Management/Searching Success/input_Email_email"), "eva.mayadila@megafinance.co.id")  Text 'eva.mayadila@megafinance.co.id' is set on object 'Object Repository/Customer Management/Searching Success/input_Email_email'	1.371s	PASSED
5	setEncryptedText(findTestObject("Object Repository/Customer Management/Searching Success/input_Password_password"), "aeHFOx8jV/A=")  Text ***** has been set on object 'Object Repository/Customer Management/Searching Success/input_Password_password'	0.509s	PASSED
6	click(findTestObject("Object Repository/Customer Management/Searching Success/button_Login"))  Object: 'Object Repository/Customer Management/Searching Success/button_Login' is clicked on	0.572s	PASSED

## Searching Success

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Customer Managementt/Searching Success/span_Customer Management"))  Object: 'Object Repository/Customer Managementt/Searching Success/span_Customer Management' is clicked on	2.380s	PASSED
8	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Searching Success/select_Search by _8b0677"), "name", true)  All options with value 'name' are selected in object 'Object Repository/Customer Managementt/Searching Success/select_Search by _8b0677' using regular expression	1.664s	PASSED
9	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch"), "Eva")  Text 'Eva' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch'	0.685s	PASSED
10	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch'	0.335s	PASSED
11	refresh()  Refresh successfully	0.351s	PASSED
12	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch"), "Hendra")  Text 'Hendra' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch'	1.359s	PASSED
13	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch'	0.367s	PASSED
14	delay(2)  Delayed 2 second(s)	2.006s	PASSED

## Searching Success

#	Description	Elapsed	Status
15	refresh()  Refresh successfully	0.436s	PASSED
16	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Searching Success/select_Search by _8b0677"), "mobile_phone", true)  All options with value 'mobile_phone' are selected in object 'Object Repository/Customer Managementt/Searching Success/select_Search by _8b0677' using regular expression	1.749s	PASSED
17	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), "0812880651")  Text '0812880651' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.713s	PASSED
18	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.371s	PASSED
19	delay(2)  Delayed 2 second(s)	2.017s	PASSED
20	refresh()  Refresh successfully	0.411s	PASSED
21	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), "0812")  Text '0812' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	1.436s	PASSED
22	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.342s	PASSED



## Searching Success

#	Description	Elapsed	Status
23	delay(2)  Delayed 2 second(s)	2.005s	PASSED
24	refresh()  Refresh successfully	0.477s	PASSED
25	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Searching Success/select_Search by _8b0677"), "nik", true)  All options with value 'nik' are selected in object 'Object Repository/Customer Managementt/Searching Success/select_Search by _8b0677' using regular expression	2.005s	PASSED
26	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), "340407640")  Text '340407640' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.737s	PASSED
27	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.503s	PASSED
28	delay(2)  Delayed 2 second(s)	2.004s	PASSED
29	refresh()  Refresh successfully	0.362s	PASSED
30	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), "340")  Text '340' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	1.374s	PASSED

## Searching Success

#	Description	Elapsed	Status
31	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.355s	PASSED
32	delay(2)  Delayed 2 second(s)	2.003s	PASSED
33	refresh()  Refresh successfully	0.310s	PASSED
34	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), "3203")  Text '3203' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	1.341s	PASSED
35	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.354s	PASSED
36	delay(2)  Delayed 2 second(s)	2.014s	PASSED
37	refresh()  Refresh successfully	0.326s	PASSED
38	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), "320")  Text '320' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	1.321s	PASSED

# Searching Success

#	Description	Elapsed	Status
39	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.343s	PASSED
40	delay(2)  Delayed 2 second(s)	2.005s	PASSED
41	closeBrowser()  Browser is closed	0.682s	PASSED