Customer Managament

Execution Environment

Host name	202102359 - KPO-Blicicil.pdc.megafinance.co.id
Local OS	Windows 10 64bit
Katalon version	8.6.0.208
Browser	Chrome 114.0.0.0

Summary

ID	Test Suites/Customer Managament
Description	

Total	4		
Passed	4	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	2023-07-21 16:22:47	End	2023-07-21 16:24:39
Elapsed	1m - 51.975s		

#	ID	Description	Status
1	Test Cases/Customer Management/Beranda		PASSED
2	Test Cases/Customer Management/Detail		PASSED
3	Test Cases/Customer Management/Searching Failed		PASSED
4	Test Cases/Customer Management/Searching Success		PASSED

Beranda

Information

ID	Test Cases/Customer Management/Beranda
Description	
Tag	

Start	2023-07-21 16:22:47	End	2023-07-21 16:23:05
Elapsed	17.807s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.268s	PASSED
	Browser is opened with url: ''		
2	maximizeWindow()	0.043s	PASSED
	Current window maximized		
3	navigateToUrl("https://uat-dashboard.blicicil.com/auth/login")	1.595s	PASSED
	Navigate to 'https://uat-dashboard.blicicil.com/auth/login' successfully		
4	setText(findTestObject("Object Repository/Customer Managementt/Beranda/input_Email_email"), "eva.mayadila@megafinance.co.id")	0.943s	PASSED
	Text 'eva.mayadila@megafinance.co.id' is set on object 'Object Repository/Customer Managementt/Beranda/input_Email_email'		
5	setEncryptedText(findTestObject("Object Repository/Customer Managementt/Beranda/input_Password_password"), "aeHFOx8jV/A=")	0.409s	PASSED
	Text ****** has been set on object 'Object Repository/Customer Managementt/Beranda/input_Password_password'		
6	click(findTestObject("Object Repository/Customer Managementt/Beranda/button_Login"))	0.529s	PASSED
	Object: 'Object Repository/Customer Managementt/Beranda/button_Login' is clicked on		

Beranda

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Customer Managementt/Beranda/a_Customer Management")) Object: 'Object Repository/Customer Managementt/Beranda/a_Customer Management' is clicked on	1.956s	PASSED
8	click(findTestObject("Object Repository/Customer Managementt/Beranda/a_Next")) Object: 'Object Repository/Customer Managementt/Beranda/a_Next' is clicked on	1.024s	PASSED
9	click(findTestObject("Object Repository/Customer Managementt/Beranda/a_Next_1")) Object: 'Object Repository/Customer Managementt/Beranda/a_Next_1' is clicked on	0.564s	PASSED
10	click(findTestObject("Object Repository/Customer Managementt/Beranda/a_Next_1_2")) Object: 'Object Repository/Customer Managementt/Beranda/a_Next_1_2' is clicked on	0.561s	PASSED
11	click(findTestObject("Object Repository/Customer Managementt/Beranda/a_Prev")) Object: 'Object Repository/Customer Managementt/Beranda/a_Prev' is clicked on	0.576s	PASSED
12	click(findTestObject("Object Repository/Customer Managementt/Beranda/a_Prev_1")) Object: 'Object Repository/Customer Managementt/Beranda/a_Prev_1' is clicked on	0.553s	PASSED
13	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Beranda/select_Show _69175e"), "10", true) All options with value '10' are selected in object 'Object Repository/Customer Managementt/Beranda/select_Show _69175e' using regular expression	1.342s	PASSED
14	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Beranda/select_Show _69175e"), "25", true) All options with value '25' are selected in object 'Object Repository/Customer Managementt/Beranda/select_Show _69175e' using regular expression	1.176s	PASSED

Beranda

#	Description	Elapsed	Status
15	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Beranda/select_Show _69175e"), "5", true) All options with value '5' are selected in object 'Object Repository/Customer Managementt/Beranda/select_Show _69175e' using regular expression	1.279s	PASSED
16	click(findTestObject("Object Repository/Customer Managementt/Beranda/a_Detail")) Object: 'Object Repository/Customer Managementt/Beranda/a_Detail' is clicked on	0.714s	PASSED
17	click(findTestObject("Object Repository/Customer Managementt/Beranda/a_Customer Management (1)")) Object: 'Object Repository/Customer Managementt/Beranda/a_Customer Management (1)' is clicked on	1.282s	PASSED
18	closeBrowser() Browser is closed	0.669s	PASSED

Detail

Information

ID	Test Cases/Customer Management/Detail
Description	
Tag	

Start	2023-07-21 16:23:05	End	2023-07-21 16:23:37
Elapsed	32.184s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	1.327s	PASSED
	Browser is opened with url: ''		
2	maximizeWindow()	0.017s	PASSED
	Current window maximized		
3	navigateToUrl("https://uat-dashboard.blicicil.com/auth/login")	0.465s	PASSED
	Navigate to 'https://uat-dashboard.blicicil.com/auth/login' successfully		
4	setText(findTestObject("Object Repository/Customer Managementt/Detail/input_Email_email"), "eva.mayadila@megafinance.co.id")	0.820s	PASSED
	Text 'eva.mayadila@megafinance.co.id' is set on object 'Object Repository/Customer Managementt/Detail/input_Email_email'		
5	setEncryptedText(findTestObject("Object Repository/Customer Managementt/Detail/input_Password_password"), "aeHFOx8jV/A=")	0.379s	PASSED
	Text ****** has been set on object 'Object Repository/Customer Managementt/Detail/input_Password_password'		
6	click(findTestObject("Object Repository/Customer Managementt/Detail/button_Login"))	0.487s	PASSED
	Object: 'Object Repository/Customer Managementt/Detail/button_Login' is clicked on		

Detail

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Customer Management")) Object: 'Object Repository/Customer Managementt/Detail/a_Customer Management' is clicked on	2.077s	PASSED
8	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Detail")) Object: 'Object Repository/Customer Managementt/Detail/a_Detail' is clicked on	1.274s	PASSED
9	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Alamat")) Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Alamat' is clicked on	1.024s	PASSED
10	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan")) Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan' is clicked on	0.375s	PASSED
11	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Kontak")) Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Kontak' is clicked on	0.368s	PASSED
12	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Foto Identitas")) Object: 'Object Repository/Customer Managementt/Detail/a_Foto Identitas' is clicked on	0.350s	PASSED
13	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Nasabah")) Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Nasabah' is clicked on	0.373s	PASSED
14	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Customer Management (1)")) Object: 'Object Repository/Customer Managementt/Detail/a_Customer Management (1)' is clicked on	0.601s	PASSED

Detail

#	Description	Elapsed	Status
15	click(findTestObject("Object Repository/Customer Managementt/Detail/a_24"))	13.572s	PASSED
	Object: 'Object Repository/Customer Managementt/Detail/a_24' is clicked on		
16	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Detail_1"))	0.849s	PASSED
	Object: 'Object Repository/Customer Managementt/Detail/a_Detail_1' is clicked on		
17	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Alamat"))	1.004s	PASSED
	Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Alamat' is clicked on		
18	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan"))	0.326s	PASSED
	Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan' is clicked on		
19	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Kontak"))	0.330s	PASSED
	Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Kontak' is clicked on		
20	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Foto Identitas"))	0.329s	PASSED
	Object: 'Object Repository/Customer Managementt/Detail/a_Foto Identitas' is clicked on		
21	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Customer Management (1)"))	0.610s	PASSED
	Object: 'Object Repository/Customer Managementt/Detail/a_Customer Management (1)' is clicked on		
22	click(findTestObject("Object Repository/Customer Managementt/Detail/a_5"))	1.026s	PASSED
	Object: 'Object Repository/Customer Managementt/Detail/a_5' is clicked on		
23	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Detail_1_2"))	0.856s	PASSED
	Object: 'Object Repository/Customer Managementt/Detail/a_Detail_1_2' is clicked on		

Detail

#	Description	Elapsed	Status
24	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Alamat")) Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Alamat' is clicked on	1.032s	PASSED
25	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan")) Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan' is clicked on	0.341s	PASSED
26	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Kontak")) Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Kontak' is clicked on	0.336s	PASSED
27	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Foto Identitas")) Object: 'Object Repository/Customer Managementt/Detail/a_Foto Identitas' is clicked on	0.342s	PASSED
28	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Nasabah")) Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Nasabah' is clicked on	0.354s	PASSED
29	closeBrowser() Browser is closed	0.674s	PASSED

Searching Failed

Information

ID   Test Cases/Customer Management/Searching Failed

Description

Tag

Start   2023-07-21 16:23:37   End   2023-07-21 16:23:59

Elapsed   21.883s

Status   PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("")	1.355s	PASSED
	Browser is opened with url: ''		
2	maximizeWindow()	0.017s	PASSED
	Current window maximized		
3	navigateToUrl("https://uat-dashboard.blicicil.com/auth/login")	0.560s	PASSED
	Navigate to 'https://uat-dashboard.blicicil.com/auth/login' successfully		
4	setText(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_Email_email"), "eva.mayadila@megafinance.co.id")	0.813s	PASSED
	Text 'eva.mayadila@megafinance.co.id' is set on object 'Object Repository/Customer Managementt/Searching Failed/input_Email_email'		
5	setEncryptedText(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_Password_password"), "aeHFOx8jV/A=")	0.388s	PASSED
	Text ****** has been set on object 'Object Repository/Customer Managementt/Searching Failed/input_Password_password'		
6	click(findTestObject("Object Repository/Customer Managementt/Searching Failed/button_Login"))	0.465s	PASSED
	Object: 'Object Repository/Customer Managementt/Searching Failed/button_Login' is clicked on		

Searching Failed

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Customer Managementt/Searching Failed/span_Customer Management"))	2.120s	PASSED
	Object: 'Object Repository/Customer Managementt/Searching Failed/span_Customer Management' is clicked on		
8	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Searching Failed/select_Search by _8b0677"), "name", true)	1.708s	PASSED
	All options with value 'name' are selected in object 'Object Repository/Customer Managementt/Searching Failed/select_Search by _8b0677' using regular expression		
9	setText(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch"), "Dono")	0.673s	PASSED
	Text 'Dono' is set on object 'Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch'		
10	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch"), Keys.chord(ENTER))	0.339s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch'		
11	delay(2)	2.022s	PASSED
	Delayed 2 second(s)		
12	refresh()	0.258s	PASSED
	Refresh successfully		
13	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Searching Failed/select_Search by _8b0677"), "mobile_phone", true)	1.653s	PASSED
	All options with value 'mobile_phone' are selected in object 'Object Repository/Customer Managementt/Searching Failed/select_Search by _8b0677' using regular expression		

#	Description	Elapsed	Status
14	setText(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1"), "233333") Text '233333' is set on object 'Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1'	0.648s	PASSED
15	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1'	0.330s	PASSED
16	delay(2) Delayed 2 second(s)	2.015s	PASSED
17	refresh() Refresh successfully	0.605s	PASSED
18	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Searching Failed/select_Search by _8b0677"), "nik", true) All options with value 'nik' are selected in object 'Object Repository/Customer Managementt/Searching Failed/select_Search by _8b0677' using regular expression	2.023s	PASSED
19	setText(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1"), "123456") Text '123456' is set on object 'Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1'	0.665s	PASSED
20	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1'	0.347s	PASSED
21	delay(2) Delayed 2 second(s)	2.008s	PASSED

Searching Failed

#	Description	Elapsed	Status
22	closeBrowser()	0.686s	PASSED
	Browser is closed		

Searching Success

Information

ID	Test Cases/Customer Management/Searching Success
Description	
Tag	

Start	2023-07-21 16:23:59	End	2023-07-21 16:24:39
Elapsed	39.828s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: ''	1.313s	PASSED
2	maximizeWindow() Current window maximized	0.017s	PASSED
3	navigateToUrl("https://uat-dashboard.blicicil.com/auth/login") Navigate to 'https://uat-dashboard.blicicil.com/auth/login' successfully	0.453s	PASSED
4	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_Email_email"), "eva.mayadila@megafinance.co.id") Text 'eva.mayadila@megafinance.co.id' is set on object 'Object Repository/Customer Managementt/Searching Success/input_Email_email'	0.851s	PASSED
5	setEncryptedText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_Password_password"), "aeHFOx8jV/A=") Text ****** has been set on object 'Object Repository/Customer Managementt/Searching Success/input_Password_password'	0.410s	PASSED
6	click(findTestObject("Object Repository/Customer Managementt/Searching Success/button_Login")) Object: 'Object Repository/Customer Managementt/Searching Success/button_Login' is clicked on	0.505s	PASSED

Searching Success

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Customer Managementt/Searching Success/span_Customer Management"))	2.482s	PASSED
	Object: 'Object Repository/Customer Managementt/Searching Success/span_Customer Management' is clicked on		
8	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Searching Success/select_Search by _8b0677"), "name", true)	1.720s	PASSED
	All options with value 'name' are selected in object 'Object Repository/Customer Managementt/Searching Success/select_Search by _8b0677' using regular expression		
9	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch"), "Eva")	0.655s	PASSED
	Text 'Eva' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch'		
10	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch"), Keys.chord(ENTER))	0.339s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch'		
11	refresh()	0.289s	PASSED
	Refresh successfully		
12	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch"), "Hendra")	1.343s	PASSED
	Text 'Hendra' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch'		
13	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch"), Keys.chord(ENTER))	0.332s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch'		
14	delay(2)	2.010s	PASSED
	Delayed 2 second(s)		

Searching Success

#	Description	Elapsed	Status
15	refresh() Refresh successfully	0.296s	PASSED
16	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Searching Success/select_Search by _8b0677"), "mobile_phone", true) All options with value 'mobile_phone' are selected in object 'Object Repository/Customer Managementt/Searching Success/select_Search by _8b0677' using regular expression	1.676s	PASSED
17	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), "0812880651") Text '0812880651' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.669s	PASSED
18	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.325s	PASSED
19	delay(2) Delayed 2 second(s)	2.013s	PASSED
20	refresh() Refresh successfully	0.272s	PASSED
21	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), "0812") Text '0812' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	1.337s	PASSED
22	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.377s	PASSED

Searching Success

#	Description	Elapsed	Status
23	delay(2)	2.018s	PASSED
	Delayed 2 second(s)		
24	refresh()	0.351s	PASSED
	Refresh successfully		
25	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Searching Success/select_Search by _8b0677"), "nik", true)	2.035s	PASSED
	All options with value 'nik' are selected in object 'Object Repository/Customer Managementt/Searching Success/select_Search by _8b0677' using regular expression		
26	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), "340407640")	0.666s	PASSED
	Text '340407640' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'		
27	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), Keys.chord(ENTER))	0.336s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'		
28	delay(2)	2.011s	PASSED
	Delayed 2 second(s)		
29	refresh()	0.275s	PASSED
	Refresh successfully		
30	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), "340")	1.325s	PASSED
	Text '340' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'		

Searching Success

#	Description	Elapsed	Status
31	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.325s	PASSED
32	delay(2) Delayed 2 second(s)	2.010s	PASSED
33	refresh() Refresh successfully	0.299s	PASSED
34	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), "3203") Text '3203' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	1.313s	PASSED
35	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.319s	PASSED
36	delay(2) Delayed 2 second(s)	2.018s	PASSED
37	refresh() Refresh successfully	0.301s	PASSED
38	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), "320") Text '320' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	1.299s	PASSED

#	Description	Elapsed	Status
39	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.324s	PASSED
40	delay(2) Delayed 2 second(s)	2.010s	PASSED
41	closeBrowser() Browser is closed	0.677s	PASSED