

# Customer Managament

## Execution Environment

Host name	202102359 - KPO-Blicicil.pdc.megafinance.co.id
Local OS	Windows 10 64bit
Katalon version	8.6.0.208
Browser	Chrome 114.0.0.0

## Summary

ID	Test Suites/Customer Managament		
Description			
Total	4		
Passed	4	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	2023-07-05 10:17:05	End	2023-07-05 10:19:11
Elapsed	2m - 5.858s		

#	ID	Description	Status
1	Test Cases/Customer Management/Beranda		PASSED
2	Test Cases/Customer Management/Detail		PASSED
3	Test Cases/Customer Management/Searching Failed		PASSED
4	Test Cases/Customer Management/Searching Success		PASSED

# Beranda

## Information

ID	Test Cases/Customer Management/Beranda		
Description			
Tag			
Start	2023-07-05 10:17:06	End	2023-07-05 10:17:39
Elapsed	33.352s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	2.249s	PASSED
2	maximizeWindow()  Current window maximized	0.088s	PASSED
3	navigateToUrl("https://uat-dashboard.blicicil.com/auth/login")  Navigate to 'https://uat-dashboard.blicicil.com/auth/login' successfully	0.830s	PASSED
4	setText(findTestObject("Object Repository/Customer Managementt/Beranda/input_Email_email"), "eva.mayadila@megafinance.co.id")  Text 'eva.mayadila@megafinance.co.id' is set on object 'Object Repository/Customer Managementt/Beranda/input_Email_email'	0.882s	PASSED
5	setEncryptedText(findTestObject("Object Repository/Customer Managementt/Beranda/input_Password_password"), "aeHFOx8jV/A=")  Text ***** has been set on object 'Object Repository/Customer Managementt/Beranda/input_Password_password'	0.406s	PASSED
6	click(findTestObject("Object Repository/Customer Managementt/Beranda/button_Login"))  Object: 'Object Repository/Customer Managementt/Beranda/button_Login' is clicked on	0.496s	PASSED

# Beranda

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Customer Managementt/Beranda/span_Customer Management"))  Object: 'Object Repository/Customer Managementt/Beranda/span_Customer Management' is clicked on	1.906s	PASSED
8	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Beranda/select_Show _69175e"), "10", true)  All options with value '10' are selected in object 'Object Repository/Customer Managementt/Beranda/select_Show _69175e' using regular expression	1.790s	PASSED
9	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Beranda/select_Show _69175e"), "25", true)  All options with value '25' are selected in object 'Object Repository/Customer Managementt/Beranda/select_Show _69175e' using regular expression	1.223s	PASSED
10	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Beranda/select_Show _69175e"), "5", true)  All options with value '5' are selected in object 'Object Repository/Customer Managementt/Beranda/select_Show _69175e' using regular expression	1.346s	PASSED
11	click(findTestObject("Object Repository/Customer Managementt/Beranda/a_4"))  Object: 'Object Repository/Customer Managementt/Beranda/a_4' is clicked on	19.404s	PASSED
12	click(findTestObject("Object Repository/Customer Managementt/Beranda/a_5"))  Object: 'Object Repository/Customer Managementt/Beranda/a_5' is clicked on	0.568s	PASSED
13	click(findTestObject("Object Repository/Customer Managementt/Beranda/a_Prev"))  Object: 'Object Repository/Customer Managementt/Beranda/a_Prev' is clicked on	0.607s	PASSED
14	click(findTestObject("Object Repository/Customer Managementt/Beranda/a_Next"))  Object: 'Object Repository/Customer Managementt/Beranda/a_Next' is clicked on	0.557s	PASSED

# Beranda

---

#	Description	Elapsed	Status
15	closeBrowser()  Browser is closed	0.707s	PASSED

# Detail

## Information

ID	Test Cases/Customer Management/Detail		
Description			
Tag			
Start	2023-07-05 10:17:39	End	2023-07-05 10:18:07
Elapsed	28.362s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.615s	PASSED
2	maximizeWindow()  Current window maximized	0.018s	PASSED
3	navigateToUrl("https://uat-dashboard.blicicil.com/auth/login")  Navigate to 'https://uat-dashboard.blicicil.com/auth/login' successfully	0.657s	PASSED
4	setText(findTestObject("Object Repository/Customer Managementt/Detail/input_Email_email"), "eva.mayadila@megafinance.co.id")  Text 'eva.mayadila@megafinance.co.id' is set on object 'Object Repository/Customer Managementt/Detail/input_Email_email'	0.884s	PASSED
5	setEncryptedText(findTestObject("Object Repository/Customer Managementt/Detail/input_Password_password"), "aeHFOx8jV/A=")  Text ***** has been set on object 'Object Repository/Customer Managementt/Detail/input_Password_password'	0.422s	PASSED
6	click(findTestObject("Object Repository/Customer Managementt/Detail/button_Login"))  Object: 'Object Repository/Customer Managementt/Detail/button_Login' is clicked on	0.519s	PASSED

## Detail

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Customer Managementt/Detail/span_Customer Management"))  Object: 'Object Repository/Customer Managementt/Detail/span_Customer Management' is clicked on	2.403s	PASSED
8	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Detail"))  Object: 'Object Repository/Customer Managementt/Detail/a_Detail' is clicked on	1.398s	PASSED
9	click(findTestObject("Object Repository/Customer Managementt/Detail/h3_User Profile"))  Object: 'Object Repository/Customer Managementt/Detail/h3_User Profile' is clicked on	1.034s	PASSED
10	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Alamat"))  Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Alamat' is clicked on	0.351s	PASSED
11	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan"))  Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan' is clicked on	0.350s	PASSED
12	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Kontak"))  Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Kontak' is clicked on	0.352s	PASSED
13	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Foto Identitas"))  Object: 'Object Repository/Customer Managementt/Detail/a_Foto Identitas' is clicked on	0.373s	PASSED
14	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Customer Management"))  Object: 'Object Repository/Customer Managementt/Detail/a_Customer Management' is clicked on	0.744s	PASSED

## Detail

#	Description	Elapsed	Status
15	click(findTestObject("Object Repository/Customer Managementt/Detail/a_3"))  Object: 'Object Repository/Customer Managementt/Detail/a_3' is clicked on	1.070s	PASSED
16	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Detail_1"))  Object: 'Object Repository/Customer Managementt/Detail/a_Detail_1' is clicked on	0.824s	PASSED
17	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Alamat"))  Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Alamat' is clicked on	1.046s	PASSED
18	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan"))  Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan' is clicked on	0.352s	PASSED
19	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Kontak"))  Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Kontak' is clicked on	0.343s	PASSED
20	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Foto Identitas"))  Object: 'Object Repository/Customer Managementt/Detail/a_Foto Identitas' is clicked on	0.366s	PASSED
21	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Customer Management"))  Object: 'Object Repository/Customer Managementt/Detail/a_Customer Management' is clicked on	0.837s	PASSED
22	click(findTestObject("Object Repository/Customer Managementt/Detail/a_5"))  Object: 'Object Repository/Customer Managementt/Detail/a_5' is clicked on	0.971s	PASSED
23	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Detail_1_2"))  Object: 'Object Repository/Customer Managementt/Detail/a_Detail_1_2' is clicked on	1.023s	PASSED

## Detail

#	Description	Elapsed	Status
24	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Alamat"))  Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Alamat' is clicked on	1.043s	PASSED
25	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan"))  Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan' is clicked on	0.347s	PASSED
26	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Kontak"))  Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Kontak' is clicked on	0.344s	PASSED
27	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Foto Identitas"))  Object: 'Object Repository/Customer Managementt/Detail/a_Foto Identitas' is clicked on	0.351s	PASSED
28	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Customer Management"))  Object: 'Object Repository/Customer Managementt/Detail/a_Customer Management' is clicked on	0.640s	PASSED
29	click(findTestObject("Object Repository/Customer Managementt/Detail/a_5"))  Object: 'Object Repository/Customer Managementt/Detail/a_5' is clicked on	1.016s	PASSED
30	click(findTestObject("Object Repository/Customer Managementt/Detail/a_7"))  Object: 'Object Repository/Customer Managementt/Detail/a_7' is clicked on	0.573s	PASSED
31	click(findTestObject("Object Repository/Customer Managementt/Detail/a_9"))  Object: 'Object Repository/Customer Managementt/Detail/a_9' is clicked on	0.560s	PASSED
32	click(findTestObject("Object Repository/Customer Managementt/Detail/a_11"))  Object: 'Object Repository/Customer Managementt/Detail/a_11' is clicked on	0.572s	PASSED



## Detail

#	Description	Elapsed	Status
33	click(findTestObject("Object Repository/Customer Managementt/Detail/a_13"))  Object: 'Object Repository/Customer Managementt/Detail/a_13' is clicked on	0.569s	PASSED
34	click(findTestObject("Object Repository/Customer Managementt/Detail/a_15"))  Object: 'Object Repository/Customer Managementt/Detail/a_15' is clicked on	0.571s	PASSED
35	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Detail_1_2_3"))  Object: 'Object Repository/Customer Managementt/Detail/a_Detail_1_2_3' is clicked on	0.841s	PASSED
36	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Alamat"))  Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Alamat' is clicked on	1.021s	PASSED
37	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan"))  Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan' is clicked on	0.378s	PASSED
38	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Kontak"))  Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Kontak' is clicked on	0.336s	PASSED
39	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Foto Identitas"))  Object: 'Object Repository/Customer Managementt/Detail/a_Foto Identitas' is clicked on	0.328s	PASSED
40	closeBrowser()  Browser is closed	0.664s	PASSED

# Searching Failed

## Information

ID	Test Cases/Customer Management/Searching Failed		
Description			
Tag			
Start	2023-07-05 10:18:07	End	2023-07-05 10:18:30
Elapsed	23.073s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.327s	PASSED
2	maximizeWindow()  Current window maximized	0.018s	PASSED
3	navigateToUrl("https://uat-dashboard.blicicil.com/auth/login")  Navigate to 'https://uat-dashboard.blicicil.com/auth/login' successfully	0.672s	PASSED
4	setText(findTestObject("Object Repository/Customer Management/Searching Failed/input_Email_email"), "eva.mayadila@megafinance.co.id")  Text 'eva.mayadila@megafinance.co.id' is set on object 'Object Repository/Customer Management/Searching Failed/input_Email_email'	0.853s	PASSED
5	setEncryptedText(findTestObject("Object Repository/Customer Management/Searching Failed/input_Password_password"), "aeHFOx8jV/A=")  Text ***** has been set on object 'Object Repository/Customer Management/Searching Failed/input_Password_password'	0.400s	PASSED
6	click(findTestObject("Object Repository/Customer Management/Searching Failed/button_Login"))  Object: 'Object Repository/Customer Management/Searching Failed/button_Login' is clicked on	0.571s	PASSED

## Searching Failed

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Customer Managementt/Searching Failed/span_Customer Management"))  Object: 'Object Repository/Customer Managementt/Searching Failed/span_Customer Management' is clicked on	2.710s	PASSED
8	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Searching Failed/select_Search by _8b0677"), "name", true)  All options with value 'name' are selected in object 'Object Repository/Customer Managementt/Searching Failed/select_Search by _8b0677' using regular expression	1.730s	PASSED
9	setText(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch"), "Dono")  Text 'Dono' is set on object 'Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch'	0.657s	PASSED
10	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch'	0.358s	PASSED
11	delay(2)  Delayed 2 second(s)	2.031s	PASSED
12	refresh()  Refresh successfully	0.265s	PASSED
13	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Searching Failed/select_Search by _8b0677"), "mobile_phone", true)  All options with value 'mobile_phone' are selected in object 'Object Repository/Customer Managementt/Searching Failed/select_Search by _8b0677' using regular expression	1.723s	PASSED

## Searching Failed

#	Description	Elapsed	Status
14	setText(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1"), "233333")  Text '233333' is set on object 'Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1'	0.653s	PASSED
15	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1'	0.349s	PASSED
16	delay(2)  Delayed 2 second(s)	2.015s	PASSED
17	refresh()  Refresh successfully	0.810s	PASSED
18	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Searching Failed/select_Search by _8b0677"), "nik", true)  All options with value 'nik' are selected in object 'Object Repository/Customer Managementt/Searching Failed/select_Search by _8b0677' using regular expression	2.004s	PASSED
19	setText(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1"), "123456")  Text '123456' is set on object 'Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1'	0.701s	PASSED
20	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1'	0.362s	PASSED
21	delay(2)  Delayed 2 second(s)	2.015s	PASSED

## Searching Failed

---

#	Description	Elapsed	Status
22	closeBrowser()  Browser is closed	0.647s	PASSED

# Searching Success

## Information

ID	Test Cases/Customer Management/Searching Success		
Description			
Tag			
Start	2023-07-05 10:18:30	End	2023-07-05 10:19:11
Elapsed	40.843s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.570s	PASSED
2	maximizeWindow()  Current window maximized	0.017s	PASSED
3	navigateToUrl("https://uat-dashboard.blicicil.com/auth/login")  Navigate to 'https://uat-dashboard.blicicil.com/auth/login' successfully	1.089s	PASSED
4	setText(findTestObject("Object Repository/Customer Management/Searching Success/input_Email_email"), "eva.mayadila@megafinance.co.id")  Text 'eva.mayadila@megafinance.co.id' is set on object 'Object Repository/Customer Management/Searching Success/input_Email_email'	0.852s	PASSED
5	setEncryptedText(findTestObject("Object Repository/Customer Management/Searching Success/input_Password_password"), "aeHFOx8jV/A=")  Text ***** has been set on object 'Object Repository/Customer Management/Searching Success/input_Password_password'	0.404s	PASSED
6	click(findTestObject("Object Repository/Customer Management/Searching Success/button_Login"))  Object: 'Object Repository/Customer Management/Searching Success/button_Login' is clicked on	0.483s	PASSED

## Searching Success

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Customer Managementt/Searching Success/span_Customer Management"))  Object: 'Object Repository/Customer Managementt/Searching Success/span_Customer Management' is clicked on	2.134s	PASSED
8	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Searching Success/select_Search by _8b0677"), "name", true)  All options with value 'name' are selected in object 'Object Repository/Customer Managementt/Searching Success/select_Search by _8b0677' using regular expression	1.724s	PASSED
9	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch"), "Eva")  Text 'Eva' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch'	0.699s	PASSED
10	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch'	0.354s	PASSED
11	refresh()  Refresh successfully	0.368s	PASSED
12	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch"), "Hendra")  Text 'Hendra' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch'	1.291s	PASSED
13	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch'	0.371s	PASSED
14	delay(2)  Delayed 2 second(s)	2.014s	PASSED

## Searching Success

#	Description	Elapsed	Status
15	refresh()  Refresh successfully	0.262s	PASSED
16	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Searching Success/select_Search by _8b0677"), "mobile_phone", true)  All options with value 'mobile_phone' are selected in object 'Object Repository/Customer Managementt/Searching Success/select_Search by _8b0677' using regular expression	1.710s	PASSED
17	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), "0812880651")  Text '0812880651' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.709s	PASSED
18	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.358s	PASSED
19	delay(2)  Delayed 2 second(s)	2.005s	PASSED
20	refresh()  Refresh successfully	0.283s	PASSED
21	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), "0812")  Text '0812' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	1.342s	PASSED
22	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.372s	PASSED



## Searching Success

#	Description	Elapsed	Status
23	delay(2)  Delayed 2 second(s)	2.011s	PASSED
24	refresh()  Refresh successfully	0.276s	PASSED
25	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Searching Success/select_Search by _8b0677"), "nik", true)  All options with value 'nik' are selected in object 'Object Repository/Customer Managementt/Searching Success/select_Search by _8b0677' using regular expression	2.034s	PASSED
26	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), "340407640")  Text '340407640' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.720s	PASSED
27	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.423s	PASSED
28	delay(2)  Delayed 2 second(s)	2.014s	PASSED
29	refresh()  Refresh successfully	0.265s	PASSED
30	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), "340")  Text '340' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	1.384s	PASSED

## Searching Success

#	Description	Elapsed	Status
31	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.354s	PASSED
32	delay(2)  Delayed 2 second(s)	2.012s	PASSED
33	refresh()  Refresh successfully	0.270s	PASSED
34	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), "3203")  Text '3203' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	1.359s	PASSED
35	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.357s	PASSED
36	delay(2)  Delayed 2 second(s)	2.009s	PASSED
37	refresh()  Refresh successfully	0.251s	PASSED
38	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), "320")  Text '320' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	1.364s	PASSED

# Searching Success

#	Description	Elapsed	Status
39	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), Keys.chord(ENTER))  Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.366s	PASSED
40	delay(2)  Delayed 2 second(s)	2.014s	PASSED
41	closeBrowser()  Browser is closed	0.685s	PASSED