Customer Managament

Execution Environment

Host name	202102359 - KPO-Blicicil.pdc.megafinance.co.id
Local OS	Windows 10 64bit
Katalon version	8.6.0.208
Browser	Chrome 114.0.0.0

Summary

ID	Test Suites/Customer Managament		
Description			
Total	4		
Passed	4	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	2023-07-10 09:11:25	End	2023-07-10 09:13:17
Elapsed	1m - 52.244s		

#	ID	Description	Status
1	Test Cases/Customer Management/Beranda		PASSED
2	Test Cases/Customer Management/Detail		PASSED
3	Test Cases/Customer Management/Searching Failed		PASSED
4	Test Cases/Customer Management/Searching Success		PASSED

Beranda

Information

ID	Test Cases/Customer Management/Beranda
Description	
Tag	

Start	2023-07-10 09:11:25	End	2023-07-10 09:11:43
Elapsed	17.809s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	3.068s	PASSED
	Browser is opened with url: ''		
2	maximizeWindow()	0.082s	PASSED
	Current window maximized		
3	navigateToUrl("https://uat-dashboard.blicicil.com/auth/login")	1.305s	PASSED
	Navigate to 'https://uat-dashboard.blicicil.com/auth/login' successfully		
4	setText(findTestObject("Object Repository/Customer Managementt/Beranda/input_Email_email"), "eva.mayadila@megafinance.co.id")	1.600s	PASSED
	Text 'eva.mayadila@megafinance.co.id' is set on object 'Object Repository/Customer Managementt/Beranda/input_Email_email'		
5	setEncryptedText(findTestObject("Object Repository/Customer Managementt/Beranda/input_Password_password"), "aeHFOx8jV/A=")	0.546s	PASSED
	Text ****** has been set on object 'Object Repository/Customer Managementt/Beranda/input_Password_password'		
6	click(findTestObject("Object Repository/Customer Managementt/Beranda/button_Login"))	0.594s	PASSED
	Object: 'Object Repository/Customer Managementt/Beranda/button_Login' is clicked on		

Beranda

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Customer Managementt/Beranda/span_Customer Management")) Object: 'Object Repository/Customer Managementt/Beranda/span_Customer Management' is clicked on	3.051s	PASSED
8	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Beranda/select_Show _69175e"), "10", true) All options with value '10' are selected in object 'Object Repository/Customer Managementt/Beranda/select_Show _69175e' using regular expression	1.795s	PASSED
9	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Beranda/select_Show _69175e"), "25", true) All options with value '25' are selected in object 'Object Repository/Customer Managementt/Beranda/select_Show _69175e' using regular expression	1.236s	PASSED
10	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Beranda/select_Show _69175e"), "5", true) All options with value '5' are selected in object 'Object Repository/Customer Managementt/Beranda/select_Show _69175e' using regular expression	1.214s	PASSED
11	click(findTestObject("Object Repository/Customer Managementt/Beranda/a_4")) Object: 'Object Repository/Customer Managementt/Beranda/a_4' is clicked on	0.461s	PASSED
12	click(findTestObject("Object Repository/Customer Managementt/Beranda/a_5")) Object: 'Object Repository/Customer Managementt/Beranda/a_5' is clicked on	0.579s	PASSED
13	click(findTestObject("Object Repository/Customer Managementt/Beranda/a_Prev")) Object: 'Object Repository/Customer Managementt/Beranda/a_Prev' is clicked on	0.564s	PASSED
14	click(findTestObject("Object Repository/Customer Managementt/Beranda/a_Next")) Object: 'Object Repository/Customer Managementt/Beranda/a_Next' is clicked on	0.561s	PASSED

Beranda

#	Description	Elapsed	Status
15	closeBrowser()	0.766s	PASSED

Browser is closed

Detail

Information

ID   Test Cases/Customer Management/Detail

Description

Tag

Start	2023-07-10 09:11:43	End	2023-07-10 09:12:14
Elapsed	30.790s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	1.628s	PASSED
	Browser is opened with url: ''		
2	maximizeWindow()	0.017s	PASSED
	Current window maximized		
3	navigateToUrl("https://uat-dashboard.blicicil.com/auth/login")	0.594s	PASSED
	Navigate to 'https://uat-dashboard.blicicil.com/auth/login' successfully		
4	setText(findTestObject("Object Repository/Customer Managementt/Detail/input_Email_email"), "eva.mayadila@megafinance.co.id")	0.877s	PASSED
	Text 'eva.mayadila@megafinance.co.id' is set on object 'Object Repository/Customer Managementt/Detail/input_Email_email'		
5	setEncryptedText(findTestObject("Object Repository/Customer Managementt/Detail/input_Password_password"), "aeHFOx8jV/A=")	0.425s	PASSED
	Text ****** has been set on object 'Object Repository/Customer Managementt/Detail/input_Password_password'		
6	click(findTestObject("Object Repository/Customer Managementt/Detail/button_Login"))	0.530s	PASSED
	Object: 'Object Repository/Customer Managementt/Detail/button_Login' is clicked on		

Detail

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Customer Managementt/Detail/span_Customer Management")) Object: 'Object Repository/Customer Managementt/Detail/span_Customer Management' is clicked on	2.365s	PASSED
8	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Detail")) Object: 'Object Repository/Customer Managementt/Detail/a_Detail' is clicked on	1.412s	PASSED
9	click(findTestObject("Object Repository/Customer Managementt/Detail/h3_User Profile")) Object: 'Object Repository/Customer Managementt/Detail/h3_User Profile' is clicked on	0.986s	PASSED
10	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Alamat")) Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Alamat' is clicked on	0.351s	PASSED
11	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan")) Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan' is clicked on	0.378s	PASSED
12	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Kontak")) Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Kontak' is clicked on	0.413s	PASSED
13	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Foto Identitas")) Object: 'Object Repository/Customer Managementt/Detail/a_Foto Identitas' is clicked on	0.458s	PASSED
14	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Customer Management")) Object: 'Object Repository/Customer Managementt/Detail/a_Customer Management' is clicked on	0.932s	PASSED

Detail

#	Description	Elapsed	Status
15	click(findTestObject("Object Repository/Customer Managementt/Detail/a_3")) Object: 'Object Repository/Customer Managementt/Detail/a_3' is clicked on	3.264s	PASSED
16	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Detail_1")) Object: 'Object Repository/Customer Managementt/Detail/a_Detail_1' is clicked on	0.875s	PASSED
17	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Alamat")) Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Alamat' is clicked on	0.955s	PASSED
18	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan")) Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan' is clicked on	0.354s	PASSED
19	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Kontak")) Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Kontak' is clicked on	0.354s	PASSED
20	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Foto Identitas")) Object: 'Object Repository/Customer Managementt/Detail/a_Foto Identitas' is clicked on	0.391s	PASSED
21	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Customer Management")) Object: 'Object Repository/Customer Managementt/Detail/a_Customer Management' is clicked on	0.680s	PASSED
22	click(findTestObject("Object Repository/Customer Managementt/Detail/a_5")) Object: 'Object Repository/Customer Managementt/Detail/a_5' is clicked on	1.044s	PASSED
23	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Detail_1_2")) Object: 'Object Repository/Customer Managementt/Detail/a_Detail_1_2' is clicked on	0.855s	PASSED

Detail

#	Description	Elapsed	Status
24	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Alamat")) Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Alamat' is clicked on	1.025s	PASSED
25	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan")) Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan' is clicked on	0.364s	PASSED
26	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Kontak")) Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Kontak' is clicked on	0.341s	PASSED
27	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Foto Identitas")) Object: 'Object Repository/Customer Managementt/Detail/a_Foto Identitas' is clicked on	0.341s	PASSED
28	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Customer Management")) Object: 'Object Repository/Customer Managementt/Detail/a_Customer Management' is clicked on	0.644s	PASSED
29	click(findTestObject("Object Repository/Customer Managementt/Detail/a_5")) Object: 'Object Repository/Customer Managementt/Detail/a_5' is clicked on	0.948s	PASSED
30	click(findTestObject("Object Repository/Customer Managementt/Detail/a_7")) Object: 'Object Repository/Customer Managementt/Detail/a_7' is clicked on	0.596s	PASSED
31	click(findTestObject("Object Repository/Customer Managementt/Detail/a_9")) Object: 'Object Repository/Customer Managementt/Detail/a_9' is clicked on	0.590s	PASSED
32	click(findTestObject("Object Repository/Customer Managementt/Detail/a_11")) Object: 'Object Repository/Customer Managementt/Detail/a_11' is clicked on	0.623s	PASSED

Detail

#	Description	Elapsed	Status
33	click(findTestObject("Object Repository/Customer Managementt/Detail/a_13"))	0.579s	PASSED
	Object: 'Object Repository/Customer Managementt/Detail/a_13' is clicked on		
34	click(findTestObject("Object Repository/Customer Managementt/Detail/a_15"))	0.562s	PASSED
	Object: 'Object Repository/Customer Managementt/Detail/a_15' is clicked on		
35	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Detail_1_2_3"))	0.860s	PASSED
	Object: 'Object Repository/Customer Managementt/Detail/a_Detail_1_2_3' is clicked on		
36	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Alamat"))	1.014s	PASSED
	Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Alamat' is clicked on		
37	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan"))	0.373s	PASSED
	Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Pekerjaan' is clicked on		
38	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Informasi Kontak"))	0.359s	PASSED
	Object: 'Object Repository/Customer Managementt/Detail/a_Informasi Kontak' is clicked on		
39	click(findTestObject("Object Repository/Customer Managementt/Detail/a_Foto Identitas"))	0.347s	PASSED
	Object: 'Object Repository/Customer Managementt/Detail/a_Foto Identitas' is clicked on		
40	closeBrowser()	0.724s	PASSED
	Browser is closed		

Searching Failed

Information

ID	Test Cases/Customer Management/Searching Failed
Description	
Tag	

Start	2023-07-10 09:12:14	End	2023-07-10 09:12:37
Elapsed	22.892s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	1.707s	PASSED
	Browser is opened with url: ''		
2	maximizeWindow()	0.018s	PASSED
	Current window maximized		
3	navigateToUrl("https://uat-dashboard.blicicil.com/auth/login")	0.662s	PASSED
	Navigate to 'https://uat-dashboard.blicicil.com/auth/login' successfully		
4	setText(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_Email_email"), "eva.mayadila@megafinance.co.id")	1.253s	PASSED
	Text 'eva.mayadila@megafinance.co.id' is set on object 'Object Repository/Customer Managementt/Searching Failed/input_Email_email'		
5	setEncryptedText(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_Password_password"), "aeHFOx8jV/A=")	0.485s	PASSED
	Text ****** has been set on object 'Object Repository/Customer Managementt/Searching Failed/input_Password_password'		
6	click(findTestObject("Object Repository/Customer Managementt/Searching Failed/button_Login"))	0.576s	PASSED
	Object: 'Object Repository/Customer Managementt/Searching Failed/button_Login' is clicked on		

Searching Failed

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Customer Managementt/Searching Failed/span_Customer Management")) Object: 'Object Repository/Customer Managementt/Searching Failed/span_Customer Management' is clicked on	2.099s	PASSED
8	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Searching Failed/select_Search by _8b0677"), "name", true) All options with value 'name' are selected in object 'Object Repository/Customer Managementt/Searching Failed/select_Search by _8b0677' using regular expression	1.717s	PASSED
9	setText(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch"), "Dono") Text 'Dono' is set on object 'Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch'	0.670s	PASSED
10	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch'	0.371s	PASSED
11	delay(2) Delayed 2 second(s)	2.029s	PASSED
12	refresh() Refresh successfully	0.390s	PASSED
13	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Searching Failed/select_Search by _8b0677"), "mobile_phone", true) All options with value 'mobile_phone' are selected in object 'Object Repository/Customer Managementt/Searching Failed/select_Search by _8b0677' using regular expression	1.713s	PASSED

Searching Failed

#	Description	Elapsed	Status
14	setText(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1"), "233333") Text '233333' is set on object 'Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1'	0.641s	PASSED
15	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1'	0.331s	PASSED
16	delay(2) Delayed 2 second(s)	2.003s	PASSED
17	refresh() Refresh successfully	0.281s	PASSED
18	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Searching Failed/select_Search by _8b0677"), "nik", true) All options with value 'nik' are selected in object 'Object Repository/Customer Managementt/Searching Failed/select_Search by _8b0677' using regular expression	1.976s	PASSED
19	setText(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1"), "123456") Text '123456' is set on object 'Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1'	0.670s	PASSED
20	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Failed/input_List of Customers_filterSearch_1'	0.329s	PASSED
21	delay(2) Delayed 2 second(s)	2.015s	PASSED

Searching Failed

#	Description	Elapsed	Status
22	closeBrowser()	0.694s	PASSED

Browser is closed

Searching Success

Information

ID	Test Cases/Customer Management/Searching Success
Description	
Tag	

Start	2023-07-10 09:12:37	End	2023-07-10 09:13:17
Elapsed	40.423s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	1.350s	PASSED
	Browser is opened with url: ''		
2	maximizeWindow()	0.021s	PASSED
	Current window maximized		
3	navigateToUrl("https://uat-dashboard.blicicil.com/auth/login")	0.522s	PASSED
	Navigate to 'https://uat-dashboard.blicicil.com/auth/login' successfully		
4	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_Email_email"), "eva.mayadila@megafinance.co.id")	1.205s	PASSED
	Text 'eva.mayadila@megafinance.co.id' is set on object 'Object Repository/Customer Managementt/Searching Success/input_Email_email'		
5	setEncryptedText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_Password_password"), "aeHFOx8jV/A=")	0.543s	PASSED
	Text ****** has been set on object 'Object Repository/Customer Managementt/Searching Success/input_Password_password'		
6	click(findTestObject("Object Repository/Customer Managementt/Searching Success/button_Login"))	0.537s	PASSED
	Object: 'Object Repository/Customer Managementt/Searching Success/button_Login' is clicked on		

Searching Success

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Customer Managementt/Searching Success/span_Customer Management")) Object: 'Object Repository/Customer Managementt/Searching Success/span_Customer Management' is clicked on	2.601s	PASSED
8	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Searching Success/select_Search by _8b0677"), "name", true) All options with value 'name' are selected in object 'Object Repository/Customer Managementt/Searching Success/select_Search by _8b0677' using regular expression	1.655s	PASSED
9	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch"), "Eva") Text 'Eva' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch'	0.660s	PASSED
10	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch'	0.333s	PASSED
11	refresh() Refresh successfully	0.304s	PASSED
12	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch"), "Hendra") Text 'Hendra' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch'	1.314s	PASSED
13	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch'	0.331s	PASSED
14	delay(2) Delayed 2 second(s)	2.011s	PASSED

Searching Success

#	Description	Elapsed	Status
15	refresh() Refresh successfully	0.258s	PASSED
16	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Searching Success/select_Search by _8b0677"), "mobile_phone", true) All options with value 'mobile_phone' are selected in object 'Object Repository/Customer Managementt/Searching Success/select_Search by _8b0677' using regular expression	1.696s	PASSED
17	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), "0812880651") Text '0812880651' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.707s	PASSED
18	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.360s	PASSED
19	delay(2) Delayed 2 second(s)	2.010s	PASSED
20	refresh() Refresh successfully	0.354s	PASSED
21	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), "0812") Text '0812' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	1.234s	PASSED
22	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.347s	PASSED

Searching Success

#	Description	Elapsed	Status
23	delay(2)	2.019s	PASSED
	Delayed 2 second(s)		
24	refresh()	0.284s	PASSED
	Refresh successfully		
25	selectOptionByValue(findTestObject("Object Repository/Customer Managementt/Searching Success/select_Search by _8b0677"), "nik", true)	1.963s	PASSED
	All options with value 'nik' are selected in object 'Object Repository/Customer Managementt/Searching Success/select_Search by _8b0677' using regular expression		
26	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), "340407640")	0.654s	PASSED
	Text '340407640' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'		
27	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), Keys.chord(ENTER))	0.330s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'		
28	delay(2)	2.012s	PASSED
	Delayed 2 second(s)		
29	refresh()	0.277s	PASSED
	Refresh successfully		
30	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), "340")	1.320s	PASSED
	Text '340' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'		

Searching Success

#	Description	Elapsed	Status
31	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.363s	PASSED
32	delay(2) Delayed 2 second(s)	2.006s	PASSED
33	refresh() Refresh successfully	0.272s	PASSED
34	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), "3203") Text '3203' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	1.344s	PASSED
35	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.322s	PASSED
36	delay(2) Delayed 2 second(s)	2.012s	PASSED
37	refresh() Refresh successfully	0.265s	PASSED
38	setText(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), "320") Text '320' is set on object 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	1.355s	PASSED

Searching Success

#	Description	Elapsed	Status
39	sendKeys(findTestObject("Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Customer Managementt/Searching Success/input_List of Customers_filterSearch_1'	0.327s	PASSED
40	delay(2) Delayed 2 second(s)	2.008s	PASSED
41	closeBrowser() Browser is closed	0.708s	PASSED