Managing secrets in your cloud environment

AWS, GCP, and containers (and beyond)



Hello!

Evan Johnson

Security Eng at Segment



Maya Kaczorowski

Security PM at Google











Credentials, configurations, API keys, and other small bits of information needed by applications at build or run time



OneLogin security (of data breach

Two breaches in as many years. company's chief information sec



CEO of Trustico emails 23,000 HTTPS private keys, triggering panicked mass-revocation





FROM THE BOING BOING SHOP

Uber Discloses Year-Old AWS Data Breach, Exposing Millions of Users

By Gladys Rama | 11/21/2017

On Tuesday, ride-sharing app Uber disclosed that its Amazon Web Services (AWS) account was hacked last year, compromising the personal information of 57 million users worldwide. including 600,000 U.S. drivers.

Uber CEO Dara Khosrowshahi, who came into his post just this past August, said in a statement



The Market for Stolen Account Crede

Past stories here have explored the myriad criminal uses of a hacked co ways that your inbox can be spliced and diced to help cybercrooks ply value of a hacked company. Today's post looks at the price of stolen

about any e-commerce, bank site or popul fortunes that an enterprising credenti consignment.


Not long ago in Internet time, your typic password-protected Web site would most 1 several miscreants who routinely leased ac

<u>Viacom Left Sensitive Data And Secret Access Key On</u>

Unsecured Amazon Server



How are secrets typically managed?



Wait, people actually keep secrets in code?



Common mistakes made in secret management

- Putting secrets in code. Wait! You just said that! OK, but really don't do it though
- Not rotating secrets, or being able to rotate secrets when needed.
- Not backing up secrets. Things fail.
- Not having a concept of identity. Can't enforce authn/authz without it!
- Protecting secrets the same way you protect everything else. They're secret!

Good properties of a secret management solution



Identity

Require strong identities and least privilege



Auditing

Verify the use of individual secrets



Encryption

Always encrypt before writing to disk




Rotation

Change a secret regularly in case of compromise



Isolation

Separate where secrets are used vs managed



Options Oo you run mostly in containers?

Do you run mostly in one cloud?
No
Yes

Standalone thing

e.g., HashiCorp Vault **Cloud thing**

e.g., AWS Secrets
Manager

Container thing

e.g., K8s secrets


'Cloud native' thing e.g., K8s + cloud = <3

Storage configuration

Seal configuration

Auth method

Audit device




Storage configuration backend

Seal configuration backend

Auth method backend

Audit device backend




Secrets engine backend

Storage configuration

Seal configuration

Auth method

Audit device




Storage configuration

Seal configuration

Auth method

Audit device




Storage configuration

Seal configuration

Auth method

Audit device



When should you use Vault?

I'm already using Vault on prem I'm using multiple clouds I have dedicated engineers

Do you run mostly in one cloud? No Yes

Options

Oo you run mostly in containers?

9

Standalone
thing
e.g., HashiCorp
Vault

Cloud thing e.g., AWS Secrets Manager


Container thing e.g., K8s secrets 'Cloud native' thing e.g., K8s + cloud = <3

AWS

AWS KMS

Parameter Store


new! Secrets
Manager



https://aws.amazon.com/blogs/mt/the-right-way-to-store-secrets-using-parameter-store/

https://aws.amazon.com/secrets-manager/

AWS KMS



Encrypt


Decrypt

Generate Random Data

Grant 3rd Party
Access

Automatic Key Rotation Customer or AWS managed

AWS SSM Parameter Store



Save "SecureStrings"

Control Access using IAM

Completely Managed

AWS SSM Parameter Store

```
vim modules/service/iam.tf
 25 data "aws_iam_policy_document" "parameter_store_role_policy" {
      statement
        actions =
           "ssm:GetParameters",
 31
32
33
34
35
36
        resources =
      statement -
        actions =
           "ssm:DescribeParameters",
        resources = [
           "arn:aws:ssm:*:*:*",
```

Secrets stored in Parameter store with the name:


\$service/\$secret

ejcx@Evans-MacBook-Pro: ~

```
~ aws-okta exec stage -- chamber list gateway-api
                                               LastModified
Key
                               Version
                                                                User
hydra client secret
                                               07-07 16:13:42
                                                               arn:aws:sts::355207333203:assumed-role/ops-admin/1499469222102728881
                                                               arn:aws:sts::355207333203:assumed-role/ops-admin/1502476579788251012
hydra_pg_password
                                               08-11 11:36:20
mode_access_secret
                                               09-25 10:57:57
                                                               arn:aws:sts::355207333203:assumed-role/ops-admin/1506362276156780275
auth0_client_secret
                                               08-31 16:52:11 arn:aws:sts::355207333203:assumed-role/ops-admin/1504223530549137036
mode_secret_key
                                               09-25 10:59:19 arn:aws:sts::355207333203:assumed-role/ops-admin/1506362358425939592
b64_bigguery_private_key
                                               11-06 06:41:55
                                                               arn:aws:sts::355207333203:assumed-role/ops-admin/1509979317771724450
engine_api_key
                                               10-24 17:00:43
                                                               arn:aws:sts::355207333203:assumed-role/ops-admin/1508889638748088000
new relic key
                                               08-14 17:22:43
                                                               arn:aws:sts::355207333203:assumed-role/ops-admin/1502756556181958581
auth0 secret
                                               08-31 10:18:28 arn:aws:sts::355207333203:assumed-role/ops-admin/1504199907677841864
```

https://github.com/segmentio/chamber

AWS SSM Parameter Store



What should you do on AWS?

If you have significant % of infra not on AWS, use HashiCorp Vault


If you don't need rotation, use **Chamber** and **Parameter Store**

If you make lots of requests, build something with AWS KMS and S3

If you need rotation or special requirements use Secrets Manager

GCP

Cloud KMS



https://cloud.google.com/kms/docs/store-secrets

What should you do on GCP?

If you need general security and redundancy, use **Cloud Spanner** or **GCS**

If you just need encryption, encrypt your secrets manually using Cloud KMS and store them in Cloud Spanner

If you need rotation, versioning, or more complex functionality, use **HashiCorp Vault**

No Yes

Options

Do you run mostly in containers?

9

Standalone
thing
e.g., HashiCorp


Vault

Cloud thing
e.g., AWS Secrets
Manager

Container thing e.g., K8s secrets 'Cloud native' thing e.g., K8s + cloud = <3

Docker Swarm

Secrets



https://docs.docker.com/engine/swarm/secrets/




Kubernetes

Secrets

Kubernetes 1.7
Secrets encryption

Kubernetes 1.10
KMS encryption
Azure Key Vault
Google Cloud KMS



Summary











Identity

Auditing

Encryption

Rotation

Isolation

Standalone HashiCorp Vault

Cloud

AWS Parameter Store AWS Secrets Manager GCP Cloud KMS

Container
Docker Swarm
Kubernetes

All solutions have some concept of identity, auditing, and isolation

Encryption and rotation are differentiators, so look for that if you can

Almost any solution meets basic security needs

→ You'll likely choose a solution based on your environment and usability

Residual risks

What's still hard?

- Usability. It's great to have these tools, now figure them out without messing up.
- Root secret. How do you protect the secret to all secrets?
- Secret rotation. Some tools do it, some don't; but it's still highly manual in most cases.

Secret management is hard

Don't keep secrets in source code

Encrypt everything



Thanks!

Questions?