Name :- MAYANK KANNAMWAR

PRN No:- B25ME1027

Department :- E&TC

CONSTRUCTOR AND DESTRUCTOR

```
#include <iostream>
using namespace std;

class Student
{
public:
   int rollNo;
   float marks;

   Student()
   {
      rollNo = 0;
      marks = 0;
      cout << "Constructor called" << endl;
   }

   Student(int r, float m)
   {
      rollNo = r;
      marks = m;
   }

   void accept()
   {
      cout << "Enter Roll No: ";
      cin >> rollNo;

      cout << "Enter Marks: ";
      cin >> marks;
   }

   void display()
   {
      cout << "\tRoll No: " << rollNo;
      cout << "\tMarks: " << marks;
   }
```

```
    ~Student()
    {
        cout << "\n\nDestructor called for Roll No: " << rollNo;
    }
};

int main()
{
    Student s[3];

    cout << "Enter details of Student 1-  ";
    s[0].accept();

    cout << "\nEnter details of Student 2-  ";
    s[1].accept();

    s[2].rollNo = 3;
    s[2].marks = 85;


    cout << "\nDetails of Student 1:";
    s[0].display();

    cout << "\nDetails of Student 2:";
    s[1].display();

    cout << "\nDetails of Student 3:";
    s[2].display();

    return 0;
}
```

OUTPUT:



```
Constructor called
Constructor called
Constructor called
Enter details of Student 1-  Enter Roll No: 27
Enter Marks: 12

Enter details of Student 2-  Enter Roll No: 22
Enter Marks: 18

Details of Student 1:   Roll No: 27     Marks: 12
Details of Student 2:   Roll No: 22     Marks: 18
Details of Student 3:   Roll No: 3      Marks: 85

Destructor called for Roll No: 3

Destructor called for Roll No: 22

Destructor called for Roll No: 27

...Program finished with exit code 0
Press ENTER to exit console.
```