

066: Responsive Blog Website-1

Let's revise what we did in the class today

NEW CODES LEARNT	
Bootstrap Classes	
.navbar	Creates a standard Bootstrap Navigation bar.
.navbar-expand-xl/lg/md/sm	This lets the navbar stack vertically on extra large, large, medium or small screens.
.bg-light	Sets the background color as
.navbar-light	Sets the text color of navbar as black.
.fixed-top	It makes the navigation bar fixed at the top.
.navbar-brand	It is used to highlight the brand logo/name of your page.
.font-weight-bold	It makes the text bold.
.text-monospace	It makes the font-family of the text as Monospace.
.navbar-toggler	It lets an element toggle a navigation bar between collapsing and expanding.
data-toggle="collapse"	This attribute combined with data-target is added to a button/link

Copyright © 2020 by Toppr Technologies Pvt. Ltd. All rights reserved. No part of this document may be distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the publisher.

1



	to control a collapsible content.
data-target="# <i>targetid</i> "	This attribute points to a specific HTML element by its ID to make changes to it.
.collapse .navbar-collapse	Both the classes together create a collapsible navbar container.
.navbar-nav	Bootstrap navigation class for .
.nav-item	Bootstrap navigation class for .
.nav-link	Bootstrap navigation class for <a>.

Let's look at the activities we did and their solutions

Activity links and Solutions

Student Activity 1 - Activity Files

https://drive.google.com/drive/folders/1--g3jjl9dDzUkVGp_rOBQ3Fk Ga5tQOH_?usp=sharing

Student Activity 2 - Bootstrap Reference: Navbar https://www.w3schools.com/bootstrap4/bootstrap navbar.asp

In today's class you started creating a Travel Blog Website using Bootstrap and added the Navigation bar.


CODE

```
<!DOCTYPE html>
   v <html lang="en">
   ▼ <head>
         <meta charset="utf-8">
         <meta name="viewport" content="width=device-width, initial-scale=1.0">
         <title>My Blog</title>
         k rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/css/bootstrap.min.css" integrity="sha384-
         TX8t27EcRE3e/ihU7zmQxVncDAy5uIKz4rEkgIXeMed4M0jlfIDPvg6uqKI2xXr2" crossorigin="anonymous"
        <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"></script>
 8
         <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js" integrity="sha384-</pre>
         9/reFTGAW83EW2RDu2S0VKaIzap3H66lZH81PoYlFhbGU+6BZp6G7niu735Sk7lN" crossorigin="anonymous"></script>
        <script src="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/js/bootstrap.min.js" integrity="sha384-
w1Q4orYjBQndcko6MimVbzY0tgp4pWB4lZ7lr30WKz0vr/aWKhXdBNmNb5D92v7s" crossorigin="anonymous"></script>
10
         k rel="stylesheet" href="style.css">
11
14 ▼ <body>
        <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#main-nav">
18
            <span class="navbar-toggler-icon"></span>
           </button>
19
20 ₹
          <div class="collapse navbar-collapse" id="main-nav">
            22 ₹
                 class="nav-item">
                     <a class="nav-link" href="#">About</a>
23
                 24
25 ₹
                class="nav-item">
                     <a class="nav-link" href="#">Posts</a>
                 27
                class="nav-item">
28 ♥
                     <a class="nav-link" href="#">Gallery</a>
29
                 31 ₹
                class="nav-item">
                     <a class="nav-link" href="#">Contact</a>
32
                 33
            </div>
        </nav>
    </body>
37
    </html>
38
```

HTML

MATT About Posts Gallery Contact

Output



The hashtag (#) was first introduced in 2007.