


# CS 07540 Advanced Design and Analysis of Algorithms

---

## ***Finals Week***

- Final Exam

Rowan  
Univer



## Overview

Most problems will be blocks of four True/False questions, such as

Ⓓ      Ⓕ      FIND/SEARCH/GET in a BST with  $n$  nodes has runtime  $O(\log(n))$ .

with a few free response questions added. There will about 20 problems in total (the majority being blocks of four True/False). There will be no questions requiring you to program in Python or Java. However, standard algorithms we implemented in class or on homework may be asked for, such as

“Give a short description of an algorithm to find the minimum in a BST.”

# Focus Points

- General terms and asymptotic notation
  - ADT and data structures
  - Meaning of  $O$ ,  $\Theta$ ,  $\Omega$
- Heaps and Trees
  - Binary heaps as arrays and binary trees
  - Binary search tree structure



- Self-balancing trees and forests
  - Height-balanced trees
    - Red-Black tree structure
    - AVL tree structure
    - 2-3 trees structure
  - Weight/height-balanced trees
    - Scapegoat tree structure
  - Priority Queue
    - Binomial Heaps structure
    - Fibonacci Heaps structure



- Amortized Analysis and Lower Bounds
  - Run-time upper bounds for standard methods (Find, Insert, Delete)
    - Array
    - Dynamic array
    - BST (non-balanced!)
    - Scapegoat tree
    - 2-3 tree / Red-black tree
  - Run-time lower bound for comparison sort algorithms



- Algorithm Ideas

- Binary search (in ordered array)
- Search in BST (min/max)
- Insertion Sort
- Merge Sort
- Heap Sort (with min or max heap)
- Run-length Encoding
- Huffman Trees
- Predecessor/Successor in BST



- Runtime of Algorithms w/o Proof
  - Search in unordered array
  - Binary search (in ordered array)
  - Insertion Sort
  - Merge Sort
  - Heap Sort (with min or max heap)
  - FFT runtime (Fast Fourier Transform)
  - Fast/binary exponentiation

