```html
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible"
content="IE=edge">
<meta name="viewport"
content="width=device-width,
initial-scale=1.0">
<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.
1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXS
U1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
<title>Document</title>
</head>
<body>
<div class="row gx-5">
<div class="col bg-primary border p-3"></div>
<div class="col bg-primary border p-3"></div>
</div>
<div class="row">
<div class="col bg-warning border p-4"></div>
<div class="col bg-warning border p-4"></div>
<div class="col bg-warning border p-4"></div>
</div>
<div class="row g-2">
<div class="col-8 bg-success border p-4"></div>
<div class="col bg-success borderbg-opacity-75
p-4"></div>
</div>
<div class="row">
```

```
<div class="col bg-info border p-4"></div>
<div class="col bg-info border p-4"></div>
<div class="col bg-info border p-4"></div>
<div class="col bg-info border p-4"></div>
</div>
<div class="row">
<div class="col bg-secondary border p-2"></div>
</div>
<!-- Optional JavaScript; choose one of the
two! -->
<!-- Option 1: Bootstrap Bundle with Popper -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1
.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-ka7Sk0Gln4gmtz2MlQnikT1wXgYsO
g+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p"
crossorigin="anonymous"></script>
<!-- Option 2: Separate Popper and Bootstrap JS
-->
<!--
<script
src="https://cdn.jsdelivr.net/npm/@popperjs/cor
e@2.10.2/dist/umd/popper.min.js"
integrity="sha384-7+zCNj/IqJ95wo16oMtfsKbZ9ccEh
31eOz1HGyDuCQ6wgnyJNSYdrPa03rtR1zdB"
crossorigin="anonymous"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1
.3/dist/js/bootstrap.min.js"
integrity="sha384-QJHtvGhmr9XOIpI6YVutG+2QOK9T+
ZnN4kzFN1RtK3zEFEIsxhlmWl5/YESvpZ13"
crossorigin="anonymous"></script>
-->
```

```
</body>
</html>
```