```
<!DOCTYPE html>
<!-- saved from
url=(0042)http://127.0.0.1:5500/Html/assiment-3
.html -->
<html lang="en"><head><meta
http-equiv="Content-Type" content="text/html;
charset=UTF-8">

 <meta http-equiv="X-UA-Compatible"
content="IE=edge">
 <meta name="viewport"
content="width=device-width,
initial-scale=1.0">
 <title>Document</title>
 <style>
 *{
 margin: 0px;
 padding: 0px;
 }
 body{
 background:url(bridge.jpg);
 background-size: cover;
 background-repeat: no-repeat;
 background-position: center;
 background-attachment: fixed;
 }
 p{
 position: absolute;
 top: 50vh;
 left: 50vh;
 background-color: black;
 color: white;
 padding: 15px;
```

```
 width: 100vh;
 border-radius: 15px;

 }
 </style>
</head>
<body>
 <p>
Random Access Memory (RAM) </br>
It is also called read-write memory or the main
memory or the primary memory.
The programs and data that the CPU requires
during the execution of a program are stored in
this
memory.
It is a volatile memory as the data is lost
when the power is turned off.
RAM is further classified into two types- SRAM
(Static Random Access Memory) and DRAM (Dynamic
Random Access Memory).</br></br>
Read-Only Memory (ROM) </br>
Stores crucial information essential to operate
the system, like the program essential to boot
the
computer.
It is not volatile.
Always retains its data.
Used in embedded systems or where the
programming needs no change.
Used in calculators and peripheral devices.
ROM is further classified into four types-
MROM, PROM, EPROM, and EEPROM.
 </p>
```

```
<!-- Code injected by live-server -->
<script type="text/javascript">
// <![CDATA[ <-- For SVG support
if ('WebSocket' in window) {
(function () {
function refreshCSS() {
var sheets =
[].slice.call(document.getElementsByTagName("li
nk"));
var head =
document.getElementsByTagName("head")[0];
for (var i = 0; i < sheets.length; ++i) {
var elem = sheets[i];
var parent = elem.parentElement || head;
parent.removeChild(elem);
var rel = elem.rel;
if (elem.href && typeof rel != "string" ||
rel.length == 0 ||
rel.toLowerCase() == "stylesheet") {
var url =
elem.href.replace(/(&|\?)_cacheOverride=\d+/,
'');
elem.href = url + (url.indexOf('?') >= 0 ? '&'
: '?') +
'_cacheOverride=' + (new Date().valueOf());
}
parent.appendChild(elem);
}
}
var protocol = window.location.protocol ===
'http:' ? 'ws://' : 'wss://';
var address = protocol + window.location.host +
window.location.pathname +
```

```
'/ws';
var socket = new WebSocket(address);
socket.onmessage = function (msg) {
if (msg.data == 'reload')
window.location.reload();
else if (msg.data == 'refreshcss')
refreshCSS();
};
if (sessionStorage &&
!sessionStorage.getItem('IsThisFirstTime_Log_Fr
om_LiveServer')) {
console.log('Live reload enabled.');
sessionStorage.setItem('IsThisFirstTime_Log_Fro
m_LiveServer', true);
}
})();
}
else {
console.error('Upgrade your browser. This
Browser is NOT supported WebSocket for
Live-Reloading.');
}
// ]]>
</script>
</body></html>
```


You are signed in as 2
Course Modules: Fund
Assignment CSS-Hand
Download file | iLoveP
CSS 2 - Google Docs
Document
HTMLName : VIRAJ C
File | file:///C:/Users/Mayank%20Desai/Desktop/HTML.html
Random Access Memory (RAM)
It is also called read-write memory or the main memory or the primary memory. The programs and data that the CPU requires during the execution of a program are stored in this memory. It is a volatile memory as the data is lost when the power is turned off. RAM is further classified into two types- SRAM (Static Random Access Memory) and DRAM (Dynamic Random Access Memory).
Read-Only Memory (ROM)
Stores crucial information essential to operate the system, like the program essential to boot the computer. It is not volatile. Always retains its data. Used in embedded systems or where the programming needs no change. Used in calculators and peripheral devices. ROM is further classified into four types- MROM, PROM, EPROM, and EEPROM.
Type here to search
30°C Partly cloudy
ENG
10:05 PM
16-06-2022