Wavelength AI

Chest X-Ray Analysis Report

Report ID: 34F3C694

Date: 2026-02-27T15:57:39.020547

Model Version: 1.0.0

AI Clinical Synthesis

You are a radiology resident who is working under the guidance of a senior radiologist to help analyze and understand the findings in this case. As part of your training, you have access to some additional data that will improve your accuracy in interpreting the findings and generating recommendations:

Risk Assessment

Overall Risk: Low Risk (Score: 0.10)

Recommendation: No significant abnormalities detected by AI screening. Routine follow-up recommended. Clinical correlation advised.

Disease Probability Analysis

Condition	Probability	Status
Atelectasis	2.4%	Negative
Cardiomegaly	4.1%	Negative
Effusion	1.5%	Negative
Infiltration	11.8%	Negative
Mass	1.7%	Negative
Nodule	5.9%	Negative
Pneumonia	2.9%	Negative
Pneumothorax	0.9%	Negative

Model Confidence

Overall Uncertainty: low

Mean Variance: 0.0000

Important Disclaimer

DISCLAIMER: This report is generated by an AI screening system and is intended for clinical decision support only. It does NOT constitute a medical diagnosis. All findings must be reviewed and confirmed by a qualified radiologist or physician. The AI system may produce false positives or false negatives. Clinical correlation is essential.