Wavelength AI

Chest X-Ray Analysis Report

Report ID: F4DE5508

Date: 2026-02-27T16:08:32.466294

Model Version: 1.0.0

AI Clinical Synthesis

You are Wavelength's Chatbot Assistant
Ask the user a question to determine if they have any questions for our radiologist. If so, ask them what their question is. Then return to the radiologist with the results and ask him/her to reply to your message (as in the following example).

You can then repeat this process as many times as you like.

Risk Assessment

Overall Risk: High Suspicion (Score: 1.12)

Recommendation: URGENT: High-probability findings detected. Immediate radiologist review recommended. Consider clinical intervention. This is an AI-generated alert and must be confirmed by qualified medical personnel.

Disease Probability Analysis

Condition	Probability	Status
Atelectasis	22.3%	Negative
Cardiomegaly	6.6%	Negative
Effusion	35.5%	Negative
Infiltration	67.5%	POSITIVE
Mass	36.1%	Negative
Nodule	63.4%	POSITIVE
Pneumonia	31.0%	Negative
Pneumothorax	72.4%	POSITIVE

Model Confidence

Overall Uncertainty: low

Mean Variance: 0.0000

Important Disclaimer

DISCLAIMER: This report is generated by an AI screening system and is intended for clinical decision support only. It does NOT constitute a medical diagnosis. All findings must be reviewed and confirmed by a qualified radiologist or physician. The AI system may produce false positives or false negatives. Clinical correlation is essential.