


SQL QUERIES PIZZA SALES



TOTAL NUMBER OF ORDER PLACED

```
SELECT COUNT(ORDER_ID) AS  
TOTAL_COUNT_ORDER FROM ORDERS;
```

TOTAL REVENUE GENERATED

```
SELECT  
ROUND(SUM(O.QUANTITY * P.PRICE),2) AS  
TOTAL_REVENUE  
FROM ORDER_DETAILS O  
JOIN  
PIZZAS P ON O.PIZZA_ID = P.PIZZA_ID
```

HIGHEST PRIZE PIZZA

```
SELECT O.NAME, P.PRICE
      FROM
      PIZZAS P
      JOIN
      PIZZA_TYPES O ON P.PIZZA_TYPE_ID =
      O.PIZZA_TYPE_ID
     ORDER BY PRICE DESC
      LIMIT 1
```

MOST COMMON PIZZA SIZE

```
SELECT
P.SIZE, COUNT(O.ORDER_DETAILS_ID) AS COUNT
FROM
ORDER_DETAILS O
JOIN
PIZZAS P ON O.PIZZA_ID = P.PIZZA_ID
GROUP BY P.SIZE
ORDER BY COUNT DESC
LIMIT 1
```

MOST 5 ORDERED TYPE WITH THEIR QUANTITY

```
SELECT
PT.NAME, PI.SIZE, SUM(OD.QUANTITY) AS Q
FROM
PIZZA_TYPES PT
JOIN
PIZZAS PI ON PT.PIZZA_TYPE_ID = PI.PIZZA_TYPE_ID
JOIN
ORDER_DETAILS AS OD ON PI.PIZZA_ID = OD.PIZZA_ID
GROUP BY PT.NAME , PI.SIZE
ORDER BY Q DESC
LIMIT 5;
```