

NxtWave Sales Buddy 1.0

Author: Internal Product Manager
Teams: Sales, Product, Engineering, Design
Date of publishing: 7 November 2022
Version: 1.0
Platform: PC
Classification: Internal

Introduction

Background:

Consider you have to build a CRM from scratch for a team of **1000 sales** associates. You have **1 Lac leads** from various states. On a daily basis, sales associates will make calls to leads across India to create awareness about 4.0 Technologies through webinar.

1. We have 1 Lac leads with the following details: Name of the student and the Phone number of the parent.
2. Our associates make calls to the Parents, convey how the webinar will be helpful to the student and collect the student's mobile numbers.
3. Associates call the student to convey about the webinar and send the webinar registration link to all the interested students through WhatsApp
4. All the interested students register for the webinar by choosing a time slot of their choice.
5. Finally, the student watches the webinar in their chosen time slot. Students who watch the webinar for a pre-fixed duration will be considered as a qualified lead.
6. Qualified leads receive calls from Career Experts & interested students among qualified leads will enroll for the CCBP 4.0 Program.

Objective:

To build a leak-proof CRM to track the interaction history between sales associate & leads as well as the conversion funnel from the first call to the lead conversion (defined as the students who watch the webinar for pre-fixed duration)

1. Productivity of the sales associates should be the major metric that is improved on implementation
2. The CRM should be equipped to handle data for a minimum user base of 100000
3. Should store interaction data and updates for each lead separately

Users

Primary user profile: NxtWave sales associates. They are tech savvy, know their way around a computer and have a basic understanding of the purpose of CRMs.

Needs being fulfilled for users:

1. A central database to keep track of user interactions
2. Standardized user parameters (like contact details, reasons of not being contacted, time contacted, etc.) that can be understood by all sales associates who access the user profile

Assumptions:

- Sales associates call using their work numbers, which can be reported by users as business or spam on apps like Truecaller, which could deter future users from picking up the calls
- 1 Lac leads are initially distributed equally among the 1000 sales associates, leading to 100 leads per sales associate
- All sales associates are fluent in at least Hindi and English
- The default language to talk to parents is English. This can be modified by the sales associates for all applicable user profiles
- We only have the student's name and parents phone number for all leads in the beginning, no other information about leads
- Webinars keep happening on regular intervals

User journey

The user flow will be as shown here:

<https://whimsical.com/nxtwave-R4u8wZNi2b3Z6bXtqN28QP>

This user journey should be fully implemented at first Go-Live and hence the flows included in this are P1 stories and will be worked on first

Wireframes

The wireframes are represented for sales admin login credentials:

<https://whimsical.com/nxtwave-67JjRTJ1aJVYjtwxZc3xKc>

Rules to follow:

- Interaction history chronology will be from bottom to top, so that latest status is visible in the top row
- If an interaction has been registered, it can be edited as long as there is no interaction registered above it
- If a student doesn't have a personal phone or a WhatsApp number, invitation link for attending webinar will be sent to the parent's number, this will be done by clicking the checkbox same as parent's number while registering a call
- There will be 3 calls made to a lead in case of repeat failure and then re-assignment logic (if applicable), will kick in. For further information, see table "[Re-assignment logic for failed calls](#)"

Features description

Broad flows defined:

1. Login flow:

Scope:

- Sales associate will enter their credentials into the portal and login to the Sales Buddy portal, where they will have access to their leads list along with the interaction history
- There will be a feature for admin login, which will have some exclusive features like, Modifying reason codes and Reassigning leads

2. Search flow:

Scope: Will have two options

- One where the sales associate can search leads through a parameter defined for every lead profile (Name, phone number, preferred language)
- Another option will be accessing the master list of all the assigned leads for the sales associate and then opening the desired lead profile

3. Lead profile flow:

Scope:

- Define parameters like Student name (first, middle, last), Parents phone number, Student's phone number, Preferred language(s), various logical flags (active, invite, webinar, eligible flags) that will be set for each lead profile
- The active flag will denote if the lead is active and not qualified yet. Default value will be 1
- Student name and parent phone number list will be uploaded on the portal by admin, after which equal number of leads will be allotted to each sales associate. Reassignments can take place from the admin end in case of language barrier issues in batches. This process can be automated as a future scope
- The lead profile will also display the interaction history between sales associates and leads in a table format which will be populated through further defined process flows

4. Register call flow:

Scope:

- There will be a CTP (call to parent) flag parameter defined for each lead profile which will incremented when calls are registered by sales associates
- The parent's number and interaction code (CTP 1,2,3) will be non-editable fields in the register call window (check wireframe for Register call popup). Sales associates will have the option to set status as "success" or "failure". The reason codes mapped

to a particular status for a given interaction code, will be visible in the respective dropdown. This mapping will be defined by admin in the *Modify reason code flow*.

- As soon as the student number parameter is updated and a call is registered as success, the invite flag for the profile is set to 1.

5. **Send invitation link flow:**

Scope:

- This will enable the send registration link button for the profile, which can be used to send the student a link to register for the webinar on his WhatsApp
- If the response of the send link process is success, the invite flag for the profile is set to 0
- As part of future scope, when Run batches flow is Go live, all the leads whose invite link is set to one, will get sent the invitation link together

6. **Slot booking flow:**

Scope:

- Students get sent a WhatsApp link that will present them options for multiple webinars as applicable. The form will have fields for student name, mobile number on which they received the registration link, the mobile number which they will use to access the webinar, and other details as applicable. The value entered in the latter field is stored as the number against the slot booking interaction code visible in the interaction history of the lead (check wireframe for Lead Profile page). This will ensure that if different numbers are used for invitation link and webinar registration, there is no duplication of leads
- This slot booking has to take place within a defined a time window, or else reminder messages or call will have to be made to the student
- As soon as a student sets a slot, an interaction appears in the interaction history the webinar flag for that profile will get set to 1

7. **Send webinar link flow:**

Scope:

- For students with webinar flag set to 1, the Send Webinar link will be activated and can be used to send the webinar link to the student on the number they provided during register
- If the response of the send link process is success, the webinar flag for the profile is set to 0
- As part of future scope, when Run batches flow is Go live, all the leads whose webinar links is set to one, will get sent the webinar link together

8. **Lead conversion flow:**

Scope:

- The student's webinar viewing activity will get tracked here. Login into the webinar will be authenticated through the mobile number that the student provided during registration
- If they view the webinar for a threshold amount of minutes, the eligible flag for the lead profile will be set to 1
- The active flag will be set to 0, to denote that the lead is converted and is now qualified for counselling
- As an additional measure, we can roll out feedback forms for both the students who qualified and did not qualify as converted leads (after watching the webinar for the threshold amount of minutes)
- Students who could not attend due to some reason but show interest in attending again can be given the chance to do so.

9. Modify reason code flow:

Scope: Applicable for sales admin only

- The admin will have the option to add, modify or delete reason codes defined against interaction codes and status codes.
- They can also define how a particular reason code will affect the logical flags for a particular lead profile

Development cycles

Present scenarios:

Following flows (User stories) are to be created: Here is what our product backlog will look like, along with priority. The P1 issues will be used to create the first Go Live.

S.no.	Title	Priority	Owner
	<u>Admin functionalities</u>		
1	Modify reason code flow: Add flow	P1	Engineering team
2	Modify reason code flow: Modify flow	P1	Engineering team
3	Modify reason code flow: Delete flow	P2	Engineering team
4	Reassign leads flow	P2	Engineering team
	<u>Sales associate functionalities</u>		
1	CRM UI design	P1	Design team
2	Login flow	P1	Engineering team
3	Forgot password flow	P2	Engineering team
4	Sales associate profile flow	P2	Engineering team
5	Lead profile flow	P1	Engineering team
6	Search leads by criteria flow	P2	Engineering team
7	Search leads from master list flow	P1	Engineering team
8	Register call flow	P1	Engineering team
9	Update interaction flow	P2	Engineering team
10	Send link flows: invitation link flow	P1	Engineering team
11	Send link flows: webinar link flow	P1	Engineering team
12	Slot booking flow	P1	Engineering team
13	Run batch flows: invitation link flow	P2	Engineering team
14	Run batch flows: webinar link flow	P2	Engineering team
15	Lead conversion flow	P1	Engineering team

Future scenarios:

1. **Establish cron jobs to run batch flows:** will help as the business scales up to run batches as predefined intervals
2. **Infographics to show consolidated data/stats for leads, at a territorial, state or national level:** will reveal the big picture to concentrate on regional efficiencies and breakdowns

Metrics

North star metric: Daily average number of calls per sales associate

Logic: Here the objective is to build a CRM to aid the sales associates in keeping track of leads interaction and their productivity is to be tracked

Category	Metric	Logic
Productivity leading metrics	Average lead conversion time = Time taken for a converted lead to traverse through funnel (from first call to webinar viewing)	Will directly indicate how much lead conversion time is impacted due to the CRM
Sales associate productivity metrics	Average lead conversion rate per sales associate = Total qualified leads/Total calls made by associate	This will keep an eye on individual associate's productivity and will provide data on whether there is any need for training

Reviewers

Role	Function	Name	Action	Date
Project head	<u>Management</u>		Approved	6 Nov 2022
Group product manager	<u>Product</u>		Approved	6 Nov 2022
Engineering Lead	<u>Engineering</u>		Reviewed	5 Nov 2022
Design Lead	<u>UI/UX</u>		Reviewed	5 Nov 2022

FAQs

A) Consider out of the 1 lakh leads only 30k leads answer the call. Rest of the calls are not answered due to multiple reasons like Not answering, User busy, Not reachable, Switch off, Call rejected etc., How do you assign the leads again to the associates to ensure maximum answer rate?

Refer [Re-assignment logic for failed calls](#) section in the Features description header

B) In some cases, we dial the lead with Mobile Number-1. But he/she registers for our webinar session with Mobile Number-2. How do you ensure there is no duplication of the lead in CRM?

Refer [Slot booking flow](#) section under the Broad flows definition in the Features description header

Appendix 1: Reason code list for failure of various interactions:

Interaction code	Purpose	Status code	Reason codes	Logic
CTP1 CTP2 CTP3	To track 1st / 2nd / 3rd call to parent	Failure	<i>Not answering, Not reachable, Language issue, Number does not exist, Switch off, Currently busy, Told to talk later, Wrong number, Not interested, Call rejected</i>	As applicable
Invitation link	To track whether student received invitation link	Failure	<i>Error</i>	Negative response received against API call to send link which will denote non-receipt of message on intended receiver's device
Slot booked	To track whether student booked a slot for attending webinar	Failure	<i>Deadline error</i>	Student did not book a preferred slot before a defined deadline
Webinar watched	To track whether student ended up watching the webinar for the threshold amount of time	Failure	<i>Threshold minutes not reached, Not joined</i>	As applicable

Note: “Success” status for all interactions will have only success reason code mapped against them

Appendix 2: Re-assignment logic for failed calls:

Reason code	Applicable cases	Re-assignment logic	Additional steps
Call rejected	Lead was not in a situation to talk	Do not reassign	After 3 registered calls with this reason code, there should be reassignment to another sales associate
	Lead got Truecaller notification about the call being from a business/spam		
Not answering	Lead was not in a situation to talk/away from the phone	Do not reassign	After 3 registered calls with this reason code, there should be reassignment to another sales associate, and further call attempts should be made at different times than the first 3 attempts
	Lead got Truecaller notification about the call being from a business/spam		
Not reachable	Lead is in an area with low network reception	Do not reassign	After 3 registered calls with this reason code, further calls should be attempted after a cooling off period (assumption that lead will move to a better reception area)
Language issue	Lead picked up and said (s)he was comfortable in another language and the sales associate is not versed with that language	Reassign to sales associate with expertise in that language	
Number does not exist	Inactive number details	Do not reassign	If possible, get alternate contact number for the lead, else delete from the master list
Switch off	The phone is discharged or switched off	Do not reassign	After 3 registered calls with this reason code, if possible, get alternate contact number for the lead, else delete from the master list
Currently busy	Lead is on call with another person	Do not reassign	Call another time
Told to talk later	Call was picked but the Lead was occupied at time of calling and requested for a call later	Do not reassign	Call at a time when lead is comfortable, the details can be mentioned in the remarks parameter
Wrong number	Call was picked, but was not the intended receiver	Do not reassign	If possible, get alternate contact number for the lead, else delete from the master list
Not interested	Call was picked, but the Lead was not interested in the proposition	Do not reassign	

Another case that would require reassignment of leads is due to unavailability of the assigned sales associate. In these cases, **the admin has to manually reassign the leads to another sales associate**

Note: To keep track that some sales associates are not overburdened with overwhelming number of leads, each active lead will be denoted by an active flag set to 1. The number of active leads assigned to each sales associate will hence be tracked and visible to sales admin, who can make the decision to reassign as is required.