

SMAPSS Ontology Evaluation

What is an Ontology?

Ontologies are a widely used method for representing knowledge. Therefore, knowledge is expressed in semantic statements and stored digitally. An ontology consists of classes (objects), attributes, and relationships representing a domain's knowledge. Besides humans, machines can also understand the concepts defined within the ontology and process the content and interpret new knowledge. Moreover, it can be used to infer, querying the specific knowledge about a domain across heterogeneous systems. For example: 'Human' can be considered as a subclass of 'Animals', and 'Animals' is the subclass of 'Living Organism'.

These concepts can be further provided with a relationship. These relationships are called *Object Property*. For example: 'Humans' 'eats' 'Apple' where 'eats' is an Object Property.

The property of a concept is called *Data Property*. For example, an 'Apple' is a concept that is a subclass of 'Fruit', then the Data Property of Apple can be considered as 'Nutritional Content', which is 'Vitamin A' or the size, shape etc.

What is the benefit of an Ontology?

Apart from having a shared conceptualization of the concepts and their relationship, using ontologies, we can have a mechanism where we can get new information out of the already existing concepts and their relationship. For example, 'Humans' eat 'Apple' and 'Apple' 'Nutritional Content' is 'Vitamin C'. Therefore, using the chain connection between Humans and the nutritional content of the apple. We can infer that a human who eats an apple gets Vitamin C.

Use of an Ontology in a production environment:

Using ontologies in a production environment is a relatively new research field. As described above, the goal is to store knowledge about an organization and its processes and enable workers to share and extract new knowledge.

Use of an Ontology in the project DAMOKLEZ:

In the research project DAMOKLEZ, an ontology has been developed to store knowledge about deviations between a simulation model and its real production system. The goal is to fasten and support the process of knowledge extraction from a knowledge worker who works on the shop floor of the production system to the simulation expert, who needs to adjust the parameters of the simulation model according to the current deviation.

Your background

In which industry is your company mainly active?

- ☐ Automotive/ motor vehicle manufacturers
- ☐ Mechanical and plant engineering
- ☐ Supply industry
- ☐ Consulting
- ☒ Research
- ☐ Other: Klicken oder tippen Sie hier, um Text einzugeben.

What is your experience with the tools/activities mentioned below?

	Not at all	No	Some what	Yes	Defin itely yes	No state ment
Are you involved in engineering tasks?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Do you have experiences in production systems?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Do you work with data from production systems?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Do you work with simulation models?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have you heard about ontologies before?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have you worked with ontologies in the past?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have you used a Knowledge Management System before?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Figure 1 represents the first-level concepts of the ontology. As mentioned in the figure, each class related to a process, product, deviation, or organization is colored respectively. Various concepts are not mainly related to a specific concept but can represent different knowledge for different concepts.

Please look at the Simulation Model and Automated Production System Synchronisation (SMAPSS) ontology. The picture presents the first level of the ontology concept, which presents the general structure of an organization with a strong focus on the described task. Please answer the questions with 'strongly disagree', 'disagree', 'neutral', 'agree', 'strongly agree'.




Fig 1: Ontology first level concepts

1. Do you think the concepts defined in ontology contradict each other?

<input type="checkbox"/> strongly disagree	<input type="checkbox"/> disagree	<input type="checkbox"/> neutral	<input checked="" type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment:	Klicken oder tippen Sie hier, um Text einzugeben.			

2. Do you think concepts defined in the ontology covers the most relevant information about assembly line manufacturing plants?

<input type="checkbox"/> strongly disagree	<input type="checkbox"/> disagree	<input type="checkbox"/> neutral	<input checked="" type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment:	Klicken oder tippen Sie hier, um Text einzugeben.			

3. Do you think some of the concepts are useless?

<input type="checkbox"/> strongly disagree	<input checked="" type="checkbox"/> disagree	<input type="checkbox"/> neutral	<input type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment:	Klicken oder tippen Sie hier, um Text einzugeben.			

4. Do you think there is clarity with the naming of the concepts?

<input type="checkbox"/> strongly disagree	<input type="checkbox"/> disagree	<input checked="" type="checkbox"/> neutral	<input type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment:	Klicken oder tippen Sie hier, um Text einzugeben.			

5. Do you think these concepts can be used for other manufacturing companies?

<input type="checkbox"/> strongly disagree	<input type="checkbox"/> disagree	<input type="checkbox"/> neutral	<input checked="" type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment:	Klicken oder tippen Sie hier, um Text einzugeben.			

The above figure 1 represents the main class or the concepts used to store information and knowledge about different aspects of the industry with an automated production system. On the other hand, this section presents the subclasses for the main classes described above.

The class *DeviationReasons* is used to classify the different reasons for deviation of a production system and its simulation model. It consists of the so-called 5 *M*'s described in a paper by GALASKE ET AL. (2015) [1]. The 5 *M*'s consist of Material, Method, Mileu, Manpower, Machine [1]. Moreover, we have added one more class named *UnknownDeviation* to the deviations that do not have any factual information about the origin.

Please consider the below (Simulation Model and Automated Production System Synchronisation) SMAPSS ontology second-level concept for a deviation reason and answer whether you 'strongly disagree', 'disagree', 'neutral', 'agree', or 'strongly agree' with the defined concepts.




Fig 2. Sub concepts for DeviationReason class

1. Do you think the concepts defined in ontology contradict each other?

<input type="checkbox"/> strongly disagree	<input checked="" type="checkbox"/> disagree	<input type="checkbox"/> neutral	<input checked="" type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment:	Klicken oder tippen Sie hier, um Text einzugeben.			

2. Do you think concepts defined in the ontology cover the most relevant information about assembly line manufacturing plants?

<input type="checkbox"/> strongly disagree	<input type="checkbox"/> disagree	<input type="checkbox"/> neutral	<input checked="" type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment:	Klicken oder tippen Sie hier, um Text einzugeben.			

3. Do you think some of the concepts are useless?

<input type="checkbox"/> strongly disagree	<input checked="" type="checkbox"/> disagree	<input type="checkbox"/> neutral	<input type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment:	Klicken oder tippen Sie hier, um Text einzugeben.			

4. Do you think there is clarity with the naming of the concepts?

<input type="checkbox"/> strongly disagree	<input type="checkbox"/> disagree	<input checked="" type="checkbox"/> neutral	<input type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment:	Klicken oder tippen Sie hier, um Text einzugeben.			

5. Do you think these concepts can be used for other manufacturing companies?

<input type="checkbox"/> strongly disagree	<input type="checkbox"/> disagree	<input type="checkbox"/> neutral	<input checked="" type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment:	Klicken oder tippen Sie hier, um Text einzugeben.			

The ontology class *Process* describes the different types of processes in an automated production system. The subclasses of *Process* have been defined using the classification of manufacturing processes defined in the paper by SORENSEN ET AL. (2018) [2]. The actual classification consists of more concepts, but for the Project DAMOKLEZ we have used the main concepts that are relevant to our purpose.

Please consider the SMAPSS ontology below for the second-level concepts of *Process* and answer the questions whether you 'strongly disagree', 'disagree', 'neutral', 'agree', or 'strongly agree' with the defined concepts.




Fig 3. Subconcepts for Process class

1. Do you think the concepts defined in ontology contradict each other?

<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
strongly disagree	disagree	neutral	agree	strongly agree
Comment:		Klicken oder tippen Sie hier, um Text einzugeben.		

2. Do you think concepts defined in the ontology cover the most relevant information about assembly line manufacturing plants?

<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
strongly disagree	disagree	neutral	agree	strongly agree
Comment:		Klicken oder tippen Sie hier, um Text einzugeben.		

3. Do you think some of the concepts are useless?

<input type="checkbox"/> strongly disagree	<input checked="" type="checkbox"/> disagree	<input type="checkbox"/> neutral	<input type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment:	Klicken oder tippen Sie hier, um Text einzugeben.			

4. Do you think there is clarity with the naming of the concepts?

<input type="checkbox"/> strongly disagree	<input type="checkbox"/> disagree	<input checked="" type="checkbox"/> neutral	<input type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment:	Klicken oder tippen Sie hier, um Text einzugeben.			

5. Do you think these concepts can be used for other manufacturing companies?

<input type="checkbox"/> strongly disagree	<input checked="" type="checkbox"/> disagree	<input type="checkbox"/> neutral	<input type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment:	Klicken oder tippen Sie hier, um Text einzugeben.			

Product_Type describes the type of product which goes into a process or leaves a process. Our generic ontology has three sub-categories that are *Final_Product*, *Raw_Material*, and *Intermediate_Goods*.

Please consider the SMAPSS ontology below for the second-level concepts of *Product_Type* and answer the questions whether you 'strongly disagree', 'disagree', 'neutral', 'agree', or 'strongly agree' with the defined concepts.




Fig 4. Subconcepts for Product_Type Class

1. Do you think the concepts defined in ontology contradict each other?

<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
strongly disagree	disagree	neutral	agree	strongly agree
Comment:		Klicken oder tippen Sie hier, um Text einzugeben.		

2. Do you think concepts defined in the ontology cover the most relevant information about assembly line manufacturing plants?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
strongly disagree	disagree	neutral	agree	strongly agree
Comment:		Klicken oder tippen Sie hier, um Text einzugeben.		

3. Do you think some of the concepts are useless?

<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
strongly disagree	disagree	neutral	agree	strongly agree
Comment:		Klicken oder tippen Sie hier, um Text einzugeben.		

4. Do you think there is clarity with the naming of the concepts?

<input type="checkbox"/> strongly disagree	<input type="checkbox"/> disagree	<input type="checkbox"/> neutral	<input checked="" type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment:	Klicken oder tippen Sie hier, um Text einzugeben.			

5. Do you think these concepts can be used for other manufacturing companies?

<input type="checkbox"/> strongly disagree	<input type="checkbox"/> disagree	<input type="checkbox"/> neutral	<input checked="" type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment:	Klicken oder tippen Sie hier, um Text einzugeben.			

Device concepts have been defined to represent all the devices used, or that can be used within an automated production system. To define Device's subclasses, we have used the paper by CHENG ET AL. (2016) [3]. The sub-classes are again project-specific and can differ between different kinds of projects. Please refer to Figure 5. In the SMAPSS Ontology.pptx document for the representation of the subclasses of Device concept.

Please consider the SMAPSS ontology below for the second-level concepts of *Device* and answer the questions whether you 'strongly disagree', 'disagree', 'neutral', 'agree', or 'strongly agree' with the defined concepts.




Fig 5. Subconcepts for Device Concept

1. Do you think the concepts defined in ontology contradict each other?

<input type="checkbox"/> strongly disagree	<input type="checkbox"/> disagree	<input type="checkbox"/> neutral	<input checked="" type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment:	I think a drive and a HandlingSystem aren't in the same level. A sensor isn't a HandlingSystem, too.			

2. Do you think concepts defined in the ontology cover the most relevant information about assembly line manufacturing plants?

<input type="checkbox"/> strongly disagree	<input type="checkbox"/> disagree	<input checked="" type="checkbox"/> neutral	<input type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment:	Klicken oder tippen Sie hier, um Text einzugeben.			

3. Do you think some of the concepts are useless?

<input type="checkbox"/> strongly disagree	<input checked="" type="checkbox"/> disagree	<input type="checkbox"/> neutral	<input type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment:	Klicken oder tippen Sie hier, um Text einzugeben.			

4. Do you think there is clarity with the naming of the concepts?

<input type="checkbox"/> strongly disagree	<input type="checkbox"/> disagree	<input checked="" type="checkbox"/> neutral	<input type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment:	Klicken oder tippen Sie hier, um Text einzugeben.			

5. Do you think these concepts can be used for other manufacturing companies?

<input type="checkbox"/> strongly disagree	<input checked="" type="checkbox"/> disagree	<input type="checkbox"/> neutral	<input type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment:	Klicken oder tippen Sie hier, um Text einzugeben.			

As mentioned earlier, the relationship between the classes can be described using object properties. Therefore, in figure 6 of the SMAPSS Ontology.pptx file, we have represented the relationships between the classes. The arrow from where it starts is the domain concept; the arrow pointed toward a class is the range concept.

Furthermore, the relationship or the object property between the concepts is represented using '-relationship'. For example, a deviation named '*DeviationID XXX*' which occurred in a process named '*Process1*' can be stored in our knowledge base, which satisfies the rules mentioned in Fig 6. Therefore, the stored knowledge will be in the form of '*Process1*' '*hasDeviation*' '*DeviationID XXX*'. Similarly, for different use-cases, we can use the defined object property.




Figure 6. Ontology with their relationships and properties

Please consider the SMAPSS ontology for the relationships and properties and answer the questions with 'strongly disagree', 'disagree', 'neutral', 'agree', 'strongly agree'.

1. Do you think the relationships and the properties defined in ontology contradict each other?

<input type="checkbox"/> strongly disagree	<input checked="" type="checkbox"/> disagree	<input type="checkbox"/> neutral	<input type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment: Klicken oder tippen Sie hier, um Text einzugeben.				

2. Do you think the relationships and the properties defined in the ontology covers the most relevant information about assembly line manufacturing plants?

<input type="checkbox"/> strongly disagree	<input type="checkbox"/> disagree	<input type="checkbox"/> neutral	<input checked="" type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment: Klicken oder tippen Sie hier, um Text einzugeben.				

3. Do you think some of the relationships and the properties are useless?

<input type="checkbox"/> strongly disagree	<input checked="" type="checkbox"/> disagree	<input type="checkbox"/> neutral	<input type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment: Klicken oder tippen Sie hier, um Text einzugeben.				

4. Do you think there is clarity with the naming of the relationships and the properties?

<input type="checkbox"/> strongly disagree	<input type="checkbox"/> disagree	<input type="checkbox"/> neutral	<input checked="" type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment: Klicken oder tippen Sie hier, um Text einzugeben.				

5. Do you think these the relationships and the properties can be used for other manufacturing companies?

<input type="checkbox"/> strongly disagree	<input type="checkbox"/> disagree	<input type="checkbox"/> neutral	<input checked="" type="checkbox"/> agree	<input type="checkbox"/> strongly agree
Comment: Klicken oder tippen Sie hier, um Text einzugeben.				

References

- [1] Galaske, Nadia & Strang, Daniel & Anderl, Reiner. (2015). Process Deviations in Cyber-Physical Production Systems.
https://www.researchgate.net/publication/283499328_Process_Deviations_in_Cyber-Physical_Production_Systems
- [2] Sorensen, Daniel & Brunoe, Thomas & Nielsen, Kjeld. (2018). A classification scheme for production system processes. Procedia CIRP. 72. 609-614.
10.1016/j.procir.2018.03.021.
https://www.researchgate.net/publication/326039294_A_classification_scheme_for_production_system_processes
- [3] Cheng, Haibo & Zeng, Peng & Xue, Lingling & Shi, Zhao & Wang, Peng & Yu, Haibin. (2016). Manufacturing Ontology Development Based on Industry 4.0 Demonstration Production Line. 42-47. 10.1109/TSA.2016.17.
https://www.researchgate.net/publication/311610072_Manufacturing_Ontology_Development_Based_on_Industry_40_Demonstration_Production_Line