

Navigation Bar (Routing and Login/Logout Concept):-

```
<nav class="navbar navbar-inverse navbar-fixed-top" id="top">
  <div class="container-fluid">
    <div class="navbar-header">
      <button type="button" class="navbar-toggle" data-toggle="collapse" data-
target="#myNavbar">
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
      </button>
      <a class="navbar-brand" href="index.php" id="website-name"><span class="glyphicon
glyphicon-education"></span> WISSEN</a>
    </div>
    <div class="collapse navbar-collapse" id="myNavbar">
      <ul class="nav navbar-nav navbar-right">
        <?php if(isset($_SESSION['username'])): ?>
          <li style="color: #3BABFD; padding: 12px;">Welcome <?php echo
$_SESSION['username']; ?>!!</li>
          <?php endif; ?>
          <li class="active"><a href="index.php"><span class="glyphicon glyphicon-home" id="span-
hover"></span> Home</a></li>
          <li><a href="aboutus.php"><span class="glyphicon glyphicon-info-sign"></span> About Us</
a></li>
          <li><a href="contactus.php"><span class="glyphicon glyphicon-earphone"></span> Contact
Us</a></li>
          <li><a href="events.php"><span class="glyphicon glyphicon-calendar"></span> Events</a></
li>
          <?php if(isset($_SESSION['username'])): ?>
            <li style="background-color: #3BABFD;"><a href="index.php?logout=1" style="color:
white"><span class="glyphicon glyphicon-log-out"></span> Logout</a></li>
            <?php else: ?>
              <li><a href="signup.php"><span class="glyphicon glyphicon-user"></span> Sign Up</a></
li>
              <li style="background-color: #3BABFD;"><a href="register.php" style="color: white"><span
class="glyphicon glyphicon-log-in"></span> Login</a></li>
            <?php endif; ?>
          </ul>
        </div>
      </div>
    </nav>
```

Login:-

```
<div class="container">
  <div class="row" style="padding: 15% 35%;">
    <div class="col-md-12 col-sm-12" id="inside-login-container">
```

```
<div class="login-container">
  <h2>Login</h2>
</div>
```

```
<form class="form-container" action="login.php" method="post">
  <?php include('errors.php'); ?>
```

```

    <p>UserName</p>
    <input type="text" name="username" placeholder="User Name"/><br><br>
    <p>Password</p>
    <input type="password" name="password" placeholder="User Password"/>
<br><br><br>
    <input type="submit" value="LOGIN" name="login_user" style="font-size: 1.6rem;
letter-spacing: 1px; background-color: #34A853; font-weight: bold; color: white;"><br><br>
    <p>No an account yet? <a href="signup.php" style="color: black; text-decoration:
none; font-weight: bold;">SIGN UP</a></p>
  </form>
</div>
</div>
</div>
```

Logout:-

```
<?php
session_start();
unset($_SESSION);
session_destroy();
header("location: index.php");
exit();
?>
```

Database Connection to insert Contacts page data

```
<?php
```

```
$fname = $_POST['firstname'];
$lname = $_POST['lastname'];
$email = $_POST['email'];
$comments = $_POST['comments'];
```

```
$cn = mysqli_connect('localhost', 'root', '', 'wissen');
```

```
$query = "INSERT INTO `ContactUs` (`FirstName`, `LastName`, `Email`, `Comments`) VALUES
('$fname', '$lname', '$email', '$comments')";
```

```
$run = mysqli_query($cn, $query);

if($run == TRUE){
    echo "<script>alert('Record Save');</script>";
}
else{
    echo "Error!";
}

?>
```

Signup:-

```
<?php
session_start();

// initializing variables
$username = "";
$email = "";
$errors = array();

// connect to the database
$db = mysqli_connect('localhost', 'root', '', 'wissen');

// REGISTER USER
if (isset($_POST['reg_user'])) {
    // receive all input values from the form
    $username = mysqli_real_escape_string($db, $_POST['username']);
    $email = mysqli_real_escape_string($db, $_POST['email']);
    $psw = mysqli_real_escape_string($db, $_POST['psw']);
    $psw_confirm = mysqli_real_escape_string($db, $_POST['psw_confirm']);

    // form validation: ensure that the form is correctly filled ...
    // by adding (array_push()) corresponding error unto $errors array
    if (empty($username)) { array_push($errors, "Username is required"); }
    if (empty($email)) { array_push($errors, "Email is required"); }
    if (empty($psw)) { array_push($errors, "Password is required"); }
    if ($psw != $psw_confirm) {
        array_push($errors, "The two passwords do not match");
    }

    // first check the database to make sure
    // a user does not already exist with the same username and/or email
    $user_check_query = "SELECT * FROM users WHERE username='$username' OR
email='$email' LIMIT 1";
    $result = mysqli_query($db, $user_check_query);
    $user = mysqli_fetch_assoc($result);
```

```
if ($user) { // if user exists
    if ($user['username'] === $username) {
        array_push($errors, "Username already exists");
    }
}
```

```
if ($user['email'] === $email) {
    array_push($errors, "Email already exists");
}
}
```

```
// Finally, register user if there are no errors in the form
if (count($errors) == 0) {
    $password = md5($psw); //encrypt the password before saving in the database
```

```
$query = "INSERT INTO users (username, email, password)
VALUES('$username', '$email', '$password')";
mysqli_query($db, $query);
$_SESSION['username'] = $username;
header('location: login.php');
}
}
```

// LOGIN USER

```
if (isset($_POST['login_user'])) {
    $username = mysqli_real_escape_string($db, $_POST['username']);
    $password = mysqli_real_escape_string($db, $_POST['password']);

    if (empty($username)) {
        array_push($errors, "Username is required");
    }
    if (empty($password)) {
        array_push($errors, "Password is required");
    }

    if (count($errors) == 0) {
        $password = md5($password);
        $query = "SELECT * FROM users WHERE username='$username' AND
password='$password'";
        $results = mysqli_query($db, $query);
        if (mysqli_num_rows($results) == 1) {
            $_SESSION['username'] = $username;
            header('location: index.php');
        } else {
            array_push($errors, "Wrong username/password combination");
        }
    }
}
}
```

?>

Hall Ticket:-

```
<body>
  <div class="container" id="paymentContainer">
    <div class="row">
      <div class="col-md-12 paymentOneContainer">
        <h4>Hall Ticket</h4>
      </div>
    </div>
    <div class="row">
      <div class="col-md-12 paymentTwoContainer">
        <form action="makepdf.php" method="post">
          <div class="form-group col-md-6">
            <label for="paymentid">Razorpay Payment Id</label><br>
            <?php echo $razorpay_payment_id; ?>
          </div>
          <div class="form-group col-md-6">
            <label for="inputfname">Payment Status</label><br>
            <?php echo "Successfull" ?>
          </div>
          <div class="form-group col-md-6">
            <label for="inputfname">First Name</label><br>
            <?php echo $_SESSION['inputfname']; ?>
          </div>
          <div class="form-group col-md-6">
            <label for="inputlname">Last Name</label><br>
            <?php echo $_SESSION['inputlname']; ?>
          </div>
          <div class="form-group col-md-6">
            <label for="inputphone">Phone Number</label><br>
            <?php echo $_SESSION['inputphone']; ?>
          </div>
          <div class="form-group col-md-6">
            <label for="inputreg">Registration Number</label><br>
            <?php echo $_SESSION['inputreg']; ?>
          </div>
          <div class="form-group col-md-12">
            <label for="inputemail">Email</label><br>
            <?php echo $_SESSION['inputemail']; ?>
          </div>
          <div class="form-group col-md-6">
            <label for="inputteam">Team Name</label><br>
            <?php echo $_SESSION['inputteam']; ?>
          </div>
          <div class="form-group col-md-6">
```

```

        <label for="inputgender">Gender</label><br>
        <?php echo $_SESSION['inputgender']; ?>
    </div>
    <div class="form-group col-md-6">
        <button type="submit" class="btn btn-primary">Download Hall Ticket</button>
        <!-- <a class="btn btn-primary" href="http://localhost/Wissen/
payment.php">Download Hall Ticket</a> -->
    </div>
    <div class="form-group col-md-6">
        <!-- <button type="submit" class="btn btn-danger">Go to Homepage</button> -->
        <a class="btn btn-danger" href="http://localhost/Wissen/index.php">Go to
Homepage</a>
    </div>
</form>
</div>
</div>
</div>
</body>

```

Node Modules:-

JQuery
 JQuery Counter-up
 Owl Carousel
 Waypoints

Libraries:-

Ionicons