

This XML file does not appear to have any style information associated with it. The document tree is shown below.

```
<testsuite name="Cucumber" time="1,394.106" tests="47" skipped="0" failures="3" errors="0">
  <testcase classname="Customer FrontEnd Link Functionality" name="Customer Test the Link
  functionality" time="42.587">
    <system-out>
      <![CDATA[ Given User Launch Chrome browser.....passed
      When user open url "https://phptravels.net/login".....passed And User
      enters Email as "user@phptravels.com" and password as "demouser"...passed And click Login
      button.....passed Then Page title should be
      "Dashboard - PHPTRAVELS".....passed When user click on My Booking
      link.....passed Then Page title should be "Bookings -
      PHPTRAVELS".....passed And user click on Add_Funds
      link.....passed Then Page title should be "Add Funds
      - PHPTRAVELS".....passed When user click on My Profile
      link.....passed Then Page title should be "Profile -
      PHPTRAVELS".....passed And user click on Logout
      link.....passed Then Page title should be "Login -
      PHPTRAVELS".....passed ]]>
    </system-out>
  </testcase>
  <testcase classname="Customer FrontEnd Link Functionality" name="Customer make an automated
  payment of USD Fifty using Paypal" time="41.114">
    <system-out>
      <![CDATA[ Given User Launch Chrome browser.....passed
      When user open url "https://phptravels.net/login".....passed And User
      enters Email as "user@phptravels.com" and password as "demouser"...passed And click Login
      button.....passed Then Page title should be
      "Dashboard - PHPTRAVELS".....passed When user click on Add_Funds
      link.....passed Then Page title should be "Add Funds -
      PHPTRAVELS".....passed And user can select radio button as pay with
      paypal.....passed When user click on paynow button for
      payment.....passed Then page for paypal payment url should
      contain "paypal".....passed ]]>
    </system-out>
  </testcase>
  <testcase classname="Customer FrontEnd Link Functionality" name="Customer check Bookings and
  Display the Voucher" time="35.716">
    <system-out>
      <![CDATA[ Given User Launch Chrome browser.....passed
      When user open url "https://phptravels.net/login".....passed And User
      enters Email as "user@phptravels.com" and password as "demouser"...passed And click Login
      button.....passed Then Page title should be
      "Dashboard - PHPTRAVELS".....passed When user click on My Booking
      link.....passed Then Page title should be "Bookings -
      PHPTRAVELS".....passed And user can check the
      bookings.....passed When user can click on view
      voucher button.....passed Then download button for voucher is
      Enable.....passed ]]>
    </system-out>
  </testcase>
  <testcase classname="Customer FrontEnd Link Functionality" name="Customer update the Profile"
  time="40.536">
    <system-out>
      <![CDATA[ Given User Launch Chrome browser.....passed
      When user open url "https://phptravels.net/login".....passed And User
      enters Email as "user@phptravels.com" and password as "demouser"...passed And click Login
      button.....passed Then Page title should be
      "Dashboard - PHPTRAVELS".....passed When user can click on My Profile
      button.....passed Then navigate to profile
      page.....passed And user can edit the Address as
      "Trivandrum, Kerala, India".....passed Then user read the message as Profile
      updated successfully.....passed ]]>
    </system-out>
  </testcase>
  <testcase classname="Agent FrontEnd Link Functionality" name="Agent Test SideLink
  Functionality" time="54.43">
```

```

<system-out>
<![CDATA[ Given User Launch Chrome browser.....passed
When user open url "https://phptravels.net/login".....passed And User
enters Email as "agent@phptravels.com" and password as "demoagent".passed And click Login
button.....passed Then Page title should be
"Dashboards - PHPTRAVELS".....passed When user click on Agent My booking
Link.....passed Then Page title should be "Bookings -
PHPTRAVELS".....passed When user click on Agent Add_funds
Link.....passed Then Page title should be "Add Funds -
PHPTRAVELS".....passed When agent click on My Profile
Link.....passed Then Page title should be "Profile -
PHPTRAVELS".....passed And user click on
Logout.....passed Then Page title should be
>Login - PHPTRAVELS".....passed ]]>
</system-out>
</testcase>
<testcase classname="Agent FrontEnd Link Functionality" name="Agent Test HeaderLink
Functionality" time="72.822">
<system-out>
<![CDATA[ Given User Launch Chrome browser.....passed
When user open url "https://phptravels.net/login".....passed And User
enters Email as "agent@phptravels.com" and password as "demoagent".passed And click Login
button.....passed Then Page title should be
"Dashboards - PHPTRAVELS".....passed When user click on Hotels
Link.....passed Then Page title should be "Search
Hotels - PHPTRAVELS".....passed When user click on Flights
Link.....passed Then Page title should be "Search
flights - PHPTRAVELS".....passed And user click on Visa
Link.....passed Then Page title should be
"Submit Visa - PHPTRAVELS".....passed When user click on Tours
Link.....passed Then Page title should be "Search
Tours - PHPTRAVELS".....passed And user click on Blog
Link.....passed Then Page title should be "Blog
- PHPTRAVELS".....passed And user click on Offers
Link.....passed Then Page title should be "Offers
- PHPTRAVELS".....passed When user click on Home
Logo.....passed Then Page title should be
"PHPTRAVELS | Travel Technology Partner - PHPTRAVELS".passed ]]>
</system-out>
</testcase>
<testcase classname="Agent FrontEnd Link Functionality" name="Agent Search Hotels by City"
time="50.756">
<system-out>
<![CDATA[ Given User Launch Chrome browser.....passed
When user open url "https://phptravels.net/login".....passed And User
enters Email as "agent@phptravels.com" and password as "demoagent".passed And click Login
button.....passed Then Page title should be
"Dashboards - PHPTRAVELS".....passed When user click on Hotels
Link.....passed Then Page title should be "Search
Hotels - PHPTRAVELS".....passed When user can enter "Sin" on city name
field.....passed And click on search
button.....passed Then Page title should be
"Hotels in sindal - PHPTRAVELS".....passed ]]>
</system-out>
</testcase>
<testcase classname="Agent FrontEnd Link Functionality" name="Agent Update USD to INR"
time="33.159">
<system-out>
<![CDATA[ Given User Launch Chrome browser.....passed
When user open url "https://phptravels.net/login".....passed And User
enters Email as "agent@phptravels.com" and password as "demoagent".passed And click Login
button.....passed Then Page title should be
"Dashboards - PHPTRAVELS".....passed When user click on USD dropdown
menu.....passed And user can select INR from dropdown
menu.....passed Then navigate to home page and user can view
INR instead of USD.....passed ]]>
</system-out>
</testcase>

```

```
<testcase classname="Admin BackEnd Link Functionality" name="Admin test the Booking link and
display the invoice where payment is successful" time="46.817">
  <system-out>
    <![CDATA[ Given User Launch Chrome browser.....passed
    When user open url "https://phptravels.net/admin".....passed And admin
    enters Email as "admin@phptravels.com" and password as "demoadmin".passed And admin click
    Login button.....passed Then Page title should be
    "Dashboard".....passed When admin click on Bookings
    Link.....passed Then Page title should be "All
    Bookings View".....passed And admin click on paid booking
    link.....passed Then Page title should be "paid Bookings
    View".....passed When user click on invoice
    button.....passed Then Page title should be "Hotel
    Invoice - PHPTRAVELS".....passed Then user can check the payment status is
    paid.....passed ]]>
  </system-out>
</testcase>
<testcase classname="Admin BackEnd Link Functionality" name="Admin Delete Booking where booking
status as cancelled" time="38.163">
  <system-out>
    <![CDATA[ Given User Launch Chrome browser.....passed
    When user open url "https://phptravels.net/admin".....passed And admin
    enters Email as "admin@phptravels.com" and password as "demoadmin".passed And admin click
    Login button.....passed Then Page title should be
    "Dashboard".....passed When admin click on Cancelled
    booking Link.....passed Then Page title should be "cancelled
    Bookings View".....passed When user click on delete button and invoice
    should be deleted after accepting alert message.passed ]]>
  </system-out>
</testcase>
<testcase classname="Admin BackEnd Link Functionality" name="Admin Change Booking status and
verify the count in dashboard" time="41.182">
  <system-out>
    <![CDATA[ Given User Launch Chrome browser.....passed
    When user open url "https://phptravels.net/admin".....passed And admin
    enters Email as "admin@phptravels.com" and password as "demoadmin".passed And admin click
    Login button.....passed Then Page title should be
    "Dashboard".....passed When admin click on Pending booking
    Link on dashboard.....passed Then Page title should be "Pending Bookings
    View".....passed And the count before change the status is verified by
    admin.....passed And admin click on booking status pending dropdown and change
    to confirmed..passed Then the count after change the status in dashbord is verified by
    admin.....passed ]]>
  </system-out>
</testcase>
<testcase classname="Admin BackEnd Link Functionality" name="Admin check Website link
functionality" time="38.001">
  <system-out>
    <![CDATA[ Given User Launch Chrome browser.....passed
    When user open url "https://phptravels.net/admin".....passed And admin
    enters Email as "admin@phptravels.com" and password as "demoadmin".passed And admin click
    Login button.....passed Then Page title should be
    "Dashboard".....passed When admin click on Website
    link.....passed Then Page title should be "PHPTRAVELS
    | Travel Technology Partner - PHPTRAVELS".passed ]]>
  </system-out>
</testcase>
<testcase classname="Supplier BackEnd Link Functionality" name="Supplier verify the dashboard
view and check the text" time="23.757">
  <system-out>
    <![CDATA[ Given User Launch Chrome browser.....passed
    When supplier open url "https://phptravels.net/api/supplier".....passed And
    supplier enters Email as "supplier@phptravels.com" and password as "demosupplier".passed And
    supplier click Login button.....passed Then Page
    title should be "Dashboard".....passed When supplier
    enters dashboard and can view Sales Overview and summary text.passed Then supplier can
    verify the summary text on dashboard.....passed ]]>
  </system-out>
</testcase>
```

```

<testcase classname="Supplier BackEnd Link Functionality" name="Supplier test the dashboard
displays the Revenue breakdown" time="24.845">
  <system-out>
    <![CDATA[ Given User Launch Chrome browser.....passed
    When supplier open url "https://phptravels.net/api/supplier".....passed And
    supplier enters Email as "supplier@phptravels.com" and password as "demosupplier".passed And
    supplier click Login button.....passed Then Page
    title should be "Dashboard".....passed When supplier
    enters dashboard can view Revenue breakdown text.....passed Then supplier can
    verify the revenue text on dashboard.....passed ]]>
  </system-out>
</testcase>
<testcase classname="Supplier BackEnd Link Functionality" name="Supplier Change the booking
status and verify the count in Dashboard" time="40.063">
  <system-out>
    <![CDATA[ Given User Launch Chrome browser.....passed
    When supplier open url "https://phptravels.net/api/supplier".....passed And
    supplier enters Email as "supplier@phptravels.com" and password as "demosupplier".passed And
    supplier click Login button.....passed Then Page
    title should be "Dashboard".....passed When supplier
    enters dashboard verify the count before changing the booking status.passed And supplier
    click on pending button on dashboard.....passed Then Page title should
    be "Pending Bookings View".....passed And supplier click on booking
    status pending dropdown and change to confirmed.passed Then the count after change the
    status in dashbord is verified by supplier..passed ]]>
  </system-out>
</testcase>
<testcase classname="Supplier BackEnd Link Functionality" name="Supplier Verify the
Functionality of Flight Link" time="20.723">
  <failure type="java.lang.AssertionError" message="Bug">
    <![CDATA[ java.lang.AssertionError: Bug at org.junit.Assert.fail(Assert.java:89) at
    org.junit.Assert.assertTrue(Assert.java:42) at
    stepDefinitions.StepDefinition1.supplier_click_on_flight_link(StepDefinition1.java:511) at
    *.supplier click on flight
    link(file:///D:/GROUP2/PHP_TRAVELS_DEMO/src/test/resources/Features/4Supplier.feature:26)
    ]]>
  </failure>
  <system-out>
    <![CDATA[ Given User Launch Chrome browser.....passed
    When supplier open url "https://phptravels.net/api/supplier".....passed And
    supplier enters Email as "supplier@phptravels.com" and password as "demosupplier".passed And
    supplier click Login button.....passed Then Page
    title should be "Dashboard".....passed When supplier click
    on flight link.....failed Then Page title should be
    "Flight Management".....skipped ]]>
  </system-out>
</testcase>
<testcase classname="Supplier BackEnd Link Functionality" name="Supplier Verify the
Functionality of Visa Link" time="19.56">
  <failure type="java.lang.AssertionError" message="Bug">
    <![CDATA[ java.lang.AssertionError: Bug at org.junit.Assert.fail(Assert.java:89) at
    org.junit.Assert.assertTrue(Assert.java:42) at
    stepDefinitions.StepDefinition1.supplier_click_on_visa_link(StepDefinition1.java:517) at
    *.supplier click on Visa
    link(file:///D:/GROUP2/PHP_TRAVELS_DEMO/src/test/resources/Features/4Supplier.feature:30)
    ]]>
  </failure>
  <system-out>
    <![CDATA[ Given User Launch Chrome browser.....passed
    When supplier open url "https://phptravels.net/api/supplier".....passed And
    supplier enters Email as "supplier@phptravels.com" and password as "demosupplier".passed And
    supplier click Login button.....passed Then Page
    title should be "Dashboard".....passed When supplier click
    on Visa link.....failed Then Page title should be
    "Visa Management".....skipped ]]>
  </system-out>
</testcase>
<testcase classname="Supplier BackEnd Link Functionality" name="Supplier Verify the
Functionality of Tours Link" time="33.333">

```

```

<system-out>
  <![CDATA[ Given User Launch Chrome browser.....passed
  When supplier open url "https://phptravels.net/api/supplier".....passed And
  supplier enters Email as "supplier@phptravels.com" and password as "demosupplier".passed And
  supplier click Login button.....passed Then Page
  title should be "Dashboard".....passed When supplier click
  on Tours link.....passed Then Page title should be
  "Tours Management".....passed ]]>
</system-out>
</testcase>
<testcase classname="Supplier BackEnd Link Functionality" name="Supplier Verify the
Functionality of Bookings Link" time="27.542">
  <failure type="org.junit.ComparisonFailure" message="expected:<[All Bookings View]> but was:
  <[Error]>">
    <![CDATA[ org.junit.ComparisonFailure: expected:<[All Bookings View]> but was:<[Error]> at
    org.junit.Assert.assertEquals(Assert.java:117) at
    org.junit.Assert.assertEquals(Assert.java:146) at
    stepDefinitions.StepDefinition1.page_title_should_be(StepDefinition1.java:65) at *.Page
    title should be "All Bookings View"
    (file:///D:/GROUP2/PHP_TRAVELS_DEMO/src/test/resources/Features/4Supplier.feature:39) ]]>
  </failure>
<system-out>
  <![CDATA[ Given User Launch Chrome browser.....passed
  When supplier open url "https://phptravels.net/api/supplier".....passed And
  supplier enters Email as "supplier@phptravels.com" and password as "demosupplier".passed And
  supplier click Login button.....passed Then Page
  title should be "Dashboard".....passed When supplier click
  on Bookings link.....passed Then Page title should be
  "All Bookings View".....failed ]]>
</system-out>
</testcase>
<testcase classname="Login Functionality" name="Customer Front End Login functionality -
Example #1.1" time="25.059">
  <system-out>
    <![CDATA[ Given User Launch Chrome browser.....passed
    When user open url "https://phptravels.net/login".....passed And users
    enters Email as "user1@phptravels.com" and password as "demouser".passed And click Login
    button.....passed Then user Page url should
    contain "dashboard".....passed ]]>
  </system-out>
</testcase>
<testcase classname="Login Functionality" name="Customer Front End Login functionality -
Example #1.2" time="24.53">
  <system-out>
    <![CDATA[ Given User Launch Chrome browser.....passed
    When user open url "https://phptravels.net/login".....passed And users
    enters Email as "user@phptravels.com" and password as "demouser123".passed And click Login
    button.....passed Then user Page url should
    contain "dashboard".....passed ]]>
  </system-out>
</testcase>
<testcase classname="Login Functionality" name="Customer Front End Login functionality -
Example #1.3" time="23.997">
  <system-out>
    <![CDATA[ Given User Launch Chrome browser.....passed
    When user open url "https://phptravels.net/login".....passed And users
    enters Email as "user@phptravels.com" and password as "demouser123".passed And click Login
    button.....passed Then user Page url should
    contain "dashboard".....passed ]]>
  </system-out>
</testcase>
<testcase classname="Login Functionality" name="Customer Front End Login functionality -
Example #1.4" time="23.981">
  <system-out>
    <![CDATA[ Given User Launch Chrome browser.....passed
    When user open url "https://phptravels.net/login".....passed And users
    enters Email as "" and password as "demouser".passed And click Login
    button.....passed Then user Page url should
    contain "dashboard".....passed ]]>
  </system-out>
</testcase>

```

```

    </system-out>
</testcase>
<testcase classname="Login Functionality" name="Customer Front End Login functionality -
Example #1.5" time="23.94">
    <system-out>
        <![CDATA[ Given User Launch Chrome browser.....passed
        When user open url "https://phptravels.net/login".....passed And users
        enters Email as "user@phptravels.com" and password as "".....passed And click Login
        button.....passed Then user Page url should
        contain "dashboard".....passed ]]>
    </system-out>
</testcase>
<testcase classname="Login Functionality" name="Customer Front End Login functionality -
Example #1.6" time="24.016">
    <system-out>
        <![CDATA[ Given User Launch Chrome browser.....passed
        When user open url "https://phptravels.net/login".....passed And users
        enters Email as "" and password as "".....passed And click Login
        button.....passed Then user Page url should
        contain "dashboard".....passed ]]>
    </system-out>
</testcase>
<testcase classname="Login Functionality" name="Customer Front End Login functionality -
Example #1.7" time="25.175">
    <system-out>
        <![CDATA[ Given User Launch Chrome browser.....passed
        When user open url "https://phptravels.net/login".....passed And users
        enters Email as "user@phptravels.com" and password as "demouser"..passed And click Login
        button.....passed Then user Page url should
        contain "dashboard".....passed ]]>
    </system-out>
</testcase>
<testcase classname="Login Functionality" name="Agent Front End Login functionality - Example
#1.1" time="24.32">
    <system-out>
        <![CDATA[ Given User Launch Chrome browser.....passed
        When user open url "https://phptravels.net/login".....passed And users
        enters Email as "agent1@phptravels.com" and password as "demoagent".passed And click Login
        button.....passed Then user Page url should
        contain "dashboard".....passed ]]>
    </system-out>
</testcase>
<testcase classname="Login Functionality" name="Agent Front End Login functionality - Example
#1.2" time="23.575">
    <system-out>
        <![CDATA[ Given User Launch Chrome browser.....passed
        When user open url "https://phptravels.net/login".....passed And users
        enters Email as "agent@phptravels.com" and password as "demoagent123".passed And click Login
        button.....passed Then user Page url should
        contain "dashboard".....passed ]]>
    </system-out>
</testcase>
<testcase classname="Login Functionality" name="Agent Front End Login functionality - Example
#1.3" time="24.398">
    <system-out>
        <![CDATA[ Given User Launch Chrome browser.....passed
        When user open url "https://phptravels.net/login".....passed And users
        enters Email as "agent@phptravelscom" and password as "demoagent123".passed And click Login
        button.....passed Then user Page url should
        contain "dashboard".....passed ]]>
    </system-out>
</testcase>
<testcase classname="Login Functionality" name="Agent Front End Login functionality - Example
#1.4" time="24.383">
    <system-out>
        <![CDATA[ Given User Launch Chrome browser.....passed
        When user open url "https://phptravels.net/login".....passed And users
        enters Email as "" and password as "demoagent".....passed And click Login

```



```
        button.....passed Then user Page url should
        contain "dashboard".....passed ]]>
    </system-out>
</testcase>
<testcase classname="Login Functionality" name="Agent Front End Login functionality - Example
#1.5" time="28.926">
    <system-out>
        <![CDATA[ Given User Launch Chrome browser.....passed
        When user open url "https://phptravels.net/login".....passed And users
        enters Email as "agent@phptravels.com" and password as "".....passed And click Login
        button.....passed Then user Page url should
        contain "dashboard".....passed ]]>
    </system-out>
</testcase>
<testcase classname="Login Functionality" name="Agent Front End Login functionality - Example
#1.6" time="23.797">
    <system-out>
        <![CDATA[ Given User Launch Chrome browser.....passed
        When user open url "https://phptravels.net/login".....passed And users
        enters Email as "" and password as "".....passed And click Login
        button.....passed Then user Page url should
        contain "dashboard".....passed ]]>
    </system-out>
</testcase>
<testcase classname="Login Functionality" name="Agent Front End Login functionality - Example
#1.7" time="24.279">
    <system-out>
        <![CDATA[ Given User Launch Chrome browser.....passed
        When user open url "https://phptravels.net/login".....passed And users
        enters Email as "agent@phptravels.com" and password as "demoagent".passed And click Login
        button.....passed Then user Page url should
        contain "dashboard".....passed ]]>
    </system-out>
</testcase>
<testcase classname="Login Functionality" name="Admin Back End Login functionality - Example
#1.1" time="23.9">
    <system-out>
        <![CDATA[ Given User Launch Chrome browser.....passed
        When admin open url "https://phptravels.net/admin".....passed And admin
        enters Email as "admin1@phptravels.com" and password as "demoadmin".passed And admin click
        Login button.....passed Then admin Page title
        should contain "Dashboard".....passed ]]>
    </system-out>
</testcase>
<testcase classname="Login Functionality" name="Admin Back End Login functionality - Example
#1.2" time="24.064">
    <system-out>
        <![CDATA[ Given User Launch Chrome browser.....passed
        When admin open url "https://phptravels.net/admin".....passed And admin
        enters Email as "admin@phptravels.com" and password as "demoadmin123".passed And admin click
        Login button.....passed Then admin Page title
        should contain "Dashboard".....passed ]]>
    </system-out>
</testcase>
<testcase classname="Login Functionality" name="Admin Back End Login functionality - Example
#1.3" time="24.016">
    <system-out>
        <![CDATA[ Given User Launch Chrome browser.....passed
        When admin open url "https://phptravels.net/admin".....passed And admin
        enters Email as "admin@php.com" and password as "demoadmin123"...passed And admin click
        Login button.....passed Then admin Page title
        should contain "Dashboard".....passed ]]>
    </system-out>
</testcase>
<testcase classname="Login Functionality" name="Admin Back End Login functionality - Example
#1.4" time="23.387">
    <system-out>
        <![CDATA[ Given User Launch Chrome browser.....passed
        When admin open url "https://phptravels.net/admin".....passed And admin
```

```

    enters Email as "" and password as "demoadmin".....passed And admin click
    Login button.....passed Then admin Page title
    should contain "Dashboard".....passed ]]>
</system-out>
</testcase>
<testcase classname="Login Functionality" name="Admin Back End Login functionality - Example
#1.5" time="24.199">
  <system-out>
    <![CDATA[ Given User Launch Chrome browser.....passed
    When admin open url "https://phptravels.net/admin".....passed And admin
    enters Email as "admin@phptravels.com" and password as "".....passed And admin click
    Login button.....passed Then admin Page title
    should contain "Dashboard".....passed ]]>
  </system-out>
</testcase>
<testcase classname="Login Functionality" name="Admin Back End Login functionality - Example
#1.6" time="24.067">
  <system-out>
    <![CDATA[ Given User Launch Chrome browser.....passed
    When admin open url "https://phptravels.net/admin".....passed And admin
    enters Email as "" and password as "".....passed And admin click
    Login button.....passed Then admin Page title
    should contain "Dashboard".....passed ]]>
  </system-out>
</testcase>
<testcase classname="Login Functionality" name="Admin Back End Login functionality - Example
#1.7" time="28.032">
  <system-out>
    <![CDATA[ Given User Launch Chrome browser.....passed
    When admin open url "https://phptravels.net/admin".....passed And admin
    enters Email as "admin@phptravels.com" and password as "demoadmin".passed And admin click
    Login button.....passed Then admin Page title
    should contain "Dashboard".....passed ]]>
  </system-out>
</testcase>
<testcase classname="Login Functionality" name="Supplier Back End Login functionality - Example
#1.1" time="21.399">
  <system-out>
    <![CDATA[ Given User Launch Chrome browser.....passed
    When supplier open url "https://phptravels.net/api/supplier".....passed And
    supplier enters Email as "supplier11@phptravels.com" and password as "demosupplier".passed
    And admin click Login button.....passed Then
    supplier Page title should contain "Dashboard".....passed ]]>
  </system-out>
</testcase>
<testcase classname="Login Functionality" name="Supplier Back End Login functionality - Example
#1.2" time="21.723">
  <system-out>
    <![CDATA[ Given User Launch Chrome browser.....passed
    When supplier open url "https://phptravels.net/api/supplier".....passed And
    supplier enters Email as "supplier@phptravels.com" and password as "demosupplier123".passed
    And admin click Login button.....passed Then
    supplier Page title should contain "Dashboard".....passed ]]>
  </system-out>
</testcase>
<testcase classname="Login Functionality" name="Supplier Back End Login functionality - Example
#1.3" time="22.955">
  <system-out>
    <![CDATA[ Given User Launch Chrome browser.....passed
    When supplier open url "https://phptravels.net/api/supplier".....passed And
    supplier enters Email as "supplierphptravels.com" and password as "demosupplier123".passed
    And admin click Login button.....passed Then
    supplier Page title should contain "Dashboard".....passed ]]>
  </system-out>
</testcase>
<testcase classname="Login Functionality" name="Supplier Back End Login functionality - Example
#1.4" time="21.527">
  <system-out>

```



```

    <![CDATA[ Given User Launch Chrome browser.....passed
    When supplier open url "https://phptravels.net/api/supplier".....passed And
    supplier enters Email as "" and password as "demosupplier".....passed And admin
    click Login button.....passed Then supplier Page
    title should contain "Dashboard".....passed ]]>
  </system-out>
</testcase>
<testcase classname="Login Functionality" name="Supplier Back End Login functionality - Example
#1.5" time="21.73">
  <system-out>
    <![CDATA[ Given User Launch Chrome browser.....passed
    When supplier open url "https://phptravels.net/api/supplier".....passed And
    supplier enters Email as "supplier@phptravels.com" and password as ""...passed And admin
    click Login button.....passed Then supplier Page
    title should contain "Dashboard".....passed ]]>
  </system-out>
</testcase>
<testcase classname="Login Functionality" name="Supplier Back End Login functionality - Example
#1.6" time="21.253">
  <system-out>
    <![CDATA[ Given User Launch Chrome browser.....passed
    When supplier open url "https://phptravels.net/api/supplier".....passed And
    supplier enters Email as "" and password as "".....passed And admin
    click Login button.....passed Then supplier Page
    title should contain "Dashboard".....passed ]]>
  </system-out>
</testcase>
<testcase classname="Login Functionality" name="Supplier Back End Login functionality - Example
#1.7" time="21.27">
  <system-out>
    <![CDATA[ Given User Launch Chrome browser.....passed
    When supplier open url "https://phptravels.net/api/supplier".....passed And
    supplier enters Email as "supplier@phptravels.com" and password as "demosupplier".passed And
    admin click Login button.....passed Then supplier
    Page title should contain "Dashboard".....passed ]]>
  </system-out>
</testcase>
</testsuite>

```