SEO Report for http://murphyorthodontics.net

76 / 100	34 / 49	12 / 49	3 / 49
SEO SCORE	PASSED CHECKS	FAILED CHECKS	WARNINGS

COMMON SEO ISSUES

Meta Title	✔ The meta title of your page has a length of 19 characters. Most search engines will truncate meta titles to 70 characters. → murphy orthodontics
Meta Description	✔ The meta description of your page has a length of 100 characters. Most search engines will truncate meta descriptions to 160 characters. → murphy orthodontics , orthodontist wylie tx , dr murphy orthodontist , kharbouch , dentist murphy tx
Google Search Results Preview	ⓘ murphy orthodontics http://murphyorthodontics.net murphy orthodontics , orthodontist wylie tx , dr murphy orthodontist , kharbouch , dentist murphy tx
Most Common Keywords Test	ⓘ There is likely no optimal keyword density (search engine algorithms have evolved beyond keyword density metrics as a significant ranking factor). It can be useful, however, to note which keywords appear most often on your page and if they reflect the intended topic of your page. More importantly, the keywords on your page should appear within natural sounding and grammatically correct copy. → orthodontic - 6 times → office - 5 times → patient - 4 times → care - 4 times → kharbouch - 4 times

Keyword Usage	Your most common keywords are not appearing in one or more of the meta-tags above. Your primary keywords should appear in your meta-tags to help identify the topic of your webpage to search engines. ✗ Keyword(s) not included in Title tag ✓ Keyword(s) included in Meta-Description tag **HOW TO FIX KEYWORD USAGE** First of all, you must make sure that your page is using the title and meta-description tags. Second, you must adjust these tags content in order to include some of the primary keywords displayed above.
Keywords Cloud	ability able accommodating amal ample apart appointment appointments arrangements availability believes best braces care change common complimentary contact doctor ease education email exceptional experience feel financial forms forward free giving glad google great happy help home hygiene informative invisalign issue i'm i've jennifer john kharbouch late listened lives login look meet mission murphy navigation notice office oral orthodontic orthodontist orthognathic parking patient patients policies problems promotions read receptionist request reserved retention review reviews rights sally scheduled services sets slot staff suggest suite surgery taking technology teen thank things time today toggle touch tour treatment visit warm websites welcome welcoming wonderful
<h1> Headings Status	✓ Your page contains H1 headings. Their contents are listed below: → Welcome to Our Orthodontic Office
<h2> Headings Status	✓ Your page contains H2 headings. Their contents are listed below: → Welcome to Murphy Orthodontics → Providing you with the → See Our Reviews → Visit Us Today

Robots.txt Test	Your site lacks a "robots.txt" file. This file can protect private content from appearing online, save bandwidth, and lower load time on your server. A missing "robots.txt" file also generates additional errors in your apache log whenever robots request one. Read more about the robots.txt file, and how to create one for your site. **HOW TO FIX ROBOTS.TXT TEST** In order to pass this test you must create and properly install a **robots.txt** file. For this, you can use any program that produces a text file or you can use an online tool (Google Webmaster Tools has this feature). Remember to use all lower case for the filename: **robots.txt**, not **ROBOTS.TXT**. A simple **robots.txt** file looks like this: User-agent: * Disallow: /cgi-bin/ Disallow: /images/ Disallow: /pages/thankyou.html This would block all search engine robots from visiting "cgi-bin" and "images" directories and the page "http://www.yoursite.com/pages/thankyou.html" **TIPS:** • You need a separate **Disallow** line for every URL prefix you want to exclude • You may not have blank lines in a record because they are used to delimit multiple records • Notice that before the **Disallow** command, you have the command: **User-agent:** *. The **User-agent:** part specifies which robot you want to block. Major known crawlers are: Googlebot (Google), Googlebot-Image (Google Image Search), Baiduspider (Baidu), Bingbot (Bing) • One important thing to know if you are creating your own **robots.txt** file is that although the wildcard (*) is used in the **User-agent** line (meaning "any robot"), it is not allowed in the **Disallow** line. • Regular expressions are not supported in either the **User-agent** or **Disallow** lines Once you have your **robots.txt** file, you can upload it in the top-level directory of your web server. After that, make sure you set the permissions on the file so that visitors (like search engines) can read it.
Sitemap Test	Congratulations! We've found 2 sitemaps files for your website: → http://murphyorthodontics.net/sitemap.xml → http://murphyorthodontics.net/sitemap.xml.gz
Broken Links Test	Congratulations! We have checked 22 links on this web page and none of them are broken.
SEO Friendly URL Test	Congratulations! All links from your webpage are SEO friendly.

Image Alt Test	✗ Your webpage has **10** 'img' tags and **9** of them are missing the required 'alt' attribute. **HOW TO FIX IMAGE ALT TEST** In order to pass this test you must add an **alt** attribute to every **<img>** tag used into your webpage. An image with an alternate text specified is inserted using the following HTML line: `<img src="image.png" alt="text_to_describe_your_image">` Remember that the point of alt text is to provide the same functional information that a visual user would see. Search engines, users who disabled images in their browsers and other agents who are unable to see the images on your webpage can read the alt attributes assigned to the image since they cannot view it. Learn more about optimizing images for SEO.

Inline CSS Test	✗ Your web page is using one inline CSS style!
	
	HOW TO FIX INLINE CSS TEST
	It is a good practice to move all the inline CSS rules into an external file in order to make your page "lighter" in weight and decrease the code to text ratio.
	• check the HTML code of your page and identify all style attributes
	• for each style attribute found you must properly move all declarations in the external CSS file and remove the style attribute
	For example:
	
	`<!--this HTML code with inline CSS rule:-->`
	`<p style="color:red; font-size: 12px">some text here</p>`
	
	`<!--would became:-->`
	`<p>some text here</p>`
	
	`<!--and the rule added into your CSS file:-->`
	`p{color:red; font-size: 12px}`

Deprecated HTML Tags	✓ Congratulations! Your page does not use HTML deprecated tags.
Google Analytics Test	✓ Congratulations! Your website is using the latest version of Google Analytics.
Favicon Test	✗ Your site either doesn't have a favicon or this has not been referenced correctly. **HOW TO FIX FAVICON TEST** To add a favicon to your site, you need to have your logo created in a 16x16 PNG, GIF or ICO image and uploaded to your web server. Then it's simply a matter of adding the following code into the header of your HTML code for your web pages: `<head> <link rel="icon" type="image/x-icon" href="url_to_my_favicon" /> <title>My Title</title> </head>` In the example above the "url_to_my_favicon" refers to the actual location of your favicon file.

JS Error Checker	✔ Congratulations! There are no severe JavaScript errors on your web page.
Social Media Check	✔ Congratulations! Your website is connected successfully with social media using: Facebook;

SPEED OPTIMIZATIONS

HTML Page Size Test	✔ Congratulations! The size of your web page's HTML is 8.30 Kb and is under the average web page's HTML size of 33 Kb. Faster loading websites result in a better user experience, higher conversion rates, and generally better search engine rankings.
HTML Compression/GZIP Test	✔ Congratulations! Your page is successfully compressed using **gzip compression** on your code. Your HTML is compressed from **31.58 Kb** to **8.30 Kb** (**74 % size savings**). This helps ensure a faster loading web page and improved user experience.
Site Loading Speed Test	✔ Your site loading time is around **2.78 seconds** and this is under the average loading speed which is **5 seconds**.
Page Objects	✖ Your page has more than 20 http requests, which can slow down page loading. You can try reducing http requests through various methods such as using text instead of images, using css sprites, using data URIs instead of images, or combining several external files together into one. HTML Pages: 3; CSS Files: 17; Scripts: 20; Images: 19; Flash Files: 0;
Page Cache Test (Server Side Caching)	✖ It does not appear that you are caching your pages. Cached pages serve up static html and avoid potentially time consuming queries to your database. It also helps lower server load by up to 80%. Caching most visibly benefits high traffic pages that access a database, but whose content does not change on every page view. Common caching methods include Alternative PHP Cache, Quickcache, and WP Super Cache (for Wordpress sites). Caching mechanisms also typically compress HTML, further reducing page size and load time. **HOW TO FIX PAGE CACHE TEST (SERVER SIDE CACHING)** In order to pass this test you are advised to use a caching mechanism for your pages. There are three methods which can be used to caching your web pages: 1. **Alternative PHP caching** - Alternative PHP Cache (APC) is an open source framework which caches data using intermediate PHP code. Most web programmers who are familiar with the PHP programming language can easily set up Alternative PHP Cache for your site. 2. **Quickcache** - Quickcache is a lightweight page caching solution which was formerly known as jpcache. Quickcache caches the page output rather than compiling the PHP page, making it a superior version of page caching to the Alternative PHP caching. Quickcache can be quickly downloaded from their website and can reduce your page load time up to 80%. 3. **WP Super Cache** - If you have a Wordpress website, WP Super Cache can be installed within seconds and without no programming knowledge.

Flash Test	✔ Congratulations! Your website does not include flash objects (an outdated technology that was sometimes used to deliver rich multimedia content). Flash content does not work well on mobile devices, and is difficult for crawlers to interpret.

Image Expires Tag Test	! Your site is not using expires headers for all of your images. An expires tag can help speed up the serving of your webpages for users that regularly visit your site and see the same images. Learn more about how to add expires headers to your images.
	
	HOW TO FIX IMAGE EXPIRES TAG TEST
	In order to reduce the number of HTTP requests, you can use the HTTP Expires header to set an expiration time for your images or any other content type. You can add the following lines into your **.htaccess** file:
	
	`<IfModule mod_expires.c>`
	`  ExpiresActive on`
	
	`  ExpiresByType image/jpg "access plus 1 month"`
	`  ExpiresByType image/jpeg "access plus 1 month"`
	`  ExpiresByType image/gif "access plus 1 month"`
	`  ExpiresByType image/png "access plus 1 month"`
	`</IfModule>`

JS Minification Test	! Some of your website's JavaScript files are not minified! → https://form.jotform.me/jsform/71885175560464 → http://s.gravatar.com/js/gprofiles.js?ver=2018Janaa → http://murphyorthodontics.net/wp-content ... .js?ver=9c34dcdc5c6cfcef9d2fb3e4a7bd24eb → http://murphyorthodontics.net/wp-content ... ilder/core/admin/js/common.js?ver=3.0.92 → http://murphyorthodontics.net/wp-content ... amalkharbouch/assets/js/custom-script.js **HOW TO FIX JS MINIFICATION TEST** In order to pass this test you must minify all of your external JavaScript files. For this task you can use an online JS minifier like YUI Compressor, Closure Compiler or JSMin.
CSS Minification Test	! Some of your website's CSS files are not minified! → http://murphyorthodontics.net/wp-content ... ework/framework.css?ver=1.0.0.1505438813 → http://murphyorthodontics.net/wp-content ... kharbouch/style.css?ver=1.0.0.1505438813 → https://fonts.googleapis.com/css?family=Lato:300,400,700 → https://cdn.jotfor.ms/css/styles/nova.css?3.3.3808 → https://cdn.jotfor.ms/css/printForm.css?3.3.3808 → https://cdn.jotfor.ms/themes/CSS/566a91c2977cdfcd478b4567.css? → http://s.gravatar.com/css/hovercard.css?ver=2018Janaa **HOW TO FIX CSS MINIFICATION TEST** In order to pass this test you must minify all of your external CSS files. For this task you can use an online CSS minifier like YUI Compressor or cssmin.js.
Nested Tables Test	✔ Congratulations, your page does not use nested tables. This speeds up page loading time and optimizes the user experience.

Frameset Test	✔ Congratulations! Your webpage does not use frames.
Doctype Test	✔ Congratulations! Your website has a doctype declaration: → <!DOCTYPE html>
URL Redirects Checker	✔ Congratulations! Your URL doesn't have any redirects (which could potentially cause site indexation issues and site loading delays).

SERVER AND SECURITY


URL Canonicalization Test	✔ http://murphyorthodontics.net and http://www.murphyorthodontics.net resolve to the same URL.
HTTPS Test	✖ Your website is not using https, a secure communication protocol. Even for sites that do not collect sensitive customer information, search engines suggest that switching to https is an increasingly good idea and may help improve rankings. Note: if your site relies primarily on adsense income, be aware that using https may be detrimental to ad earnings. **HOW TO FIX HTTPS TEST** If your website needs a secured authentication or an encrypted transfer of data, you need to install an SSL certificate in order to provide a secure connection over HTTPS protocol. HERE is a "step by step" guide to purchase and install an SSL certificate.
Safe Browsing Test	✔ This site is not currently listed as suspicious (no malware or phishing activity found).

Server Signature Test	✖ Your server signature is on. Turning off your server signature is generally a good idea from a security standpoint. Read more on how to turn off server signature and improve your website's security.
	→ Server: Pagely Gateway/1.5.1
	HOW TO FIX SERVER SIGNATURE TEST
	By default, the Apache webserver sends HTTP headers with some information about your server version, operating system, modules installed, etc. These informations can be used by hackers in order to exploit vulnerabilities (specially if you are running an older version). These information can be hidden or changed with very basic configurations.
	Open Apache?s configuration file (**httpd.conf** or **apache.conf**) and search for **ServerSignature**. If you find it, edit it to:
	`ServerSignature Off`
	`ServerTokens Prod`
	If you don't find it, just add these two lines at the end of the file.
	Note that, after you modify the configuration file, you must restart the Apache server.

Directory Browsing Test	✔ Congratulations! Your server has disabled directory browsing.

Plaintext Emails Test	We found 1 email addresses in your page code. We advise you to protect email links in a way that hides them from the spam harvesters. **HOW TO FIX PLAINTEXT EMAILS TEST** In order to pass this test you must make your email addresses invisible to email spiders. Note that the best option is to replace your entire contact mechanism with a contact form and using the POST method while submitting the form. Other solutions are listed below: • replace the at (@) and dot (.) characters • replace text with images • use email obfuscators • hide email addresses using JavaScript or CSS trick

MOBILE USABILITY

Media Query Responsive Test	Congratulations, your website uses media query technique, which is the base for responsive design functionalities.
Mobile Snapshot	

ADVANCED SEO

Microdata Schema Test	Your webpage doesn't take the advantages of HTML Microdata specifications in order to markup structured data. View Google's guide for getting started with microdata.
	
	HOW TO FIX MICRODATA SCHEMA TEST
	HTML5 Microdata is an easy way to add semantic markup to your web pages. Search engines rely on this markup to improve the display of search results, making it easier for people to find the right web pages.
	Here is a simple example of how to use HTML5 microdata in your contact web page:
	
	`<div itemscope itemtype="http://schema.org/Person">`
	`  <span itemprop="name">Joe Doe</span>`
	`  <span itemprop="company">The Example Company</span>`
	`  <span itemprop="tel">604-555-1234</span>`
	`  <a itemprop="email" href="mailto:joe.doe@example.com">joe.doe@example.com</a>`
	`</div>`

Noindex Checker	Your webpage does not use the noindex meta tag. This means that your webpage will be read and indexed by search engines.
Canonical Tag Checker	Your page is using the canonical link tag. This tag specifies that the URL: http://murphyorthodontics.net is preferred to be used in search results. Please ensure that this specification is correct, as canonical tags are often hard-coded and may not always reflect the latest changes in a site's URL structure. → `<link rel="canonical" href="http://murphyorthodontics.net/" />`
Nofollow Checker	Your webpage does not use the nofollow meta tag. This means that search engines will crawl all links from your webpage.
Disallow Directive Checker	Your robots.txt file does not use the disallow directive. This means that the whole website can be crawled by search engines.

SPF records checker

Your DNS server is not using an SPF record. SPF (Sender Policy Framework) allows administrators to specify which hosts are allowed to send mail from a given domain by creating a specific SPF record or TXT record in the Domain Name System (DNS). You can find more information about SPF records here.

HOW TO FIX SPF RECORDS CHECKER

An **SPF record** is a type of **Domain Name Service (DNS)** record that allows email systems to check if the sender of a message comes from a legitimate source and refuse an email if the source is not legitimate. Adding an SPF record is as easy as adding CNAME, MX or A records in your DNS zone. You can find more information here.

Before creating the SPF record for your domain, it is important to have access at your domain's DNS zone and to know what mail servers your domain is likely to use and plan how you want any non-authorised email to be handled.

Example:
Let's say that you are planning to send emails using Google Apps and you also want to ensure that no other mail servers are authorised. You can use an SPF record like this:

```
v=spf1 include:_spf.google.com -all
```

"v=spf1" - This sets the SPF version
"include:_spf.google.com" - This includes Google mail servers in your list of authorized sending servers
"-all" - This means that any server not previously listed is not authorized

If you are using your own VPS to send email and not any other service like Mandrill, Google Apps, etc. then you can create an SPF record like this:

```
v=spf1 mx -all
```

Note:
Setting an SPF record for your domain can help in reducing the chances of a spammer using your domain name in unsolicited emails. Research carefully what mail servers your domain is likely to use and plan how you want any non-authorised email to be handled.