SEO Report for http://181.214.31.155/~just7

55 / 100	27 / 49	18 / 49	4 / 49
SEO SCORE	PASSED CHECKS	FAILED CHECKS	WARNINGS

COMMON SEO ISSUES

Meta Title

✔ The meta title of your page has a length of 60 characters. Most search engines will truncate meta titles to 70 characters.

→ Just7 Lewisville - Oil Change, Auto Repair, State Inspection

Meta Description

✔ The meta description of your page has a length of 15 characters. Most search engines will truncate meta descriptions to 160 characters.

→ html 5 template

Google Search Results Preview

ⓘ Just7 Lewisville - Oil Change, Auto Repair, State Inspection
http://181.214.31.155/~just7
html 5 template

Most Common Keywords Test

ⓘ There is likely no optimal keyword density (search engine algorithms have evolved beyond keyword density metrics as a significant ranking factor). It can be useful, however, to note which keywords appear most often on your page and if they reflect the intended topic of your page. More importantly, the keywords on your page should appear within natural sounding and grammatically correct copy.

→ service - 24 times
→ price - 15 times
→ went - 10 times
→ repair - 10 times
→ appointment - 9 times

Keyword Usage

ⓘ Your most common keywords are not appearing in one or more of the meta-tags above. Your primary keywords should appear in your meta-tags to help identify the topic of your webpage to search engines.

✔ Keyword(s) included in Title tag
✖ Keyword(s) not included in Meta-Description tag

HOW TO FIX KEYWORD USAGE

First of all, you must make sure that your page is using the title and meta-description tags.
Second, you must adjust these tags content in order to include some of the primary keywords displayed above.

Keywords Cloud	adipisicing amet anytime appointment auto away brake brakes caused certified change checkup cleaning common conditioning confirm consectetur contact contacts coupons crown dentist different difficulty discomfort discount dolor dolorem elit engine establishment excellent expected experience experienced experts face fast fischer form forward great happy hearing heating highly home information inspection ipsum it's iusto joseph lane latest level look lorem maintenance message minus mondaysunday offer painless perspiciatis preparation price quae quote read recommend refreshing repair replacement requested rerum schedule scheduled semiannual sent service services smile state submitting successfully team technicians technique temporibus tenetur time tires today total transmission vehicle went wrong yesterday's

<h1> Headings Status	Your page does not contain any H1 headings. H1 headings help indicate the important topics of your page to search engines. While less important than good meta-titles and descriptions, H1 headings may still help define the topic of your page to search engines.
	
	HOW TO FIX <H1> HEADINGS STATUS
	In order to pass this test you must indentify the most important topics from your page and insert those topics between `<h1>...</h1>` tags.
	Example:
	`<h1>Important topic goes here</h1>`
	`...`
	`<h1>Another topic</h1>`

<h2> Headings Status	Your page contains H2 headings. Their contents are listed below: → What We Do → About Car Repair Services → What Services You Will Get? → What Our Clients Say → Schedule Your Appointment Today → Call: (972)418-7777 → Schedule Auto Service

Robots.txt Test

Your site lacks a "robots.txt" file. This file can protect private content from appearing online, save bandwidth, and lower load time on your server. A missing "robots.txt" file also generates additional errors in your apache log whenever robots request one. Read more about the robots.txt file, and how to create one for your site.

HOW TO FIX ROBOTS.TXT TEST

In order to pass this test you must create and properly install a **robots.txt** file.
For this, you can use any program that produces a text file or you can use an online tool (Google Webmaster Tools has this feature).
Remember to use all lower case for the filename: **robots.txt**, not **ROBOTS.TXT**.
A simple **robots.txt** file looks like this:

```
User-agent: *
Disallow: /cgi-bin/
Disallow: /images/
Disallow: /pages/thankyou.html
```

This would block all search engine robots from visiting "cgi-bin" and "images" directories and the page "http://www.yoursite.com/pages/thankyou.html"

TIPS:

- You need a separate **Disallow** line for every URL prefix you want to exclude
- You may not have blank lines in a record because they are used to delimit multiple records
- Notice that before the **Disallow** command, you have the command: **User-agent:** *. The **User-agent:** part specifies which robot you want to block. Major known crawlers are: Googlebot (Google), Googlebot-Image (Google Image Search), Baiduspider (Baidu), Bingbot (Bing)
- One important thing to know if you are creating your own **robots.txt** file is that although the wildcard (*) is used in the **User-agent** line (meaning "any robot"), it is not allowed in the **Disallow** line.
- Regular expressions are not supported in either the **User-agent** or **Disallow** lines

Once you have your **robots.txt** file, you can upload it in the top-level directory of your web server. After that, make sure you set the permissions on the file so that visitors (like search engines) can read it.

Sitemap Test

Your site lacks a sitemap file. Sitemaps can help robots index your content more thoroughly and quickly. Read more on Google's guidelines for implementing the sitemap protocol.

HOW TO FIX SITEMAP TEST

In order to pass this test you must create a sitemap.xml file for your website. Some of the best practices are listed below:

- It is strongly recommended that you place your sitemap at the root directory of your website: **http://yourwebsite.com/sitemap.xml** But in some situations, you may want to produce different sitemaps for different paths on your site (e.g., security permission issues)
- Sitemaps should be no larger than 10MB (10,485,760 bytes) and can contain a maximum of 50,000 URLs. This means that if your site contains more than 50,000 URLs or your sitemap is bigger than 10MB, you must create multiple sitemap files and use a **Sitemap index file**
- All URLs listed in the sitemap must reside on the same host as the sitemap. For instance, if the sitemap is located at **http://www.yourwebsite.com/sitemap.xml**, it can't include URLs from **http://subdomain.yourwebsite.com**
- Once you have created your sitemap, let search engines know about it by submitting directly to them, pinging them, or adding the sitemap location to your **robots.txt** file
- Sitemaps can be compressed using gzip, reducing bandwidth consumption

sitemap.xml example:

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
<url>
 <loc>http://www.yourwebsite.com</loc>
 <lastmod>2013-01-01</lastmod>
 <changefreq>weekly</changefreq>
 <priority>0.9</priority>
</url>
<url>
 <loc>http://www.yourwebsite.com/articles/100</loc>
 <changefreq>weekly</changefreq>
</url>
<url>
 <loc>http://www.yourwebsite.com/articles/101</loc>
 <lastmod>2013-01-02</lastmod>
 <changefreq>weekly</changefreq>
</url>
<url>
 <loc>http://www.yourwebsite.com/articles/102</loc>
 <lastmod>2013-01-02T13:00:12+00:00</lastmod>
 <priority>0.5</priority>
</url>
</urlset>
```

Broken Links Test

We have checked 12 links on your page - 11 of them appear to be broken.

- http://181.214.31.155/index.php
- http://181.214.31.155/services.php
- http://181.214.31.155/scheduled_maintenance.php
- http://181.214.31.155/oil_change.php
- http://181.214.31.155/brake.php
- http://181.214.31.155/state_inspection.php
- http://181.214.31.155/air_conditiong_heating.php
- http://181.214.31.155/transmission.php
- http://181.214.31.155/engine_replacement.php
- http://181.214.31.155/coupon.php
- http://181.214.31.155/contact.php

HOW TO FIX BROKEN LINKS TEST

In order to pass this test you must identify within your page all the reported broken links and replace the content of the **href** attribute with a proper URL.

SEO Friendly URL Test

We have found 5 URLs that are not SEO friendly!

- http://181.214.31.155/oil_change.php
- http://181.214.31.155/scheduled_maintenance.php
- http://181.214.31.155/state_inspection.php
- http://181.214.31.155/air_conditiong_heating.php
- http://181.214.31.155/engine_replacement.php

HOW TO FIX SEO FRIENDLY URL TEST

- In order for URLs to be SEO friendly, they should be clearly named for what they are and contain no spaces, underscores or other characters. You should avoid the use of parameters when possible, as they are make URLs less inviting for users to click or share.
- If your website is new and is not indexed by search engines you can replace underscores with hyphens or redirect those links to URLs that use hyphens.BUT, if your website is ranked well by search engines you do not need to do this (probably you have other ranking factors working very well).
- The general advice remains: build links that contain hyphens rather than underscores and avoid dynamic URLs.

Image Alt Test

Your webpage has **4** 'img' tags and **2** of them are missing the required 'alt' attribute.

HOW TO FIX IMAGE ALT TEST

In order to pass this test you must add an **alt** attribute to every **<img>** tag used into your webpage.
An image with an alternate text specified is inserted using the following HTML line:

```
<img src="image.png" alt="text_to_describe_your_image">
```

Remember that the point of alt text is to provide the same functional information that a visual user would see. Search engines, users who disabled images in their browsers and other agents who are unable to see the images on your webpage can read the alt attributes assigned to the image since they cannot view it.
Learn more about optimizing images for SEO.

Inline CSS Test	Your webpage is using **10** inline CSS styles!
	
	HOW TO FIX INLINE CSS TEST
	It is a good practice to move all the inline CSS rules into an external file in order to make your page "lighter" in weight and decrease the code to text ratio.
	• check the HTML code of your page and identify all style attributes
	• for each style attribute found you must properly move all declarations in the external CSS file and remove the style attribute
	For example:
	
	`<!--this HTML code with inline CSS rule:-->`
	`<p style="color:red; font-size: 12px">some text here</p>`
	
	`<!--would became:-->`
	`<p>some text here</p>`
	
	`<!--and the rule added into your CSS file:-->`
	`p{color:red; font-size: 12px}`

Deprecated HTML Tags	We found some HTML deprecated tags. You are advised to change these old tags with equivalent tags or proper CSS rules. → : found 1 time **HOW TO FIX DEPRECATED HTML TAGS** In order to pass this test you must identify into your code all deprecated HTML tags listed above and replace them with proper tags or CSS rules. Some examples are given below: • for `<applet>` tag, the equivalent tag is `<object>` • for `<center>` tag, the alternative CSS property is `text-align` • for `<font>` tag, the alternative CSS properties are `font-family` and `font-size` • for `<s>`, `<strike>` and `<u>` tags, the alternative CSS property is `text-decoration`

Google Analytics Test	A Google Analytics script is not detected on this page. While there are several tools available to monitor your site's visitors and traffic sources, Google Analytics is a free, commonly recommended program to help diagnose potential SEO issues.
	
	HOW TO FIX GOOGLE ANALYTICS TEST
	In order to pass this test you must create an account on Google Analytics site and insert into your page a small javascript tracking code.
	Example:
	
	`<!-- Google Analytics -->`
	`<script>`
	`(function(i,s,o,g,r,a,m){i['GoogleAnalyticsObject']=r;i[r]=i[r]||function(){`
	`(i[r].q=i[r].q||[]).push(arguments)},i[r].l=1*new Date();a=s.createElement(o),`
	`m=s.getElementsByTagName(o)[0];a.async=1;a.src=g;m.parentNode.insertBefore(a,m)`
	`})(window,document,'script','//www.google-analytics.com/analytics.js','ga');`
	
	`ga('create', 'UA-XXXX-Y', 'auto');`
	`ga('send', 'pageview');`
	
	`</script>`
	`<!-- End Google Analytics -->`
	
	Note that you have to change the 'UA-XXXX-Y' with the proper id which you'll find in your analytics account.

Favicon Test	Your site either doesn't have a favicon or this has not been referenced correctly. **HOW TO FIX FAVICON TEST** To add a favicon to your site, you need to have your logo created in a 16x16 PNG, GIF or ICO image and uploaded to your web server. Then it's simply a matter of adding the following code into the header of your HTML code for your web pages: `<head> <link rel="icon" type="image/x-icon" href="url_to_my_favicon" /> <title>My Title</title> </head>` In the example above the "url_to_my_favicon" refers to the actual location of your favicon file.
JS Error Checker	Congratulations! There are no severe JavaScript errors on your web page.
Social Media Check	Your website is not connected with social media using the API's provided by Facebook, Google +, Twitter, Pinterest, or using addthis.com **HOW TO FIX SOCIAL MEDIA CHECK** In order to pass this test you must connect your website with at least one major social network. To do that, you must insert into your page some social networks plugins: Facebook Like Button, Facebook Share Button, Facebook Comments, Twitter Button, Google +1 Button, Pinterest Button or AddThis Widget

SPEED OPTIMIZATIONS

HTML Page Size Test	✔ Congratulations! The size of your web page's HTML is 6.83 Kb and is under the average web page's HTML size of 33 Kb. Faster loading websites result in a better user experience, higher conversion rates, and generally better search engine rankings.
HTML Compression/GZIP Test	✔ Congratulations! Your page is successfully compressed using **gzip compression** on your code. Your HTML is compressed from **34.38 Kb** to **6.83 Kb** (**80 % size savings**). This helps ensure a faster loading web page and improved user experience.
Site Loading Speed Test	✔ Your site loading time is around **2.16 seconds** and this is under the average loading speed which is **5 seconds**.
Page Objects	✖ Your page has more than 20 http requests, which can slow down page loading. You can try reducing http requests through various methods such as using text instead of images, using css sprites, using data URIs instead of images, or combining several external files together into one. HTML Pages: 2; CSS Files: 9; Scripts: 19; Images: 22; Flash Files: 0;
Page Cache Test (Server Side Caching)	✖ It does not appear that you are caching your pages. Cached pages serve up static html and avoid potentially time consuming queries to your database. It also helps lower server load by up to 80%. Caching most visibly benefits high traffic pages that access a database, but whose content does not change on every page view. Common caching methods include Alternative PHP Cache, Quickcache, and WP Super Cache (for Wordpress sites). Caching mechanisms also typically compress HTML, further reducing page size and load time. **HOW TO FIX PAGE CACHE TEST (SERVER SIDE CACHING)** In order to pass this test you are advised to use a caching mechanism for your pages. There are three methods which can be used to caching your web pages: 1. **Alternative PHP caching** - Alternative PHP Cache (APC) is an open source framework which caches data using intermediate PHP code. Most web programmers who are familiar with the PHP programming language can easily set up Alternative PHP Cache for your site. 2. **Quickcache** - Quickcache is a lightweight page caching solution which was formerly known as jpcache. Quickcache caches the page output rather than compiling the PHP page, making it a superior version of page caching to the Alternative PHP caching. Quickcache can be quickly downloaded from their website and can reduce your page load time up to 80%. 3. **WP Super Cache** - If you have a Wordpress website, WP Super Cache can be installed within seconds and without no programming knowledge.
Flash Test	✔ Congratulations! Your website does not include flash objects (an outdated technology that was sometimes used to deliver rich multimedia content). Flash content does not work well on mobile devices, and is difficult for crawlers to interpret.
Image Expires Tag Test	✔ Congratulations! Your webpage use 'Expires' header for your images and the browsers will display these images from the cache.

JS Minification Test	Some of your website's JavaScript files are not minified! → http://181.214.31.155/~just7/js/plugins/jquery.form.js → http://181.214.31.155/~just7/js/plugins/moment.js → http://181.214.31.155/~just7/js/plugins/jquery.countTo.js → http://181.214.31.155/~just7/js/custom.js → http://181.214.31.155/~just7/js/forms.js → http://181.214.31.155/~just7/js/main.js → http://181.214.31.155/~just7/js/SliderService.js **HOW TO FIX JS MINIFICATION TEST** In order to pass this test you must minify all of your external JavaScript files. For this task you can use an online JS minifier like YUI Compressor, Closure Compiler or JSMin.
CSS Minification Test	Some of your website's CSS files are not minified! → http://181.214.31.155/~just7/css/plugins/bootstrap-submenu.css → http://181.214.31.155/~just7/css/plugins/animate.min.css → http://181.214.31.155/~just7/css/plugins/slick.css → http://181.214.31.155/~just7/css/custom.css → http://181.214.31.155/~just7/css/plugins/bootstrap-datetimepicker.css → http://181.214.31.155/~just7/iconfont/style.css → http://181.214.31.155/~just7/Font-Awesome-master/css/font-awesome.css → https://fonts.googleapis.com/css?family= ... 400i,600,600i,700,700i,800,800i,900,900i **HOW TO FIX CSS MINIFICATION TEST** In order to pass this test you must minify all of your external CSS files. For this task you can use an online CSS minifier like YUI Compressor or cssmin.js.
Nested Tables Test	Congratulations, your page does not use nested tables. This speeds up page loading time and optimizes the user experience.
Frameset Test	Congratulations! Your webpage does not use frames.
Doctype Test	Congratulations! Your website has a doctype declaration: → <!DOCTYPE html>
URL Redirects Checker	Your URL performed one redirect! While redirects are typically not advisable (as they can affect search engine indexing issues and adversely affect site loading time), one redirect may be acceptable, particularly if the URL is redirecting from a non-www version to its www version, or vice-versa. → from: http://181.214.31.155/~just7 to: http://181.214.31.155/~just7/


SERVER AND SECURITY

URL Canonicalization Test	http://181.214.31.155/~just7 and http://www.181.214.31.155/~just7 should resolve to the same URL, but currently do not.
	
	HOW TO FIX URL CANONICALIZATION TEST
	In order to pass this test you must consider using a 301 re-write rule in your **.htaccess** file so that both addresses (**http://example.com** and **http://www.example.com**) resolve to the same URL.
	- If you want to redirect **http://www.example.com** to **http://example.com**, you can use this:
	`RewriteCond %{HTTP_HOST} ^www\.example\.com$`
	`RewriteRule ^/?$ "http\:\/\/example\.com\/" [R=301,L]`
	- If you want to redirect **http://example.com** to **http://www.example.com**, you can use this:
	`RewriteCond %{HTTP_HOST} !^www.example.com$ [NC]`
	`RewriteRule ^(.*)$ http://www.example.com/$1 [L,R=301]`
	Note that you must put the above lines somewhere after **RewriteEngine On** line.

HTTPS Test	Your website is not using https, a secure communication protocol. Even for sites that do not collect sensitive customer information, search engines suggest that switching to https is an increasingly good idea and may help improve rankings. Note: if your site relies primarily on adsense income, be aware that using https may be detrimental to ad earnings. **HOW TO FIX HTTPS TEST** If your website needs a secured authentication or an encrypted transfer of data, you need to install an SSL certificate in order to provide a secure connection over HTTPS protocol. HERE is a "step by step" guide to purchase and install an SSL certificate.
Safe Browsing Test	This site is not currently listed as suspicious (no malware or phishing activity found).
Server Signature Test	Congratulations, your server signature is off.
Directory Browsing Test	Congratulations! Your server has disabled directory browsing.

Plaintext Emails Test	We found 1 email addresses in your page code. We advise you to protect email links in a way that hides them from the spam harvesters. **HOW TO FIX PLAINTEXT EMAILS TEST** In order to pass this test you must make your email addresses invisible to email spiders. Note that the best option is to replace your entire contact mechanism with a contact form and using the POST method while submitting the form. Other solutions are listed below: • replace the at (@) and dot (.) characters • replace text with images • use email obfuscators • hide email addresses using JavaScript or CSS trick

MOBILE USABILITY

Media Query Responsive Test	Congratulations, your website uses media query technique, which is the base for responsive design functionalities.
Mobile Snapshot	

ADVANCED SEO

Microdata Schema Test	Your webpage doesn't take the advantages of HTML Microdata specifications in order to markup structured data. View Google's guide for getting started with microdata.
	
	HOW TO FIX MICRODATA SCHEMA TEST
	HTML5 Microdata is an easy way to add semantic markup to your web pages. Search engines rely on this markup to improve the display of search results, making it easier for people to find the right web pages.
	Here is a simple example of how to use HTML5 microdata in your contact web page:
	
	`<div itemscope itemtype="http://schema.org/Person">`
	`  <span itemprop="name">Joe Doe</span>`
	`  <span itemprop="company">The Example Company</span>`
	`  <span itemprop="tel">604-555-1234</span>`
	`  <a itemprop="email" href="mailto:joe.doe@example.com">joe.doe@example.com</a>`
	`</div>`

Noindex Checker	Your webpage does not use the noindex meta tag. This means that your webpage will be read and indexed by search engines.
Canonical Tag Checker	Your page does not use the canonical link tag.
Nofollow Checker	Your webpage does not use the nofollow meta tag. This means that search engines will crawl all links from your webpage.
Disallow Directive Checker	Your site lacks a "robots.txt" file. This file can protect private content from appearing online, save bandwidth, and lower load on your server. A missing "robots.txt" file also generates additional errors in your apache log whenever robots request one.

SPF records checker

Your DNS server is not using an SPF record. SPF (Sender Policy Framework) allows administrators to specify which hosts are allowed to send mail from a given domain by creating a specific SPF record or TXT record in the Domain Name System (DNS). You can find more information about SPF records here.

HOW TO FIX SPF RECORDS CHECKER

An **SPF record** is a type of **Domain Name Service (DNS)** record that allows email systems to check if the sender of a message comes from a legitimate source and refuse an email if the source is not legitimate. Adding an SPF record is as easy as adding CNAME, MX or A records in your DNS zone. You can find more information here.

Before creating the SPF record for your domain, it is important to have access at your domain's DNS zone and to know what mail servers your domain is likely to use and plan how you want any non-authorised email to be handled.

Example:
Let's say that you are planning to send emails using Google Apps and you also want to ensure that no other mail servers are authorised. You can use an SPF record like this:

```
v=spf1 include:_spf.google.com -all
```

"v=spf1" - This sets the SPF version
"include:_spf.google.com" - This includes Google mail servers in your list of authorized sending servers
"-all" - This means that any server not previously listed is not authorized

If you are using your own VPS to send email and not any other service like Mandrill, Google Apps, etc. then you can create an SPF record like this:

```
v=spf1 mx -all
```

Note:
Setting an SPF record for your domain can help in reducing the chances of a spammer using your domain name in unsolicited emails. Research carefully what mail servers your domain is likely to use and plan how you want any non-authorised email to be handled.