

QQC Waiver Request

Program: Memphis-Project Vendor: Dpamstech APN: 817-11233 Revision: MCO Rev.7 / MSoP Rev.1 / PGM Rev.1 Build: MP Config: -		Waiver Request Date: - Planned Shipment Date: 2026-03-12 Judgment : PASS OK Quantity: 650,160 Waived Quantity: - Shipment Quantity: 650,160	Vendor Input Input
---	--	---	---

[illegible]

[illegible]

[illegible]

FAI Data Sheet Enclosures MD

DRAWING SPECIFICATIONS					INSPECTION RESULTS							INSPECTION ANALYSIS					Supplier Comment
FAI#	Description	Nominal	+TOL	TOL	Inspection Method	Sample Number			Deviation from Nominal			Mean	% Tolerance		Alert/Reject		
						B#1	J#4	G#2	1	2	3		Upper	Lower	High	Low	
4-1	Height	0.500	0.010	-0.010	OMM	0.506	0.505	0.501	0.006	0.005	0.001	0.504	60%	0%			OK
4-2	Height	0.500	0.010	-0.010	OMM	0.500	0.506	0.499	0.000	0.006	-0.001	0.502	58%	10%			OK
4-3	Height	0.500	0.010	-0.010	OMM	0.499	0.496	0.498	-0.001	-0.004	-0.002	0.498	0%	37%			OK
6-1	Height	0.500	0.010	-0.010	OMM	0.502	0.495	0.500	0.002	-0.005	0.000	0.499	18%	48%			OK
6-2	Height	0.500	0.010	-0.010	OMM	0.500	0.500	0.499	0.000	0.000	-0.001	0.500	3%	11%			OK
6-3	Height	0.500	0.010	-0.010	OMM	0.498	0.499	0.496	-0.002	-0.001	-0.004	0.498	0%	41%			OK
8	Parallelism	0.000	0.030	0.000	OMM	0.003	0.008	0.009	0.003	0.008	0.009	0.007	29%				OK
9	Perpendicularity	0.000	0.030	0.000	OMM	0.014	0.014	0.005	0.014	0.014	0.005	0.011	47%				OK
10-1	Distance	1.090	0.015	-0.010	OMM	1.088	1.095	1.089	-0.002	0.005	-0.001	1.091	34%	23%			OK
10-2	Distance	1.090	0.015	-0.010	OMM	1.087	1.094	1.096	-0.003	0.004	0.006	1.092	41%	32%			OK
10-3	Distance	1.090	0.015	-0.010	OMM	1.083	1.088	1.084	-0.007	-0.003	-0.006	1.085	0%	66%		Alert	OK
23	Distance	1.852	0.020	-0.020	OMM	1.859	1.857	1.853	0.007	0.005	0.001	1.857	36%	0%			OK
24	Distance	0.214	0.020	-0.020	OMM	0.216	0.214	0.211	0.002	0.000	-0.003	0.214	11%	16%			OK
25A-1	Distance	1.290	0.030	-0.030	OMM	1.283	1.280	1.270	-0.007	-0.010	-0.020	1.278	0%	68%		Alert	OK
25A-2	Distance	1.290	0.030	-0.030	OMM	1.280	1.282	1.273	-0.010	-0.008	-0.017	1.278	0%	56%			OK
25A-3	Distance	1.290	0.030	-0.030	OMM	1.315	1.309	1.298	0.025	0.019	0.008	1.307	84%	0%	Alert		OK
26	Distance	15.262	0.030	-0.030	OMM	15.256	15.261	15.244	-0.006	-0.001	-0.018	15.253	0%	61%			OK
27	Distance	12.839	0.030	-0.030	OMM	12.829	12.826	12.820	-0.010	-0.013	-0.019	12.825	0%	63%			OK
28	Distance	2.627	0.030	-0.030	OMM	2.631	2.647	2.628	0.004	0.020	0.001	2.635	68%	0%	Alert		OK
30	Distance	12.482	0.030	-0.030	OMM	12.469	12.500	12.485	-0.013	0.018	0.003	12.485	60%	45%			OK
31	Distance	11.089	0.030	-0.030	OMM	11.091	11.075	11.107	0.002	-0.014	0.018	11.091	60%	48%			OK
32	Distance	2.092	0.030	-0.030	OMM	2.100	2.107	2.092	0.008	0.015	0.000	2.099	51%	1%			OK
33	Distance	0.000	0.030	0.000	OMM	0.011	0.014	0.018	0.011	0.014	0.018	0.014	59%				OK
34	Distance	0.000	0.020	0.000	OMM	0.009	0.004	0.001	0.009	0.004	0.001	0.005	47%				OK
35	Distance	13.614	0.030	-0.030	OMM	13.625	13.634	13.600	0.011	0.020	-0.014	13.620	68%	48%	Alert		OK
36	Distance	1.951	0.030	-0.030	OMM	1.950	1.951	1.942	-0.001	0.000	-0.009	1.948	0%	31%			OK
37	Distance	2.355	0.030	-0.030	OMM	2.339	2.363	2.373	-0.016	0.008	0.018	2.358	59%	52%			OK
38	Distance	10.182	0.030	-0.030	OMM	10.162	10.181	10.180	-0.020	-0.001	-0.002	10.175	0%	68%		Alert	OK
39	Distance	0.200	0.030	-0.030	OMM	0.208	0.191	0.208	0.008	-0.009	0.008	0.202	27%	29%			OK
40-1	Tolerance	0.350	0.030	-0.030	MIC	0.335	0.320	0.325	-0.015	-0.030	-0.025	0.327	0%	100%		Alert	OK
40-2	Tolerance	0.350	0.030	-0.030	MIC	0.334	0.320	0.326	-0.016	-0.030	-0.024	0.327	0%	100%		Alert	OK
40-3	Tolerance	0.350	0.030	-0.030	MIC	0.330	0.338	0.346	-0.020	-0.012	-0.004	0.338	0%	67%		Alert	OK
40-4	Tolerance	0.350	0.030	-0.030	MIC	0.334	0.335	0.344	-0.016	-0.015	-0.006	0.338	0%	53%			OK
41	Distance	1.902	0.020	-0.020	OMM	1.901	1.902	1.906	-0.001	0.000	0.004	1.903	22%	6%			OK
54	Distance	1.740	0.030	-0.030	OMM	1.729	1.742	1.727	-0.011	0.002	-0.013	1.732	8%	45%			OK
55	Distance	1.740	0.030	-0.030	OMM	1.730	1.743	1.744	-0.010	0.003	0.004	1.739	12%	33%			OK
56	Distance	10.772	0.030	-0.030	OMM	10.761	10.779	10.780	-0.011	0.007	0.008	10.773	28%	38%			OK
57	Distance	14.854	0.030	-0.030	OMM	14.862	14.878	14.836	0.008	0.024	-0.018	14.859	80%	62%	Alert		OK
58	Distance	13.270	0.030	-0.030	OMM	13.244	13.262	13.252	-0.026	-0.008	-0.018	13.253	0%	85%		Alert	OK
59	Distance	0.642	0.030	-0.030	OMM	0.647	0.657	0.633	0.005	0.015	-0.009	0.646	51%	31%			OK
60	Distance	0.403	0.030	-0.030	OMM	0.423	0.425	0.406	0.020	0.022	0.003	0.418	74%	0%	Alert		OK
61	Distance	1.986	0.030	-0.030	OMM	1.995	1.983	1.987	0.009	-0.003	0.001	1.988	29%	10%			OK
62	Distance	2.226	0.030	-0.030	OMM	2.227	2.222	2.208	0.001	-0.004	-0.018	2.219	2%	61%			OK
63	Distance	1.718	0.020	-0.020	OMM	1.703	1.712	1.716	-0.015	-0.006	-0.002	1.710	0%	73%		Alert	OK
64	Distance	0.385	0.220	-0.220	OMM	0.394	0.412	0.384	0.009	0.027	-0.001	0.397	12%	0%			OK
65	Distance	5.278	0.300	-0.300	OMM	5.175	5.287	5.368	-0.103	0.009	0.090	5.277	30%	34%			OK
66	Angle	0.000	3.000	-3.000	OMM	1.254	1.222	1.190	1.254	1.222	1.190	1.222	42%				OK
68-1	Distance	1.030	0.020	-0.020	OMM	1.032	1.037	1.034	0.002	0.007	0.004	1.034	36%	0%			OK
68-2	Distance	1.030	0.020	-0.020	OMM	1.036	1.032	1.038	0.006	0.002	0.008	1.035	40%	0%			OK
69	Distance	14.496	0.020	-0.020	OMM	14.500	14.499	14.496	0.004	0.003	0.000	14.498	19%	2%			OK
70-1	Distance	0.770	0.020	-0.020	OMM	0.775	0.770	0.783	0.005	0.000	0.013	0.776	64%	0%			OK
70-2	Distance	0.770	0.020	-0.020	OMM	0.772	0.762	0.774	0.002	-0.008	0.004	0.769	20%	40%			OK
71	Distance	11.777	0.020	-0.020	OMM	11.771	11.780	11.788	-0.006	0.003	0.011	11.780	57%	32%			OK

[illegible]

Cosmetic Waiver List

[illegible]

Dimensional Waiver List

[illegible]

Functional Waiver List

[illegible]

Reliability Waiver List

[illegible]

Revision	Date	Author	Comments
1	2018-08-03	Tim Burks	Initial Release