OQC Waiver Request

	Vendor Input
Program:	Memphis-Project
Vendor:	Dpamstech
APN:	817-11234
Revision:	MCO Rev.9 / MSoP Rev.1 / PGM Rev.1
Build:	MP
Config:	-

	Vendor Input
Waiver Request Date:	-
Planned Shipment Date:	2026-03-12
Judgment :	**PASS**
OK Quantity:	650,400
Waived Quantity:	0
Shipment Quantity:	650,400

Vendor Input
Input

Vendor Input				
Type	**Defect**	**Current Spec**	**Waiver Request Spec**	**Defect Qty**
Cosmetic				
Dimension				
Function				
Reliability				





FAI Data Sheet Enclosures MD

DRAWING SPECIFICATIONS						INSPECTION RESULTS						INSPECTION ANALYSIS					
FAI#	Description	Nominal	+TOL	TOL	Inspection Method	Sample Number			Deviation from Nominal			Mean	% Tolerance		Alert/Reject		Supplier Comment
						Nil#4	Ki#2	Ji#2	1	2	3		Upper	Lower	High	Low	
3-1	Distance	0.500	0.010	-0.010	OMM	0.499	0.497	0.503	-0.001	-0.003	0.003	0.500	31%	29%			OK
3-2	Distance	0.500	0.010	-0.010	OMM	0.503	0.501	0.497	0.003	0.001	-0.003	0.500	26%	31%			OK
3-3	Distance	0.500	0.010	-0.010	OMM	0.496	0.496	0.502	-0.004	-0.004	0.002	0.498	22%	42%			OK
4	Parallelism	0.000	0.020	0.000	OMM	0.001	0.005	0.003	0.001	0.005	0.003	0.003	25%				OK
5	Parallelism	0.000	0.025	0.000	OMM	0.016	0.009	0.013	0.016	0.009	0.013	0.013	63%				OK
6	Flatness	0.000	0.020	0.000	OMM	0.010	0.006	0.012	0.010	0.006	0.012	0.009	60%				OK
7	Distance	12.612	0.020	-0.020	OMM	12.615	12.610	12.612	0.003	-0.002	0.000	12.612	17%	10%			OK
8-1	Distance	0.040	0.020	-0.020	OMM	0.035	0.037	0.040	-0.005	-0.003	0.000	0.038	1%	23%			OK
8-2	Distance	0.040	0.020	-0.020	OMM	0.038	0.036	0.035	-0.002	-0.004	-0.005	0.036	0%	26%			OK
9	Distance	12.382	0.020	-0.020	OMM	12.386	12.383	12.383	0.004	0.001	0.001	12.384	18%	0%			OK
10	Distance	14.726	0.020	-0.020	OMM	14.730	14.728	14.722	0.004	0.002	-0.004	14.727	22%	22%			OK
11	Distance	14.506	0.020	-0.020	OMM	14.511	14.510	14.505	0.005	0.004	-0.001	14.509	27%	3%			OK
12-1	Distance	0.050	0.020	-0.020	OMM	0.041	0.052	0.047	-0.009	0.002	-0.003	0.047	12%	43%			OK
12-2	Distance	0.050	0.020	-0.020	OMM	0.041	0.049	0.044	-0.009	-0.001	-0.006	0.045	0%	44%			OK
13-1	Distance	9.919	0.020	-0.020	OMM	9.916	9.922	9.919	-0.003	0.003	0.000	9.919	14%	16%			OK
13-2	Distance	9.919	0.020	-0.020	OMM	9.920	9.927	9.922	0.001	0.008	0.003	9.923	39%	0%			OK
13-3	Distance	9.919	0.020	-0.020	OMM	9.903	9.923	9.915	-0.016	0.004	-0.004	9.914	19%	78%		Alert	OK
14-1	Distance	12.795	0.020	-0.020	OMM	12.789	12.796	12.790	-0.006	0.001	-0.005	12.792	6%	30%			OK
14-2	Distance	12.795	0.020	-0.020	OMM	12.794	12.795	12.790	-0.001	0.000	-0.005	12.793	0%	25%			OK
14-3	Distance	12.795	0.020	-0.020	OMM	12.792	12.798	12.792	-0.003	0.003	-0.003	12.794	15%	17%			OK
16_1	Distance	0.105	0.020	-0.020	OMM	0.094	0.100	0.099	-0.011	-0.005	-0.006	0.098	0%	54%			OK
16_2	Distance	0.105	0.020	-0.020	OMM	0.102	0.095	0.110	-0.003	-0.010	0.005	0.102	27%	51%			OK
18-1	Distance	0.910	0.020	-0.020	OMM	0.911	0.910	0.909	0.001	0.000	-0.001	0.910	3%	3%			OK
18-2	Distance	0.910	0.020	-0.020	OMM	0.911	0.904	0.904	0.001	-0.006	-0.006	0.906	3%	31%			OK
18-3	Distance	0.910	0.020	-0.020	OMM	0.912	0.912	0.903	0.002	0.002	-0.007	0.909	11%	34%			OK
19-1	Distance	0.860	0.025	-0.025	OMM	0.867	0.862	0.864	0.007	0.002	-0.004	0.864	28%	0%			OK
19-2	Distance	0.860	0.025	-0.025	OMM	0.853	0.846	0.854	-0.007	-0.014	-0.006	0.851	0%	55%			OK
19-3	Distance	0.860	0.025	-0.025	OMM	0.862	0.856	0.857	0.002	-0.004	-0.003	0.858	7%	17%			OK
24-1	Distance	0.870	0.025	-0.025	OMM	0.884	0.877	0.882	0.014	0.007	0.012	0.881	55%	0%			OK
24-2	Distance	0.870	0.025	-0.025	OMM	0.878	0.868	0.874	0.008	-0.002	0.004	0.873	33%	8%			OK
25	Distance	12.562	0.020	-0.020	OMM	12.558	12.556	12.556	-0.004	-0.006	-0.006	12.557	0%	30%			OK
26	Distance	12.332	0.020	-0.020	OMM	12.330	12.329	12.330	-0.002	-0.003	-0.002	12.329	0%	16%			OK
27-1	Distance	0.355	0.025	-0.025	OMM	0.370	0.354	0.358	0.015	-0.001	0.003	0.360	60%	5%			OK
27-2	Distance	0.355	0.025	-0.025	OMM	0.361	0.363	0.366	0.006	0.008	0.011	0.363	46%	0%			OK
27-3	Distance	0.355	0.025	-0.025	OMM	0.362	0.356	0.354	0.007	0.001	-0.001	0.357	30%	3%			OK
27-4	Distance	0.355	0.025	-0.025	OMM	0.354	0.358	0.367	-0.001	0.003	0.012	0.360	49%	3%			OK
28	Distance	0.963	0.020	-0.020	OMM	0.965	0.963	0.957	0.002	0.000	-0.006	0.962	10%	28%			OK
29	Distance	1.580	0.020	-0.020	OMM	1.587	1.582	1.579	0.007	0.002	-0.001	1.583	34%	3%			OK
30-1	Distance	1.850	0.020	-0.020	OMM	1.839	1.846	1.849	-0.011	-0.004	-0.001	1.845	0%	55%			OK
30-2	Distance	1.850	0.020	-0.020	OMM	1.842	1.850	1.851	-0.008	0.000	0.001	1.848	4%	39%			OK
31-1	Distance	6.901	0.015	-0.015	OMM	6.906	6.912	6.910	0.005	0.011	0.009	6.909	75%	0%	Alert		OK
31-2	Distance	6.901	0.015	-0.015	OMM	6.899	6.902	6.902	-0.002	0.001	0.001	6.901	6%	11%			OK
31-3	Distance	6.901	0.015	-0.015	OMM	6.901	6.905	6.902	0.000	0.004	0.001	6.903	28%	0%			OK
32-1	Distance	2.973	0.020	-0.020	OMM	2.976	2.966	2.972	0.003	-0.007	-0.001	2.971	15%	36%			OK
32-2	Distance	2.973	0.020	-0.020	OMM	2.972	2.964	2.969	-0.001	-0.009	-0.004	2.968	0%	47%			OK
32-3	Distance	2.973	0.020	-0.020	OMM	2.975	2.967	2.970	0.002	-0.006	-0.003	2.971	11%	30%			OK
33	Distance	4.532	0.030	-0.030	OMM	4.526	4.525	4.524	-0.006	-0.007	-0.008	4.525	0%	26%			OK
34-1	Distance	7.801	0.030	-0.030	OMM	7.807	7.806	7.802	0.006	0.005	0.001	7.805	20%	0%			OK
34-2	Distance	7.801	0.030	-0.030	OMM	7.801	7.812	7.809	0.000	0.011	0.008	7.807	38%	1%			OK
34-3	Distance	7.801	0.030	-0.030	OMM	7.798	7.797	7.798	-0.003	-0.004	-0.003	7.798	0%	12%			OK
35-1	Distance	10.155	0.030	-0.030	OMM	10.150	10.138	10.150	-0.005	-0.017	-0.005	10.146	0%	55%			OK
35-2	Distance	10.155	0.030	-0.030	OMM	10.155	10.150	10.145	0.000	-0.005	-0.010	10.150	1%	33%			OK
36	Distance	8.195	0.030	-0.030	OMM	8.179	8.192	8.194	-0.016	-0.003	-0.001	8.188	0%	52%			OK
37-1	Distance	0.626	0.020	-0.020	OMM	0.634	0.627	0.625	0.008	0.001	-0.001	0.629	40%	6%			OK
37-2	Distance	0.626	0.020	-0.020	OMM	0.632	0.624	0.621	0.006	-0.002	-0.005	0.626	30%	24%			OK
38-1	Distance	1.953	0.030	-0.030	OMM	1.968	1.977	1.963	0.015	0.024	0.010	1.969	78%	0%	Alert		OK
38-2	Distance	1.953	0.030	-0.030	OMM	1.966	1.971	1.974	0.013	0.018	0.021	1.970	69%	0%	Alert		OK
39	Distance	2.926	0.030	-0.030	OMM	2.947	2.940	2.936	0.021	0.014	0.010	2.941	69%	0%	Alert		OK
41	Distance	2.873	0.030	-0.030	OMM	2.861	2.881	2.863	-0.012	0.008	-0.010	2.868	26%	39%			OK
42	Distance	0.978	0.030	-0.030	OMM	0.968	0.971	0.975	-0.010	-0.007	-0.003	0.971	0%	32%			OK
43	Distance	0.985	0.030	-0.030	OMM	0.989	0.983	0.988	0.004	-0.002	0.003	0.987	12%	8%			OK
44	Distance	4.534	0.030	-0.030	OMM	4.535	4.532	4.529	0.001	-0.002	-0.005	4.532	2%	18%			OK
45	Distance	6.938	0.030	-0.030	OMM	6.942	6.939	6.932	0.004	0.001	-0.006	6.938	14%	21%			OK
46	Distance	0.611	0.030	-0.030	OMM	0.618	0.613	0.625	0.007	0.002	0.014	0.619	48%	0%			OK
48-1	Distance	2.243	0.030	-0.030	OMM	2.232	2.233	2.237	-0.011	-0.010	-0.006	2.234	0%	36%			OK
48-2	Distance	2.243	0.030	-0.030	OMM	2.231	2.230	2.231	-0.012	-0.013	-0.012	2.231	0%	44%			OK
48-3	Distance	2.243	0.030	-0.030	OMM	2.241	2.237	2.239	-0.002	-0.006	-0.004	2.239	0%	19%			OK
49	Parallelism	0.000	0.020	0.000	OMM	0.009	0.003	0.005	0.009	0.003	0.005	0.006	43%				OK
50-1	Distance	3.756	0.020	-0.020	OMM	3.762	3.749	3.753	0.006	-0.007	-0.003	3.754	28%	37%			OK
50-2	Distance	3.756	0.020	-0.020	OMM	3.759	3.753	3.765	0.003	-0.003	0.009	3.759	47%	14%			OK
50-3	Distance	3.756	0.020	-0.020	OMM	3.761	3.737	3.745	0.005	-0.019	-0.011	3.748	23%	94%		Alert	OK
51-1	Distance	0.910	0.020	-0.020	OMM	0.910	0.907	0.906	0.000	-0.003	-0.004	0.908	0%	18%			OK
51-2	Distance	0.910	0.020	-0.020	OMM	0.909	0.904	0.903	-0.001	-0.006	-0.007	0.905	0%	33%			OK
51-3	Distance	0.910	0.020	-0.020	OMM	0.907	0.900	0.898	-0.003	-0.010	-0.012	0.902	0%	60%			OK
52-1	Distance	6.906	0.025	-0.015	OMM	6.914	6.916	6.910	0.008	0.010	0.004	6.913	40%	0%			OK
52-2	Distance	6.906	0.025	-0.015	OMM	6.908	6.915	6.908	0.002	0.009	0.002	6.910	35%	0%			OK
52-3	Distance	6.906	0.025	-0.015	OMM	6.908	6.923	6.914	0.002	0.017	0.008	6.915	70%	0%	Alert		OK
53-1	Distance	1.850	0.020	-0.020	OMM	1.840	1.850	1.848	-0.010	0.000	-0.002	1.846	2%	49%			OK
53-2	Distance	1.850	0.020	-0.020	OMM	1.840	1.851	1.849	-0.010	0.001	-0.001	1.846	4%	52%			OK
56	Distance	0.470	0.010	-0.030	OMM	0.453	0.459	0.449	-0.017	-0.011	-0.021	0.454	0%	70%		Alert	OK
57	Distance	0.250	0.010	-0.030	OMM	0.244	0.234	0.233	-0.007	-0.016	-0.017	0.237	0%	57%			OK
58-1	Distance	0.411	0.010	-0.030	OMM	0.398	0.399	0.397	-0.013	-0.012	-0.014	0.398	0%	47%			OK
58-2	Distance	0.411	0.010	-0.030	OMM	0.397	0.398	0.397	-0.014	-0.013	-0.014	0.397	0%	47%			OK
59-1	Distance	0.170	0.020	-0.020	OMM	0.173	0.169	0.180	0.003	-0.001	0.010	0.174	49%	6%			OK
59-2	Distance	0.170	0.020	-0.020	OMM	0.171	0.163	0.179	0.001	-0.007	0.009	0.171	45%	36%			OK
60-1	Distance	0.455	0.020	-0.020	OMM	0.458	0.455	0.447	0.003	0.000	-0.008	0.453	14%	41%			OK
60-2	Distance	0.455	0.020	-0.020	OMM	0.450	0.450	0.441	-0.005	-0.005	-0.014	0.447	0%	68%		Alert	OK
61	Distance	7.901	0.020	-0.020	OMM	7.903	7.909	7.901	0.002	0.008	0.000	7.905	41%	0%			OK
62-1	Distance	11.720	0.020	-0.020	OMM	11.733	11.729	11.718	0.013	0.009	-0.002	11.727	63%	10%			OK
62-2	Distance	11.720	0.020	-0.020	OMM	11.729	11.727	11.715	0.009	0.007	-0.005	11.724	47%	25%			OK
63-1	Distance	0.434	0.020	-0.020	OMM	0.428	0.434	0.445	-0.006	0.000	0.011	0.436	56%	32%			OK
63-2	Distance	0.434	0.020	-0.020	OMM	0.426	0.431	0.443	-0.008	-0.003	0.009	0.433	45%	42%			OK
64	Distance	3.073	0.020	-0.020	OMM	3.069	3.080	3.076	-0.004	0.007	0.003	3.075	33%	18%			OK
65-1	Distance	1.461	0.020	-0.020	OMM	1.466	1.463	1.456	0.005	0.002	-0.005	1.462	26%	23%			OK
65-2	Distance	1.461	0.020	-0.020	OMM	1.465	1.458	1.456	0.004	-0.003	-0.005	1.459	19%	25%			OK
66-1	Distance	0.429	0.020	-0.020	OMM	0.429	0.434	0.438	0.000	0.005	0.009	0.434	44%	0%			OK
66-2	Distance	0.429	0.020	-0.020	OMM	0.426	0.428	0.436	-0.003	-0.001	0.007	0.430	34%	14%			OK
67_1	Distance	0.392	0.030	-0.030	OMM	0.384	0.397	0.390	-0.008	0.005	-0.002	0.391	18%	26%			OK
67_2	Distance	0.392	0.030	-0.030	OMM	0.388	0.385	0.394	-0.004	-0.007	0.002	0.389	6%	22%			OK
67_3	Distance	0.392	0.030	-0.030	OMM	0.399	0.398	0.398	0.007	0.006	0.006	0.398	23%	0%			OK
67_4	Distance	0.392	0.030	-0.030	OMM	0.394	0.385	0.394	0.002	-0.007	0.002	0.391	6%	24%			OK
67_5	Distance	0.392	0.030	-0.030	OMM	0.388	0.389	0.391	-0.004	-0.003	-0.001	0.390	0%	12%			OK
67_6	Distance	0.392	0.030	-0.030	OMM	0.383	0.398	0.388	-0.010	0.006	-0.004	0.389	20%	32%			OK
67_7	Distance	0.392	0.030	-0.030	OMM	0.375	0.391	0.392	-0.017	-0.001	0.000	0.386	0%	58%			OK
67_8	Distance	0.392	0.030	-0.030	OMM	0.401	0.402	0.404	0.009	0.010	0.012	0.403	41%	0%			OK
67_9	Distance	0.392	0.030	-0.030	OMM	0.402	0.402	0.405	0.010	0.010	0.013	0.403	42%	0%			OK
67_10	Distance	0.392	0.030	-0.030	OMM	0.400	0.398	0.399	0.008	0.006	0.007	0.399	25%	0%			OK
67_11	Distance	0.392	0.030	-0.030	OMM	0.394	0.398	0.399	0.002	0.006	0.007	0.397	22%	0%			OK
67_12	Distance	0.392	0.030	-0.030	OMM	0.380	0.382	0.396	-0.012	-0.010	0.004	0.386	14%	41%			OK
67_13	Distance	0.392	0.030	-0.030	OMM	0.389	0.381	0.389	-0.003	-0.011	-0.003	0.386	0%	38%			OK
70	Distance	5.157	0.300	-0.300	OMM	5.194	5.139	5.139	0.037	-0.018	-0.018	5.157	12%	6%			OK
71	Distance	14.095	0.175	-0.175	OMM	14.106	14.087	14.063	0.011	-0.008	-0.032	14.085	6%	18%			OK
72-1	Distance	0.790	0.020	-0.020	OMM	0.781	0.783	0.786	-0.009	-0.007	-0.004	0.783	0%	45%			OK
72-2	Distance	0.790	0.020	-0.020	OMM	0.782	0.785	0.786	-0.008	-0.005	-0.004	0.784	0%	42%			OK
72-3	Distance	0.790	0.020	-0.020	OMM	0.787	0.787	0.789	-0.003	-0.003	-0.001	0.787	0%	17%			OK
73-1	Distance	0.790	0.020	-0.020	OMM	0.788	0.798	0.794	-0.002	0.008	0.004	0.793	42%	10%			OK
73-2	Distance	0.790	0.020	-0.020	OMM	0.795	0.797	0.801	0.005	0.007	0.011	0.798	55%	0%			OK
73-3	Distance	0.790	0.020	-0.020	OMM	0.790	0.797	0.797	0.000	0.007	0.007	0.794	33%	1%			OK
74	Angle	0.000	3.000	-3.000	OMM	0.148	0.234	0.140	0.148	0.234	0.140	0.174	8%				OK
80	Distance	12.990	0.030	-0.030	OMM	12.986	12.990	12.978	-0.004	0.000	-0.012	12.985	0%	39%			OK
81	Distance	12.751	0.030	-0.030	OMM	12.748	12.759	12.749	-0.003	0.008	-0.002	12.752	28%	12%			OK
82	Distance	1.706	0.030	-0.030	OMM	1.716	1.711	1.713	0.010	0.005	0.007	1.713	32%	0%			OK
83	Parallelism	0.000	0.030	0.000	OMM	0.013	0.011	0.008	0.013	0.011	0.008	0.010	42%				OK
84	Parallelism	0.000	0.030	0.000	OMM	0.008	0.008	0.008	0.008	0.008	0.008	0.008	26%				OK
85-1	Distance	0.000	0.030	-0.030	OMM	0.003	-0.001	0.003	0.003	-0.001	0.003	0.002	9%				OK
85-2	Distance	0.000	0.030	-0.030	OMM	0.005	0.002	0.000	0.005	0.002	0.000	0.003	16%				OK
85-3	Distance	0.000	0.030	-0.030	OMM	0.006	0.003	0.004	0.006	0.003	0.004	0.005	21%				OK
85-4	Distance	0.000	0.030	-0.030	OMM	0.007	0.009	0.008	0.007	0.009	0.008	0.008	29%				OK
85-5	Distance	0.000	0.030	-0.030	OMM	0.005	0.005	0.001	0.005	0.005	0.001	0.004	17%				OK
85-6	Distance	0.000	0.030	-0.030	OMM	0.003	0.003	0.001	0.003	0.003	0.001	0.002	11%				OK
86-1	Distance	0.000	0.030	-0.030	OMM	0.004	0.000	0.004	0.004	0.000	0.004	0.003	15%				OK
86-2	Distance	0.000	0.030	-0.030	OMM	0.007	0.005	0.008	0.007	0.005	0.008	0.007	26%				OK
86-3	Distance	0.000	0.030	-0.030	OMM	-0.003	0.008	-0.004	-0.003	0.008	-0.004	0.000	28%				OK
86-4	Distance	0.000	0.030	-0.030	OMM	-0.004	0.008	0.003	-0.004	0.008	0.003	0.003	28%				OK
86-5	Distance	0.000	0.030	-0.030	OMM	0.004	0.001	0.004	0.004	0.001	0.004	0.003	15%				OK
86-6	Distance	0.000	0.030	-0.030	OMM	-0.002	-0.005	0.002	-0.002	-0.005	0.002	-0.002	7%				OK
90-1	Height	0.037	0.035	-0.035	OMM	0.031	0.035	0.039	-0.006	-0.002	0.002	0.035	7%	16%			OK
90-2	Height	0.037	0.035	-0.035	OMM	0.025	0.029	0.038	-0.012	-0.008	0.001	0.030	2%	35%			OK
91	Parallelism	0.000	0.035	0.000	OMM	0.007	0.013	0.005	0.007	0.013	0.005	0.008	38%				OK
92	Parallelism	0.000	0.060	0.000	OMM	0.024	0.024	0.023	0.024	0.024	0.023	0.024	41%				OK
94-1	Distance	0.800	0.020	-0.020	OMM	0.807	0.801	0.803	0.007	0.001	0.003	0.804	37%	0%			OK
94-2	Distance	0.800	0.020	-0.020	OMM	0.807	0.796	0.800	0.007	-0.004	0.000	0.801	35%	19%			OK
95	Distance	11.807	0.020	-0.020	OMM	11.803	11.798	11.806	-0.004	-0.009	-0.001	11.802	0%	47%			OK
96	Face profile degree	0.000	0.030	0.000	OMM	0.011	0.010	0.010	0.011	0.010	0.010	0.011	37%				OK
97	Face profile degree	0.000	0.030	0.000	OMM	0.012	0.014	0.011	0.012	0.014	0.011	0.012	45%				OK
99	Surface profile	0.000	0.030	0.000	OMM	0.016	0.015	0.015	0.016	0.015	0.015	0.015	53%				OK
100	Surface profile	0.000	0.030	0.000	OMM	0.021	0.021	0.013	0.021	0.021	0.013	0.018	71%		Alert		OK

Enhanced Cpk Data Sheet - Enclosures MD

DRAWING SPECIFICATIONS									CALCULATED RESULTS							
SPC	FAI#	Description	Nominal	(USL for one sided spec) TOL+	(LSL for one sided spec) TOL-	Inspection Method	USL	LSL	Maximum	Minimum	Mean	Std Dev	Yield	Normality Test	Normality Result	Notes
C	3-1	Distance	0.500	0.010	-0.010	OMM	0.510	0.490	0.507	0.494	0.500	0.003	100%			OK
C	3-2	Distance	0.500	0.010	-0.010	OMM	0.510	0.490	0.507	0.495	0.500	0.003	100%			OK
C	3-3	Distance	0.500	0.010	-0.010	OMM	0.510	0.490	0.505	0.494	0.498	0.003	100%			OK
D	4	Parallelism	0.000	0.020	0.000	OMM	0.020	0.000	0.014	0.000	0.004	0.003	100%			OK
E	5	Parallelism	0.000	0.025	0.000	OMM	0.025	0.000	0.021	0.001	0.013	0.005	100%			OK
F	6	Flatness	0.000	0.020	0.000	OMM	0.020	0.000	0.014	0.001	0.007	0.004	100%			OK
G	7	Distance	12.612	0.020	-0.020	OMM	12.632	12.592	12.627	12.607	12.614	0.005	100%			OK
H	8-1	Distance	0.040	0.020	-0.020	OMM	0.060	0.020	0.041	0.031	0.037	0.002	100%			OK
H	8-2	Distance	0.040	0.020	-0.020	OMM	0.060	0.020	0.041	0.027	0.034	0.003	100%			OK
I	9	Distance	12.382	0.020	-0.020	OMM	12.402	12.362	12.394	12.377	12.385	0.004	100%			OK
J	10	Distance	14.726	0.020	-0.020	OMM	14.746	14.706	14.741	14.720	14.726	0.005	100%			OK
K	11	Distance	14.506	0.020	-0.020	OMM	14.526	14.486	14.514	14.491	14.503	0.007	99%			OK
L	12-1	Distance	0.050	0.020	-0.020	OMM	0.070	0.030	0.053	0.035	0.046	0.004	100%			OK
L	12-2	Distance	0.050	0.020	-0.020	OMM	0.070	0.030	0.051	0.034	0.044	0.004	100%			OK
M	13-1	Distance	9.919	0.020	-0.020	OMM	9.939	9.899	9.935	9.913	9.922	0.006	100%			OK
M	13-2	Distance	9.919	0.020	-0.020	OMM	9.939	9.899	9.938	9.914	9.922	0.006	100%			OK
M	13-3	Distance	9.919	0.020	-0.020	OMM	9.939	9.899	9.931	9.903	9.917	0.007	100%			OK
N	14-1	Distance	12.795	0.020	-0.020	OMM	12.815	12.775	12.798	12.775	12.791	0.005	100%			OK
N	14-2	Distance	12.795	0.020	-0.020	OMM	12.815	12.775	12.799	12.777	12.790	0.005	100%			OK
N	14-3	Distance	12.795	0.020	-0.020	OMM	12.815	12.775	12.799	12.779	12.793	0.005	100%			OK
P	16_1	Distance	0.105	0.020	-0.020	OMM	0.125	0.085	0.106	0.094	0.099	0.003	100%			OK
P	16_2	Distance	0.105	0.020	-0.020	OMM	0.125	0.085	0.113	0.089	0.102	0.006	100%			OK
R	18-1	Distance	0.910	0.020	-0.020	OMM	0.930	0.890	0.915	0.900	0.909	0.004	100%			OK
R	18-2	Distance	0.910	0.020	-0.020	OMM	0.930	0.890	0.915	0.898	0.904	0.003	100%			OK
R	18-3	Distance	0.910	0.020	-0.020	OMM	0.930	0.890	0.914	0.902	0.908	0.003	100%			OK
S	19-1	Distance	0.860	0.025	-0.025	OMM	0.885	0.835	0.877	0.858	0.866	0.006	100%			OK
S	19-2	Distance	0.860	0.025	-0.025	OMM	0.885	0.835	0.870	0.845	0.857	0.008	100%			OK
S	19-3	Distance	0.860	0.025	-0.025	OMM	0.885	0.835	0.870	0.850	0.860	0.005	100%			OK
X	24-1	Distance	0.870	0.025	-0.025	OMM	0.895	0.845	0.889	0.857	0.878	0.008	98%			OK
X	24-2	Distance	0.870	0.025	-0.025	OMM	0.895	0.845	0.882	0.855	0.871	0.007	100%			OK
Y	25	Distance	12.562	0.020	-0.020	OMM	12.582	12.542	12.570	12.553	12.560	0.005	100%			OK
Z	26	Distance	12.332	0.020	-0.020	OMM	12.352	12.312	12.343	12.326	12.333	0.004	100%			OK
AA	27-1	Distance	0.355	0.025	-0.025	OMM	0.380	0.330	0.370	0.340	0.354	0.007	100%			OK
AA	27-2	Distance	0.355	0.025	-0.025	OMM	0.380	0.330	0.371	0.348	0.362	0.006	100%			OK
AA	27-3	Distance	0.355	0.025	-0.025	OMM	0.380	0.330	0.367	0.349	0.355	0.004	100%			OK
AA	27-4	Distance	0.355	0.025	-0.025	OMM	0.380	0.330	0.369	0.337	0.357	0.009	99%			OK
AB	28	Distance	0.963	0.020	-0.020	OMM	0.983	0.943	0.972	0.954	0.962	0.005	100%			OK
AC	29	Distance	1.580	0.020	-0.020	OMM	1.600	1.560	1.590	1.570	1.580	0.006	100%			OK
AN	31-1	Distance	6.901	0.015	-0.015	OMM	6.916	6.886	6.913	6.890	6.902	0.006	99%			OK
AN	31-2	Distance	6.901	0.015	-0.015	OMM	6.916	6.886	6.907	6.893	6.901	0.003	100%			OK
AN	31-3	Distance	6.901	0.015	-0.015	OMM	6.916	6.886	6.907	6.892	6.900	0.004	100%			OK
AY	34-1	Distance	7.801	0.030	-0.030	OMM	7.831	7.771	7.814	7.797	7.805	0.005	100%			OK
AY	34-2	Distance	7.801	0.030	-0.030	OMM	7.831	7.771	7.821	7.783	7.808	0.009	100%			OK
AY	34-3	Distance	7.801	0.030	-0.030	OMM	7.831	7.771	7.804	7.790	7.799	0.003	100%			OK
AW	35-1	Distance	10.155	0.030	-0.030	OMM	10.185	10.125	10.159	10.135	10.146	0.006	100%			OK
AW	35-2	Distance	10.155	0.030	-0.030	OMM	10.185	10.125	10.163	10.142	10.152	0.005	100%			OK
AU	37-1	Distance	0.626	0.020	-0.020	OMM	0.646	0.606	0.637	0.617	0.625	0.005	100%			OK
AU	37-2	Distance	0.626	0.020	-0.020	OMM	0.646	0.606	0.635	0.614	0.622	0.005	100%			OK
AV	38-1	Distance	1.953	0.030	-0.030	OMM	1.983	1.923	1.977	1.956	1.967	0.005	100%			OK
AV	38-2	Distance	1.953	0.030	-0.030	OMM	1.983	1.923	1.978	1.951	1.965	0.006	100%			OK
AX	48-1	Distance	2.243	0.030	-0.030	OMM	2.273	2.213	2.246	2.225	2.235	0.006	100%			OK
AX	48-2	Distance	2.243	0.030	-0.030	OMM	2.273	2.213	2.257	2.223	2.237	0.009	100%			OK
AX	48-3	Distance	2.243	0.030	-0.030	OMM	2.273	2.213	2.246	2.232	2.239	0.004	100%			OK
AO	52-1	Distance	6.906	0.025	-0.015	OMM	6.931	6.891	6.917	6.899	6.910	0.004	100%			OK
AO	52-2	Distance	6.906	0.025	-0.015	OMM	6.931	6.891	6.924	6.900	6.909	0.005	100%			OK
AO	52-3	Distance	6.906	0.025	-0.015	OMM	6.931	6.891	6.923	6.900	6.909	0.005	100%			OK
AE	56	Distance	0.470	0.010	-0.030	OMM	0.480	0.440	0.470	0.445	0.456	0.006	100%			OK
AF	57	Distance	0.250	0.010	-0.030	OMM	0.260	0.220	0.253	0.228	0.241	0.007	99%			OK
AD	58-1	Distance	0.411	0.010	-0.030	OMM	0.421	0.381	0.412	0.391	0.398	0.004	100%			OK
AD	58-2	Distance	0.411	0.010	-0.030	OMM	0.421	0.381	0.413	0.391	0.399	0.005	100%			OK
AG	59-1	Distance	0.170	0.020	-0.020	OMM	0.190	0.150	0.180	0.158	0.171	0.005	100%			OK
AG	59-2	Distance	0.170	0.020	-0.020	OMM	0.190	0.150	0.183	0.153	0.169	0.007	100%			OK
AH	65-1	Distance	1.461	0.020	-0.020	OMM	1.481	1.441	1.477	1.446	1.460	0.006	100%			OK
AH	65-2	Distance	1.461	0.020	-0.020	OMM	1.481	1.441	1.479	1.445	1.459	0.006	100%			OK
AI	67_1	Distance	0.392	0.030	-0.030	OMM	0.422	0.362	0.406	0.379	0.392	0.007	100%			OK
AI	67_2	Distance	0.392	0.030	-0.030	OMM	0.422	0.362	0.409	0.378	0.393	0.007	100%			OK
AI	67_3	Distance	0.392	0.030	-0.030	OMM	0.422	0.362	0.404	0.379	0.393	0.006	100%			OK
AI	67_4	Distance	0.392	0.030	-0.030	OMM	0.422	0.362	0.404	0.379	0.392	0.006	100%			OK
AI	67_5	Distance	0.392	0.030	-0.030	OMM	0.422	0.362	0.408	0.374	0.391	0.009	100%			OK
AI	67_6	Distance	0.392	0.030	-0.030	OMM	0.422	0.362	0.407	0.381	0.392	0.007	100%			OK
AI	67_7	Distance	0.392	0.030	-0.030	OMM	0.422	0.362	0.408	0.375	0.395	0.007	100%			OK
AI	67_8	Distance	0.392	0.030	-0.030	OMM	0.422	0.362	0.414	0.379	0.397	0.008	100%			OK
AI	67_9	Distance	0.392	0.030	-0.030	OMM	0.422	0.362	0.413	0.381	0.397	0.007	100%			OK
AI	67_10	Distance	0.392	0.030	-0.030	OMM	0.422	0.362	0.405	0.378	0.394	0.008	100%			OK
AI	67_11	Distance	0.392	0.030	-0.030	OMM	0.422	0.362	0.403	0.380	0.393	0.006	100%			OK
AI	67_12	Distance	0.392	0.030	-0.030	OMM	0.422	0.362	0.401	0.371	0.388	0.008	100%			OK
AI	67_13	Distance	0.392	0.030	-0.030	OMM	0.422	0.362	0.399	0.375	0.388	0.005	100%			OK
AL	72-1	Distance	0.790	0.020	-0.020	OMM	0.810	0.770	0.792	0.779	0.786	0.004	100%			OK
AL	72-2	Distance	0.790	0.020	-0.020	OMM	0.810	0.770	0.794	0.777	0.786	0.004	100%			OK
AL	72-3	Distance	0.790	0.020	-0.020	OMM	0.810	0.770	0.795	0.776	0.788	0.004	100%			OK
AM	73-1	Distance	0.790	0.020	-0.020	OMM	0.810	0.770	0.798	0.772	0.790	0.005	100%			OK
AM	73-2	Distance	0.790	0.020	-0.020	OMM	0.810	0.770	0.807	0.776	0.793	0.005	100%			OK
AM	73-3	Distance	0.790	0.020	-0.020	OMM	0.810	0.770	0.801	0.777	0.791	0.005	100%			OK
AZ	90-1	Height	0.037	0.035	-0.035	OMM	0.072	0.002	0.052	0.022	0.037	0.009	100%			OK
AZ	90-2	Height	0.037	0.035	-0.035	OMM	0.072	0.002	0.053	0.018	0.034	0.008	100%			OK
BA	91	Parallelism	0.000	0.035	0.000	OMM	0.035	0.000	0.021	0.004	0.011	0.004	100%			OK
BB	92	Parallelism	0.000	0.060	0.000	OMM	0.060	0.000	0.033	0.013	0.024	0.004	100%			OK
BC	94-1	Distance	0.800	0.020	-0.020	OMM	0.820	0.780	0.812	0.790	0.805	0.005	100%			OK
BC	94-2	Distance	0.800	0.020	-0.020	OMM	0.820	0.780	0.809	0.791	0.800	0.004	100%			OK
BD	95	Distance	11.807	0.020	-0.020	OMM	11.827	11.787	11.814	11.789	11.806	0.006	100%			OK
BE	99	Surface profile	0.000	0.030	0.000	OMM	0.030	0.000	0.021	0.009	0.015	0.003	100%			OK
BF	100	Surface profile	0.000	0.030	0.000	OMM	0.030	0.000	0.027	0.010	0.017	0.004	100%			OK

MEASURED DATA

SPC	FAI#	N#4	K#2	J#2	A#1	B#1	C#3	F#1	G#3	J#3	K#3	N#1	K#4
C	3-1	0.499	0.497	0.503	0.502	0.498	0.498	0.499	0.500	0.497	0.496	0.505	0.505
C	3-2	0.503	0.501	0.497	0.500	0.495	0.500	0.500	0.502	0.496	0.502	0.504	0.502
C	3-3	0.496	0.496	0.502	0.495	0.496	0.497	0.498	0.501	0.499	0.498	0.499	0.496
D	4	0.001	0.005	0.003	0.004	0.008	0.007	0.008	0.000	0.003	0.002	0.004	0.001
E	5	0.016	0.009	0.013	0.018	0.011	0.004	0.009	0.008	0.011	0.008	0.018	0.017
F	6	0.010	0.006	0.012	0.001	0.005	0.001	0.010	0.006	0.012	0.005	0.013	0.010
G	7	12.615	12.610	12.612	12.610	12.620	12.611	12.627	12.617	12.617	12.611	12.612	12.607
H	8-1	0.035	0.037	0.040	0.038	0.039	0.039	0.031	0.038	0.039	0.038	0.036	0.037
H	8-2	0.038	0.036	0.035	0.031	0.028	0.034	0.027	0.037	0.036	0.036	0.041	0.036
I	9	12.386	12.383	12.383	12.380	12.379	12.380	12.394	12.390	12.390	12.383	12.386	12.383
J	10	14.730	14.728	14.722	14.725	14.721	14.731	14.741	14.724	14.724	14.731	14.722	14.726
K	11	14.511	14.510	14.505	14.495	14.492	14.502	14.513	14.498	14.508	14.514	14.506	14.510
L	12-1	0.041	0.052	0.047	0.046	0.035	0.048	0.044	0.048	0.044	0.047	0.045	0.052
L	12-2	0.041	0.049	0.044	0.045	0.034	0.045	0.041	0.044	0.042	0.044	0.047	0.051
M	13-1	9.916	9.922	9.919	9.924	9.920	9.920	9.920	9.929	9.919	9.935	9.914	9.934
M	13-2	9.920	9.927	9.922	9.920	9.922	9.918	9.920	9.921	9.915	9.936	9.916	9.936
M	13-3	9.903	9.923	9.915	9.919	9.912	9.913	9.915	9.928	9.908	9.931	9.927	9.926
N	14-1	12.789	12.796	12.790	12.788	12.790	12.794	12.795	12.796	12.790	12.795	12.790	12.793
N	14-2	12.794	12.795	12.790	12.788	12.788	12.789	12.799	12.794	12.788	12.795	12.796	12.791
N	14-3	12.792	12.798	12.792	12.786	12.790	12.793	12.796	12.797	12.793	12.798	12.793	12.796
P	16_1	0.094	0.100	0.099	0.094	0.102	0.096	0.103	0.100	0.094	0.100	0.095	0.102
P	16_2	0.102	0.095	0.110	0.089	0.108	0.101	0.105	0.113	0.100	0.100	0.100	0.100
R	18-1	0.911	0.910	0.909	0.906	0.904	0.900	0.911	0.911	0.913	0.911	0.912	0.907
R	18-2	0.911	0.904	0.904	0.903	0.900	0.899	0.904	0.904	0.906	0.906	0.915	0.902
R	18-3	0.912	0.912	0.903	0.910	0.902	0.905	0.907	0.906	0.907	0.911	0.911	0.910
S	19-1	0.867	0.862	0.864	0.864	0.874	0.869	0.876	0.861	0.859	0.864	0.877	0.859
S	19-2	0.853	0.846	0.854	0.856	0.868	0.859	0.863	0.853	0.850	0.847	0.869	0.845
S	19-3	0.862	0.856	0.857	0.856	0.865	0.862	0.869	0.856	0.851	0.861	0.870	0.854
X	24-1	0.884	0.877	0.882	0.867	0.874	0.886	0.878	0.884	0.886	0.888	0.859	0.883
X	24-2	0.878	0.868	0.874	0.860	0.868	0.882	0.873	0.876	0.873	0.879	0.856	0.876
Y	25	12.558	12.556	12.556	12.559	12.560	12.558	12.570	12.566	12.559	12.556	12.557	12.553
Z	26	12.330	12.329	12.330	12.326	12.338	12.332	12.343	12.335	12.336	12.330	12.332	12.329
AA	27-1	0.370	0.354	0.358	0.347	0.358	0.352	0.352	0.363	0.355	0.363	0.365	0.353
AA	27-2	0.361	0.363	0.366	0.360	0.364	0.349	0.361	0.367	0.365	0.366	0.363	0.371
AA	27-3	0.362	0.356	0.354	0.354	0.353	0.352	0.353	0.359	0.355	0.358	0.367	0.358
AA	27-4	0.354	0.358	0.367	0.342	0.358	0.353	0.361	0.366	0.366	0.364	0.348	0.361
AB	28	0.965	0.963	0.957	0.971	0.965	0.961	0.960	0.957	0.959	0.963	0.971	0.961
AC	29	1.587	1.582	1.579	1.589	1.587	1.578	1.581	1.574	1.584	1.572	1.588	1.578
AN	31-1	6.906	6.912	6.910	6.900	6.898	6.901	6.908	6.896	6.904	6.904	6.907	6.906
AN	31-2	6.899	6.902	6.902	6.906	6.895	6.905	6.901	6.900	6.906	6.901	6.901	6.898
AN	31-3	6.901	6.905	6.902	6.899	6.895	6.907	6.901	6.902	6.898	6.897	6.906	6.896
AY	34-1	7.807	7.806	7.802	7.806	7.812	7.802	7.798	7.804	7.807	7.808	7.802	7.806
AY	34-2	7.801	7.812	7.809	7.800	7.817	7.821	7.802	7.812	7.811	7.818	7.783	7.813
AY	34-3	7.798	7.797	7.798	7.795	7.803	7.801	7.799	7.801	7.803	7.797	7.800	7.801
AW	35-1	10.150	10.138	10.150	10.149	10.135	10.155	10.148	10.145	10.148	10.144	10.152	10.142
AW	35-2	10.155	10.150	10.145	10.156	10.144	10.155	10.152	10.149	10.150	10.155	10.159	10.151
AU	37-1	0.634	0.627	0.625	0.624	0.628	0.635	0.618	0.626	0.624	0.619	0.628	0.621
AU	37-2	0.632	0.624	0.621	0.620	0.625	0.630	0.614	0.623	0.622	0.615	0.625	0.619
AV	38-1	1.968	1.977	1.963	1.956	1.971	1.966	1.971	1.962	1.968	1.967	1.963	1.972
AV	38-2	1.966	1.971	1.974	1.951	1.974	1.966	1.968	1.965	1.965	1.965	1.960	1.970
AX	48-1	2.232	2.233	2.237	2.236	2.225	2.233	2.246	2.234	2.236	2.230	2.237	2.231
AX	48-2	2.231	2.230	2.231	2.248	2.225	2.237	2.246	2.233	2.235	2.223	2.247	2.229
AX	48-3	2.241	2.237	2.239	2.244	2.236	2.236	2.244	2.237	2.236	2.237	2.239	2.233
AO	52-1	6.914	6.916	6.910	6.913	6.907	6.911	6.911	6.912	6.904	6.912	6.913	6.907
AO	52-2	6.908	6.915	6.908	6.907	6.907	6.917	6.907	6.909	6.905	6.909	6.906	6.911
AO	52-3	6.908	6.923	6.914	6.905	6.907	6.903	6.910	6.908	6.900	6.911	6.912	6.912
AE	56	0.453	0.459	0.449	0.453	0.470	0.454	0.451	0.460	0.449	0.455	0.454	0.454
AF	57	0.244	0.234	0.233	0.249	0.248	0.245	0.235	0.242	0.234	0.228	0.244	0.232
AD	58-1	0.398	0.399	0.397	0.399	0.400	0.407	0.391	0.398	0.397	0.397	0.400	0.398
AD	58-2	0.397	0.398	0.397	0.398	0.400	0.411	0.392	0.401	0.397	0.397	0.397	0.397
AG	59-1	0.173	0.169	0.180	0.164	0.166	0.176	0.171	0.178	0.172	0.172	0.167	0.171
AG	59-2	0.171	0.163	0.179	0.154	0.171	0.174	0.166	0.183	0.169	0.170	0.165	0.167
AH	65-1	1.466	1.463	1.456	1.461	1.477	1.456	1.460	1.456	1.462	1.446	1.464	1.448
AH	65-2	1.465	1.458	1.456	1.459	1.479	1.455	1.457	1.455	1.461	1.445	1.463	1.447
AI	67_1	0.384	0.397	0.390	0.396	0.382	0.386	0.398	0.399	0.395	0.404	0.391	0.396
AI	67_2	0.388	0.385	0.394	0.406	0.390	0.380	0.388	0.402	0.390	0.397	0.391	0.388
AI	67_3	0.399	0.398	0.398	0.381	0.388	0.386	0.398	0.388	0.404	0.395	0.393	0.394
AI	67_4	0.394	0.385	0.394	0.382	0.389	0.394	0.396	0.404	0.393	0.391	0.401	0.391
AI	67_5	0.388	0.389	0.391	0.389	0.380	0.408	0.393	0.387	0.392	0.398	0.395	0.385
AI	67_6	0.383	0.398	0.388	0.398	0.384	0.386	0.395	0.398	0.395	0.404	0.389	0.399
AI	67_7	0.375	0.391	0.392	0.404	0.390	0.393	0.396	0.404	0.400	0.398	0.385	0.404
AI	67_8	0.401	0.402	0.404	0.384	0.397	0.388	0.399	0.399	0.414	0.403	0.394	0.403
AI	67_9	0.402	0.402	0.405	0.384	0.395	0.389	0.399	0.397	0.413	0.403	0.396	0.400
AI	67_10	0.400	0.398	0.399	0.391	0.400	0.378	0.395	0.379	0.404	0.399	0.393	0.386
AI	67_11	0.394	0.398	0.399	0.387	0.386	0.384	0.399	0.386	0.401	0.396	0.390	0.393
AI	67_12	0.380	0.382	0.396	0.394	0.383	0.381	0.385	0.388	0.398	0.384	0.380	0.377
AI	67_13	0.389	0.381	0.389	0.381	0.386	0.389	0.392	0.399	0.389	0.386	0.397	0.383
AL	72-1	0.781	0.783	0.786	0.788	0.791	0.782	0.787	0.784	0.789	0.783	0.786	0.785
AL	72-2	0.782	0.785	0.786	0.784	0.790	0.782	0.788	0.786	0.789	0.781	0.784	0.788
AL	72-3	0.787	0.787	0.789	0.787	0.795	0.786	0.787	0.792	0.794	0.788	0.788	0.789
AM	73-1	0.788	0.798	0.794	0.791	0.790	0.788	0.792	0.790	0.791	0.797	0.783	0.792
AM	73-2	0.795	0.797	0.801	0.788	0.796	0.791	0.792	0.792	0.798	0.794	0.790	0.791
AM	73-3	0.790	0.797	0.797	0.785	0.792	0.786	0.792	0.789	0.794	0.792	0.781	0.793
AZ	90-1	0.031	0.035	0.039	0.029	0.035	0.032	0.050	0.052	0.047	0.032	0.023	0.050
AZ	90-2	0.025	0.029	0.038	0.031	0.030	0.044	0.035	0.053	0.038	0.031	0.031	0.050
BA	91	0.007	0.013	0.005	0.014	0.011	0.008	0.009	0.008	0.007	0.009	0.008	0.018
BB	92	0.024	0.024	0.023	0.022	0.023	0.025	0.030	0.025	0.025	0.022	0.025	0.027
BC	94-1	0.807	0.801	0.803	0.810	0.808	0.800	0.811	0.800	0.803	0.802	0.807	0.790
BC	94-2	0.807	0.796	0.800	0.806	0.800	0.792	0.803	0.800	0.800	0.800	0.803	0.791
BD	95	11.803	11.798	11.806	11.812	11.811	11.803	11.813	11.809	11.808	11.804	11.810	11.789
BE	99	0.016	0.015	0.015	0.019	0.009	0.011	0.015	0.016	0.013	0.019	0.015	0.018
BF	100	0.021	0.021	0.013	0.016	0.016	0.012	0.023	0.013	0.016	0.022	0.024	0.020

SPC	FAI#	K#2	A#4	K#1	A#2	A#3	G#2	F#2	G#4
C	3-1	0.498	0.507	0.498	0.506	0.507	0.499	0.500	0.500
C	3-2	0.502	0.501	0.502	0.500	0.500	0.499	0.501	0.502
C	3-3	0.499	0.503	0.501	0.499	0.504	0.497	0.498	0.494
D	4	0.005	0.004	0.005	0.004	0.003	0.000	0.006	0.005
E	5	0.013	0.015	0.015	0.010	0.021	0.005	0.014	0.014
F	6	0.008	0.005	0.013	0.002	0.005	0.004	0.009	0.012
G	7	12.609	12.614	12.610	12.614	12.610	12.616	12.625	12.613
H	8-1	0.036	0.038	0.037	0.038	0.038	0.038	0.034	0.037
H	8-2	0.037	0.031	0.037	0.031	0.037	0.037	0.029	0.036
I	9	12.383	12.386	12.383	12.386	12.385	12.386	12.392	12.387
J	10	14.727	14.723	14.727	14.720	14.728	14.722	14.725	14.730
K	11	14.509	14.500	14.509	14.493	14.499	14.498	14.503	14.511
L	12-1	0.053	0.044	0.051	0.048	0.045	0.047	0.042	0.046
L	12-2	0.049	0.042	0.046	0.044	0.041	0.044	0.041	0.044
M	13-1	9.930	9.931	9.934	9.920	9.921	9.926	9.915	9.929
M	13-2	9.930	9.928	9.938	9.918	9.914	9.923	9.922	9.921
M	13-3	9.920	9.924	9.930	9.917	9.925	9.919	9.921	9.911
N	14-1	12.794	12.791	12.795	12.787	12.789	12.798	12.792	12.793
N	14-2	12.794	12.793	12.793	12.787	12.791	12.793	12.792	12.789
N	14-3	12.797	12.791	12.797	12.786	12.790	12.799	12.793	12.792
P	16_1	0.102	0.096	0.103	0.099	0.095	0.101	0.104	0.100
P	16_2	0.097	0.102	0.109	0.104	0.094	0.112	0.099	0.104
R	18-1	0.913	0.908	0.910	0.909	0.910	0.908	0.914	0.913
R	18-2	0.905	0.906	0.903	0.903	0.906	0.901	0.906	0.907
R	18-3	0.912	0.910	0.910	0.910	0.909	0.907	0.910	0.910
S	19-1	0.861	0.861	0.862	0.866	0.865	0.867	0.866	0.864
S	19-2	0.851	0.848	0.845	0.859	0.859	0.861	0.856	0.857
S	19-3	0.857	0.854	0.857	0.860	0.858	0.861	0.862	0.861
X	24-1	0.880	0.876	0.879	0.867	0.872	0.886	0.882	0.885
X	24-2	0.871	0.868	0.872	0.861	0.864	0.877	0.873	0.878
Y	25	12.555	12.559	12.554	12.560	12.554	12.569	12.568	12.566
Z	26	12.329	12.331	12.328	12.330	12.332	12.332	12.339	12.333
AA	27-1	0.349	0.354	0.356	0.345	0.340	0.360	0.349	0.361
AA	27-2	0.362	0.369	0.365	0.354	0.360	0.365	0.359	0.369
AA	27-3	0.358	0.360	0.350	0.354	0.352	0.360	0.356	0.355
AA	27-4	0.360	0.357	0.365	0.344	0.344	0.362	0.364	0.369
AB	28	0.963	0.966	0.962	0.969	0.972	0.954	0.963	0.955
AC	29	1.588	1.578	1.586	1.585	1.573	1.570	1.583	1.573
AN	31-1	6.905	6.890	6.910	6.903	6.890	6.895	6.901	6.895
AN	31-2	6.901	6.903	6.902	6.903	6.904	6.904	6.900	6.897
AN	31-3	6.906	6.902	6.898	6.903	6.896	6.892	6.894	6.896
AY	34-1	7.802	7.808	7.808	7.801	7.800	7.805	7.798	7.805
AY	34-2	7.806	7.803	7.818	7.796	7.789	7.811	7.799	7.813
AY	34-3	7.799	7.790	7.798	7.793	7.794	7.804	7.803	7.800
AW	35-1	10.139	10.140	10.140	10.149	10.146	10.148	10.146	10.137
AW	35-2	10.147	10.144	10.149	10.156	10.154	10.144	10.156	10.147
AU	37-1	0.627	0.618	0.626	0.623	0.621	0.628	0.620	0.624
AU	37-2	0.623	0.615	0.622	0.620	0.619	0.624	0.616	0.619
AV	38-1	1.975	1.966	1.971	1.957	1.963	1.967	1.968	1.971
AV	38-2	1.972	1.963	1.962	1.955	1.957	1.971	1.965	1.966
AX	48-1	2.234	2.233	2.228	2.239	2.241	2.233	2.245	2.234
AX	48-2	2.233	2.242	2.224	2.252	2.257	2.233	2.249	2.231
AX	48-3	2.235	2.244	2.233	2.246	2.245	2.233	2.240	2.238
AO	52-1	6.911	6.908	6.915	6.907	6.908	6.913	6.917	6.913
AO	52-2	6.914	6.905	6.913	6.910	6.902	6.911	6.914	6.907
AO	52-3	6.906	6.907	6.911	6.908	6.900	6.909	6.910	6.915
AE	56	0.459	0.452	0.460	0.455	0.454	0.462	0.455	0.445
AF	57	0.231	0.245	0.234	0.251	0.244	0.243	0.253	0.239
AD	58-1	0.399	0.401	0.399	0.400	0.400	0.400	0.397	0.401
AD	58-2	0.399	0.404	0.397	0.399	0.401	0.400	0.396	0.400
AG	59-1	0.168	0.175	0.174	0.170	0.161	0.178	0.168	0.174
AG	59-2	0.164	0.169	0.174	0.168	0.153	0.180	0.166	0.175
AH	65-1	1.454	1.463	1.454	1.456	1.459	1.455	1.460	1.460
AH	65-2	1.455	1.463	1.454	1.456	1.458	1.454	1.459	1.458
AI	67_1	0.398	0.397	0.406	0.387	0.389	0.388	0.398	0.393
AI	67_2	0.387	0.409	0.386	0.400	0.402	0.396	0.386	0.399
AI	67_3	0.397	0.387	0.393	0.385	0.379	0.394	0.394	0.400
AI	67_4	0.391	0.389	0.389	0.381	0.379	0.399	0.394	0.393
AI	67_5	0.392	0.382	0.399	0.378	0.379	0.386	0.389	0.402
AI	67_6	0.397	0.401	0.407	0.389	0.390	0.385	0.393	0.390
AI	67_7	0.392	0.408	0.403	0.398	0.396	0.392	0.396	0.394
AI	67_8	0.397	0.390	0.403	0.389	0.379	0.399	0.398	0.407
AI	67_9	0.399	0.388	0.401	0.386	0.381	0.398	0.396	0.405
AI	67_10	0.396	0.380	0.404	0.394	0.393	0.388	0.389	0.399
AI	67_11	0.396	0.393	0.390	0.387	0.388	0.393	0.394	0.392
AI	67_12	0.383	0.399	0.371	0.395	0.396	0.395	0.382	0.395
AI	67_13	0.387	0.384	0.381	0.377	0.375	0.393	0.391	0.390
AL	72-1	0.779	0.783	0.782	0.785	0.781	0.788	0.786	0.789
AL	72-2	0.777	0.780	0.781	0.787	0.780	0.787	0.790	0.788
AL	72-3	0.776	0.787	0.786	0.790	0.781	0.790	0.787	0.793
AM	73-1	0.787	0.786	0.792	0.785	0.790	0.788	0.790	0.789
AM	73-2	0.787	0.794	0.793	0.789	0.791	0.797	0.788	0.794
AM	73-3	0.789	0.788	0.792	0.786	0.791	0.789	0.789	0.795
AZ	90-1	0.031	0.040	0.027	0.032	0.022	0.045	0.047	0.032
AZ	90-2	0.030	0.047	0.032	0.037	0.029	0.038	0.034	0.032
BA	91	0.018	0.014	0.008	0.009	0.018	0.009	0.012	0.007
BB	92	0.029	0.016	0.021	0.016	0.021	0.029	0.029	0.023
BC	94-1	0.800	0.809	0.804	0.810	0.812	0.799	0.810	0.801
BC	94-2	0.795	0.805	0.799	0.806	0.809	0.798	0.804	0.796
BD	95	11.797	11.811	11.801	11.814	11.812	11.807	11.813	11.805
BE	99	0.016	0.017	0.017	0.015	0.016	0.011	0.014	0.015
BF	100	0.018	0.023	0.024	0.017	0.012	0.015	0.018	0.020

SPC	FAI#	F#3	F#4	G#1	B#2	C#4	J#4	B#3	B#4	C#1	J#1	C#2	J#2
C	3-1	0.501	0.500	0.497	0.494	0.501	0.503	0.501	0.496	0.501	0.497	0.496	0.500
C	3-2	0.507	0.501	0.497	0.499	0.500	0.498	0.495	0.495	0.499	0.501	0.497	0.504
C	3-3	0.499	0.499	0.498	0.499	0.497	0.499	0.494	0.496	0.500	0.500	0.505	0.499
D	4	0.003	0.006	0.009	0.014	0.005	0.007	0.008	0.004	0.003	0.002	0.003	0.003
E	5	0.014	0.013	0.017	0.013	0.006	0.017	0.021	0.001	0.011	0.010	0.011	0.015
F	6	0.008	0.010	0.012	0.004	0.001	0.014	0.009	0.001	0.006	0.009	0.006	0.011
G	7	12.623	12.620	12.617	12.617	12.607	12.618	12.612	12.613	12.612	12.611	12.612	12.613
H	8-1	0.034	0.032	0.036	0.038	0.038	0.041	0.034	0.036	0.035	0.039	0.037	0.040
H	8-2	0.030	0.030	0.036	0.030	0.037	0.036	0.030	0.029	0.036	0.036	0.035	0.035
I	9	12.391	12.390	12.391	12.377	12.382	12.388	12.382	12.377	12.387	12.383	12.382	12.385
J	10	14.726	14.729	14.728	14.723	14.731	14.722	14.720	14.722	14.727	14.720	14.727	14.722
K	11	14.505	14.507	14.507	14.492	14.503	14.507	14.491	14.492	14.511	14.502	14.497	14.505
L	12-1	0.048	0.046	0.046	0.043	0.043	0.046	0.045	0.040	0.045	0.049	0.049	0.046
L	12-2	0.045	0.048	0.045	0.040	0.040	0.043	0.041	0.038	0.042	0.048	0.046	0.046
M	13-1	9.916	9.921	9.926	9.918	9.920	9.913	9.921	9.917	9.926	9.917	9.924	9.917
M	13-2	9.919	9.927	9.921	9.918	9.916	9.918	9.920	9.922	9.920	9.921	9.921	9.921
M	13-3	9.916	9.915	9.912	9.917	9.914	9.912	9.912	9.911	9.914	9.916	9.913	9.919
N	14-1	12.793	12.791	12.797	12.783	12.792	12.780	12.791	12.775	12.794	12.792	12.793	12.790
N	14-2	12.792	12.795	12.795	12.780	12.789	12.777	12.782	12.781	12.796	12.789	12.789	12.787
N	14-3	12.796	12.797	12.798	12.784	12.792	12.785	12.788	12.779	12.797	12.795	12.793	12.791
P	16_1	0.102	0.106	0.098	0.102	0.099	0.095	0.100	0.100	0.097	0.097	0.097	0.100
P	16_2	0.095	0.112	0.096	0.104	0.106	0.092	0.104	0.102	0.092	0.107	0.099	0.110
R	18-1	0.911	0.910	0.915	0.909	0.903	0.908	0.906	0.912	0.902	0.909	0.903	0.909
R	18-2	0.901	0.901	0.904	0.903	0.898	0.901	0.900	0.902	0.905	0.902	0.899	0.903
R	18-3	0.909	0.904	0.910	0.905	0.904	0.904	0.905	0.906	0.914	0.904	0.904	0.903
S	19-1	0.867	0.870	0.858	0.875	0.872	0.858	0.874	0.871	0.871	0.861	0.873	0.865
S	19-2	0.855	0.855	0.845	0.870	0.868	0.849	0.869	0.864	0.867	0.851	0.864	0.857
S	19-3	0.860	0.863	0.857	0.867	0.866	0.850	0.868	0.865	0.864	0.854	0.866	0.857
X	24-1	0.875	0.857	0.862	0.884	0.875	0.877	0.875	0.881	0.872	0.885	0.889	0.881
X	24-2	0.869	0.857	0.855	0.878	0.869	0.871	0.870	0.874	0.870	0.873	0.882	0.874
Y	25	12.566	12.564	12.567	12.560	12.554	12.562	12.559	12.557	12.556	12.556	12.562	12.557
Z	26	12.339	12.337	12.336	12.340	12.336	12.334	12.339	12.337	12.335	12.330	12.337	12.330
AA	27-1	0.350	0.350	0.352	0.347	0.347	0.352	0.350	0.353	0.353	0.361	0.346	0.357
AA	27-2	0.364	0.355	0.369	0.360	0.351	0.365	0.358	0.353	0.362	0.368	0.348	0.361
AA	27-3	0.358	0.351	0.356	0.353	0.352	0.357	0.356	0.353	0.351	0.358	0.355	0.349
AA	27-4	0.359	0.363	0.363	0.350	0.350	0.369	0.337	0.354	0.354	0.367	0.343	0.365
AB	28	0.961	0.958	0.956	0.964	0.962	0.958	0.965	0.966	0.967	0.959	0.960	0.957
AC	29	1.579	1.577	1.573	1.582	1.585	1.581	1.580	1.579	1.590	1.579	1.575	1.574
AN	31-1	6.905	6.899	6.898	6.898	6.895	6.905	6.913	6.904	6.906	6.901	6.897	6.904
AN	31-2	6.899	6.902	6.899	6.893	6.906	6.897	6.902	6.899	6.907	6.895	6.905	6.901
AN	31-3	6.899	6.899	6.893	6.902	6.895	6.898	6.902	6.900	6.905	6.895	6.902	6.902
AY	34-1	7.797	7.797	7.811	7.812	7.800	7.804	7.812	7.814	7.801	7.809	7.799	7.802
AY	34-2	7.798	7.807	7.811	7.817	7.813	7.803	7.814	7.809	7.802	7.817	7.817	7.804
AY	34-3	7.802	7.801	7.802	7.804	7.797	7.802	7.802	7.803	7.799	7.795	7.801	7.799
AW	35-1	10.149	10.152	10.137	10.144	10.151	10.139	10.149	10.142	10.159	10.146	10.155	10.151
AW	35-2	10.156	10.159	10.150	10.146	10.154	10.142	10.154	10.148	10.163	10.150	10.157	10.151
AU	37-1	0.623	0.618	0.626	0.627	0.637	0.624	0.621	0.636	0.617	0.620	0.630	0.626
AU	37-2	0.619	0.617	0.624	0.623	0.632	0.622	0.618	0.635	0.614	0.617	0.623	0.623
AV	38-1	1.968	1.963	1.969	1.963	1.976	1.970	1.956	1.975	1.965	1.963	1.963	1.963
AV	38-2	1.963	1.961	1.966	1.959	1.975	1.969	1.954	1.978	1.962	1.966	1.962	1.967
AX	48-1	2.245	2.245	2.231	2.225	2.233	2.239	2.229	2.225	2.240	2.230	2.237	2.237
AX	48-2	2.246	2.243	2.236	2.226	2.232	2.237	2.231	2.235	2.245	2.229	2.242	2.236
AX	48-3	2.241	2.240	2.235	2.237	2.232	2.241	2.239	2.236	2.239	2.244	2.238	2.240
AO	52-1	6.904	6.907	6.916	6.908	6.913	6.904	6.905	6.899	6.911	6.911	6.909	6.905
AO	52-2	6.900	6.909	6.911	6.902	6.924	6.902	6.905	6.907	6.901	6.907	6.918	6.905
AO	52-3	6.905	6.909	6.916	6.909	6.915	6.902	6.907	6.911	6.916	6.908	6.904	6.907
AE	56	0.455	0.456	0.456	0.458	0.462	0.464	0.457	0.470	0.457	0.449	0.453	0.449
AF	57	0.252	0.249	0.244	0.243	0.245	0.249	0.246	0.243	0.237	0.231	0.247	0.232
AD	58-1	0.393	0.391	0.399	0.396	0.412	0.396	0.396	0.394	0.392	0.400	0.404	0.396
AD	58-2	0.395	0.391	0.401	0.399	0.413	0.399	0.397	0.395	0.394	0.397	0.408	0.398
AG	59-1	0.167	0.177	0.171	0.166	0.171	0.166	0.168	0.165	0.158	0.178	0.176	0.179
AG	59-2	0.164	0.177	0.166	0.170	0.172	0.164	0.170	0.166	0.169	0.172	0.173	0.179
AH	65-1	1.464	1.466	1.462	1.459	1.463	1.465	1.459	1.462	1.457	1.461	1.469	1.457
AH	65-2	1.463	1.464	1.449	1.459	1.461	1.463	1.460	1.459	1.459	1.461	1.468	1.457
AI	67_1	0.396	0.391	0.403	0.380	0.385	0.395	0.385	0.379	0.385	0.398	0.381	0.388
AI	67_2	0.394	0.378	0.400	0.386	0.394	0.392	0.397	0.401	0.388	0.392	0.388	0.393
AI	67_3	0.395	0.395	0.400	0.386	0.386	0.397	0.382	0.395	0.396	0.400	0.387	0.400
AI	67_4	0.391	0.387	0.400	0.387	0.391	0.396	0.390	0.389	0.392	0.401	0.393	0.391
AI	67_5	0.385	0.385	0.407	0.374	0.406	0.398	0.393	0.378	0.387	0.394	0.406	0.391
AI	67_6	0.394	0.389	0.398	0.382	0.386	0.396	0.387	0.381	0.387	0.397	0.382	0.385
AI	67_7	0.397	0.389	0.401	0.388	0.394	0.401	0.394	0.384	0.385	0.401	0.390	0.389
AI	67_8	0.394	0.398	0.402	0.392	0.386	0.401	0.389	0.392	0.395	0.408	0.385	0.405
AI	67_9	0.396	0.398	0.402	0.392	0.388	0.401	0.389	0.394	0.396	0.406	0.389	0.405
AI	67_10	0.402	0.386	0.401	0.400	0.386	0.399	0.399	0.398	0.394	0.404	0.385	0.405
AI	67_11	0.393	0.396	0.401	0.385	0.387	0.396	0.380	0.398	0.391	0.401	0.390	0.403
AI	67_12	0.381	0.379	0.401	0.383	0.386	0.396	0.384	0.396	0.382	0.398	0.389	0.399
AI	67_13	0.385	0.383	0.393	0.383	0.387	0.390	0.389	0.390	0.388	0.396	0.389	0.388
AL	72-1	0.791	0.786	0.779	0.792	0.784	0.785	0.788	0.791	0.783	0.792	0.783	0.789
AL	72-2	0.794	0.787	0.781	0.793	0.784	0.788	0.785	0.788	0.780	0.794	0.784	0.788
AL	72-3	0.792	0.789	0.782	0.794	0.786	0.788	0.786	0.794	0.783	0.793	0.782	0.793
AM	73-1	0.793	0.792	0.792	0.791	0.787	0.793	0.772	0.793	0.790	0.797	0.787	0.793
AM	73-2	0.792	0.790	0.798	0.792	0.792	0.800	0.776	0.796	0.791	0.807	0.785	0.796
AM	73-3	0.793	0.792	0.794	0.791	0.791	0.798	0.777	0.792	0.791	0.801	0.787	0.795
AZ	90-1	0.038	0.051	0.032	0.043	0.039	0.027	0.031	0.043	0.028	0.049	0.033	0.040
AZ	90-2	0.018	0.043	0.025	0.030	0.040	0.036	0.032	0.029	0.023	0.033	0.040	0.033
BA	91	0.013	0.008	0.016	0.012	0.004	0.021	0.007	0.013	0.011	0.008	0.006	0.008
BB	92	0.030	0.027	0.026	0.013	0.026	0.033	0.023	0.019	0.020	0.023	0.028	0.025
BC	94-1	0.803	0.806	0.807	0.812	0.801	0.803	0.810	0.810	0.804	0.801	0.800	0.802
BC	94-2	0.800	0.800	0.798	0.799	0.796	0.796	0.802	0.806	0.807	0.799	0.797	0.799
BD	95	11.807	11.807	11.808	11.807	11.802	11.805	11.809	11.809	11.802	11.798	11.802	11.809
BE	99	0.013	0.021	0.019	0.012	0.011	0.013	0.012	0.014	0.014	0.016	0.013	0.014
BF	100	0.013	0.017	0.027	0.016	0.013	0.015	0.011	0.013	0.010	0.016	0.013	0.012

Cosmetic Waiver List

Vendor Input														Input		
No.	Defect Name	Description	Picture	Limit Sample		Proposal		Grading Yield				Root Cause	Corrective Action	SQE disposition	SBE disposition	PD disposition
				Spec	Yield	Waiver Spec	Yield	A	B	C	D					
1																
2																
3																
4																
5																
6																
7																
8																
9																
10																

Dimensional Waiver List

					Vendor Input													
No.	FAI	SPC	Description	Inpsection Method	Spec			Yield			Waiver Proposal						Root Cause	Corrective Action
					Nominal	Tol+	Tol-	Cp	Cpk	Yield %	Nominal	Tol+	Tol-	Cp	Cpk	Yield %		
1																		
2																		
3																		
4																		
5																		

Functional Waiver List

Vendor Input																			Input		
No.	FAI	SPC	Description	Inspection Method	Spec			Yield			Waiver Proposal						Root Cause	Corrective Action	SQE disposition	SBE disposition	PD disposition
					Nominal	Tol+	Tol-	Cp	Cpk	Yield %	Nominal	Tol+	Tol-	Cp	Cpk	Yield %					
1																					
2																					
3																					
4																					
5																					
6																					
7																					
8																					
9																					
10																					

Reliability Waiver List

Vendor Input										Input		
No.	REL/ORT Test	Checkpoint	Input Qty	NG Qty	Failure Mode	Spec	Waiver Proposal	Root Cause	Corrective Action	SQE disposition	SBE disposition	PD disposition
1												
2												
3												
4												
5												

Revision	Date	Author	Comments
1	2018-08-03	Tim Burks	Initial Release