

QQC Waiver Request

Program: Memphis-Project Vendor: Dpamstech APN: 817-11233 Revision: MCO Rev.7 / MSoP Rev.1 / PGM Rev.1 Build: MP Config: -		Waiver Request Date: - Planned Shipment Date: 2026-03-16 Judgment : NG OK Quantity: 5,760 Waived Quantity: - Shipment Quantity: 5,760	Vendor Input Input
---	--	---	---

[illegible]

APN	Shipping Date	Build	Inner package	Shipping Lot No	Total Q'TY	Cavity	Shipping Qty	Unit
817-11233	2026-03-16	MP	3HUR00019A/720/DP261122030K3BXM	20260315-395-B	5760	3	720	PCS
817-11233	2026-03-16	MP	3HUR00019A/720/DP261132020K2BXM			2	720	PCS
817-11233	2026-03-16	MP	3HUR00019A/720/DP261132030K1BXM			1	720	PCS
817-11233	2026-03-16	MP	3HUR00019A/720/DP261122050K3BXM			3	720	PCS
817-11233	2026-03-16	MP	3HUR00019A/720/DP261122060K4BXM			4	720	PCS
817-11233	2026-03-16	MP	3HUR00019A/720/DP261122050K4BXM			4	720	PCS
817-11233	2026-03-16	MP	3HUR00019A/720/DP261142080K2BXM			2	720	PCS
817-11233	2026-03-16	MP	3HUR00019A/720/DP261132090K1BXM			1	720	PCS

FAI Data Sheet Enclosures MD

DRAWING SPECIFICATIONS						INSPECTION RESULTS						INSPECTION ANALYSIS					Supplier Comment
FAI#	Description	Nominal	+TOL	TOL	Inspection Method	Sample Number			Deviation from Nominal			Mean	% Tolerance		Alert/Reject		
						K#2	K#4	K#1	1	2	3		Upper	Lower	High	Low	
4-1	Height	0.500	0.010	-0.010	OMM	0.507	0.508	0.504	0.007	0.008	0.004	0.507	80%	0%		Alert	OK
4-2	Height	0.500	0.010	-0.010	OMM	0.505	0.502	0.504	0.004	0.002	0.004	0.504	45%	0%			OK
4-3	Height	0.500	0.010	-0.010	OMM	0.503	0.505	0.505	0.003	0.005	0.005	0.504	50%	0%			OK
6-1	Height	0.500	0.010	-0.010	OMM	0.501	0.502	0.506	0.001	0.002	0.006	0.503	59%	0%			OK
6-2	Height	0.500	0.010	-0.010	OMM	0.507	0.507	0.503	0.007	0.007	0.003	0.506	73%	0%	Alert		OK
6-3	Height	0.500	0.010	-0.010	OMM	0.503	0.506	0.503	0.003	0.006	0.003	0.504	56%	0%			OK
8	Parallelism	0.000	0.030	0.000	OMM	0.001	0.004	0.011	0.001	0.004	0.011	0.005	37%				OK
9	Perpendicularity	0.000	0.030	0.000	OMM	0.005	0.003	0.012	0.005	0.003	0.012	0.007	38%				OK
10-1	Distance	1.090	0.015	-0.010	OMM	1.092	1.091	1.090	0.002	0.001	0.000	1.091	16%	1%			OK
10-2	Distance	1.090	0.015	-0.010	OMM	1.090	1.097	1.089	0.000	0.006	-0.001	1.092	43%	6%			OK
10-3	Distance	1.090	0.015	-0.010	OMM	1.091	1.087	1.086	0.001	-0.003	-0.004	1.088	5%	38%			OK
23	Distance	1.852	0.020	-0.020	OMM	1.838	1.858	1.842	-0.014	0.006	-0.010	1.846	31%	68%		Alert	OK
24	Distance	0.214	0.020	-0.020	OMM	0.208	0.208	0.206	-0.006	-0.006	-0.008	0.208	0%	38%			OK
25A-1	Distance	1.290	0.030	-0.030	OMM	1.294	1.288	1.301	0.004	-0.002	0.011	1.295	38%	7%			OK
25A-2	Distance	1.290	0.030	-0.030	OMM	1.283	1.285	1.283	-0.007	-0.005	-0.007	1.284	0%	22%			OK
25A-3	Distance	1.290	0.030	-0.030	OMM	1.301	1.298	1.304	0.011	0.008	0.014	1.301	46%	0%			OK
26	Distance	15.262	0.030	-0.030	OMM	15.260	15.280	15.266	-0.002	0.018	0.004	15.269	61%	8%			OK
27	Distance	12.839	0.030	-0.030	OMM	12.830	12.828	12.812	-0.009	-0.011	-0.027	12.823	0%	90%		Alert	OK
28	Distance	2.627	0.030	-0.030	OMM	2.637	2.627	2.645	0.010	0.000	0.018	2.636	60%	2%			OK
30	Distance	12.482	0.030	-0.030	OMM	12.470	12.478	12.468	-0.012	-0.004	-0.014	12.472	0%	47%			OK
31	Distance	11.089	0.030	-0.030	OMM	11.105	11.089	11.099	0.016	0.000	0.010	11.098	53%	1%			OK
32	Distance	2.092	0.030	-0.030	OMM	2.094	2.084	2.091	0.002	-0.008	-0.001	2.090	8%	28%			OK
33	Distance	0.000	0.030	0.000	OMM	0.008	0.022	0.013	0.008	0.022	0.013	0.014	74%			Alert	OK
34	Distance	0.000	0.020	0.000	OMM	0.003	0.007	0.010	0.003	0.007	0.010	0.006	48%				OK
35	Distance	13.614	0.030	-0.030	OMM	13.612	13.619	13.620	-0.002	0.005	0.006	13.617	19%	7%			OK
36	Distance	1.951	0.030	-0.030	OMM	1.946	1.955	1.954	-0.005	0.004	0.003	1.952	13%	16%			OK
37	Distance	2.355	0.030	-0.030	OMM	2.368	2.372	2.369	0.013	0.017	0.014	2.370	55%	0%			OK
38	Distance	10.182	0.030	-0.030	OMM	10.187	10.181	10.184	0.005	-0.001	0.002	10.184	18%	4%			OK
39	Distance	0.200	0.030	-0.030	OMM	0.206	0.206	0.206	0.006	0.006	0.006	0.206	21%	0%			OK
40-1	Tolerance	0.350	0.030	-0.030	MIC	0.337	0.336	0.336	-0.013	-0.014	-0.014	0.336	0%	47%			OK
40-2	Tolerance	0.350	0.030	-0.030	MIC	0.333	0.339	0.336	-0.017	-0.011	-0.014	0.336	0%	57%			OK
40-3	Tolerance	0.350	0.030	-0.030	MIC	0.331	0.352	0.339	-0.019	0.002	-0.011	0.341	7%	63%			OK
40-4	Tolerance	0.350	0.030	-0.030	MIC	0.334	0.353	0.339	-0.016	0.003	-0.011	0.342	10%	53%			OK
41	Distance	1.902	0.020	-0.020	OMM	1.911	1.893	1.909	0.009	-0.009	0.007	1.904	44%	44%			OK
54	Distance	1.740	0.030	-0.030	OMM	1.752	1.755	1.741	0.012	0.015	0.001	1.749	49%	0%			OK
55	Distance	1.740	0.030	-0.030	OMM	1.747	1.744	1.746	0.007	0.004	0.006	1.746	23%	0%			OK
56	Distance	10.772	0.030	-0.030	OMM	10.784	10.789	10.776	0.012	0.017	0.004	10.783	58%	0%			OK
57	Distance	14.854	0.030	-0.030	OMM	14.860	14.881	14.868	0.006	0.027	0.014	14.870	90%	0%	Alert		OK
58	Distance	13.270	0.030	-0.030	OMM	13.261	13.261	13.270	-0.009	-0.009	0.000	13.264	1%	31%			OK
59	Distance	0.642	0.030	-0.030	OMM	0.655	0.643	0.662	0.013	0.001	0.020	0.653	66%	0%	Alert		OK
60	Distance	0.403	0.030	-0.030	OMM	0.428	0.403	0.422	0.025	0.000	0.019	0.418	84%	0%	Alert		OK
61	Distance	1.986	0.030	-0.030	OMM	1.997	1.975	1.994	0.011	-0.011	0.008	1.989	38%	35%			OK
62	Distance	2.226	0.030	-0.030	OMM	2.230	2.224	2.234	0.004	-0.002	0.008	2.229	27%	5%			OK
63	Distance	1.718	0.020	-0.020	OMM	1.730	1.704	1.726	0.012	-0.014	0.008	1.720	62%	71%		Alert	OK
64	Distance	0.385	0.220	-0.220	OMM	0.432	0.386	0.434	0.047	0.001	0.049	0.417	22%	0%			OK
65	Distance	5.278	0.300	-0.300	OMM	5.221	5.262	5.222	-0.057	-0.016	-0.056	5.235	0%	19%			OK
66	Angle	0.000	3.000	-3.000	OMM	1.297	1.175	1.367	1.297	1.175	1.367	1.279	46%				OK
68-1	Distance	1.030	0.020	-0.020	OMM	1.022	1.026	1.022	-0.008	-0.004	-0.008	1.023	0%	41%			OK
68-2	Distance	1.030	0.020	-0.020	OMM	1.035	1.023	1.040	0.005	-0.007	0.010	1.032	48%	35%			OK
69	Distance	14.496	0.020	-0.020	OMM	14.485	14.499	14.495	-0.011	0.003	-0.001	14.493	15%	57%			OK
70-1	Distance	0.770	0.020	-0.020	OMM	0.776	0.765	0.779	0.006	-0.005	0.009	0.774	47%	26%			OK
70-2	Distance	0.770	0.020	-0.020	OMM	0.777	0.768	0.768	0.007	-0.002	-0.002	0.771	36%	8%			OK
71	Distance	11.777	0.020	-0.020	OMM	11.790	11.776	11.772	0.013	-0.001	-0.005	11.780	67%	23%	Alert		OK

[illegible][illegible]

Cosmetic Waiver List

[illegible]

Dimensional Waiver List

[illegible]

Functional Waiver List

[illegible]

Reliability Waiver List

[illegible]

Revision	Date	Author	Comments
1	2018-08-03	Tim Burks	Initial Release