

QQC Waiver Request

Vendor Input		Vendor Input	
Program:	Memphis-Project	Waiver Request Date:	-
Vendor:	Dpamstech	Planned Shipment Date:	2026-03-19
APN:	817-11233	Judgment :	PASS
Revision:	MCO Rev.7 / MSoP Rev.1 /PGM Rev.1	OK Quantity:	403,200
Build:	MP	Waived Quantity:	-
Config:	-	Shipment Quantity:	403,200

[illegible]

FAI Data Sheet Enclosures MD

DRAWING SPECIFICATIONS					INSPECTION RESULTS							INSPECTION ANALYSIS					Supplier Comment	
FAI#	Description	Nominal	+TOL	TOL	Inspection Method	Sample Number			Deviation from Nominal			Mean	% Tolerance		Alert/Reject			
						DW2	CW2	A#3	1	2	3		Upper	Lower	High	Low		
4-1	Height	0.500	0.010	-0.010	OMM	0.503	0.504	0.496	0.003	0.004	-0.004	0.501	40%	45%			OK	
4-2	Height	0.500	0.010	-0.010	OMM	0.502	0.498	0.501	0.002	-0.002	0.001	0.500	18%	16%			OK	
4-3	Height	0.500	0.010	-0.010	OMM	0.499	0.498	0.501	-0.001	-0.002	0.001	0.499	7%	20%			OK	
6-1	Height	0.500	0.010	-0.010	OMM	0.501	0.503	0.502	0.001	0.003	0.002	0.502	35%	0%			OK	
6-2	Height	0.500	0.010	-0.010	OMM	0.496	0.498	0.498	-0.004	-0.002	-0.002	0.497	0%	40%			OK	
6-3	Height	0.500	0.010	-0.010	OMM	0.501	0.500	0.498	0.001	0.000	-0.002	0.499	7%	18%			OK	
8	Parallelism	0.000	0.030	0.000	OMM	0.001	0.008	0.006	0.001	0.008	0.006	0.005	25%				OK	
9	Perpendicularity	0.000	0.030	0.000	OMM	0.014	0.011	0.007	0.014	0.011	0.007	0.011	46%				OK	
10-1	Distance	1.090	0.015	-0.010	OMM	1.086	1.089	1.092	-0.004	-0.001	0.002	1.089	13%	42%			OK	
10-2	Distance	1.090	0.015	-0.010	OMM	1.096	1.091	1.096	0.006	0.001	0.006	1.095	43%	0%			OK	
10-3	Distance	1.090	0.015	-0.010	OMM	1.090	1.093	1.091	0.000	0.003	0.001	1.091	17%	0%			OK	
23	Distance	1.852	0.020	-0.020	OMM	1.854	1.851	1.834	0.002	-0.001	-0.018	1.846	9%	92%		Alert	OK	
24	Distance	0.214	0.020	-0.020	OMM	0.213	0.211	0.195	-0.001	-0.003	-0.019	0.206	0%	96%		Alert	OK	
25A-1	Distance	1.290	0.030	-0.030	OMM	1.273	1.273	1.287	-0.017	-0.017	-0.003	1.277	0%	58%			OK	
25A-2	Distance	1.290	0.030	-0.030	OMM	1.276	1.282	1.277	-0.014	-0.008	-0.013	1.278	0%	46%			OK	
25A-3	Distance	1.290	0.030	-0.030	OMM	1.300	1.301	1.298	0.010	0.011	0.008	1.299	36%	0%			OK	
26	Distance	15.262	0.030	-0.030	OMM	15.274	15.259	15.273	0.012	-0.003	0.011	15.269	40%	10%			OK	
27	Distance	12.839	0.030	-0.030	OMM	12.833	12.832	12.842	-0.006	-0.007	0.003	12.836	10%	22%			OK	
28	Distance	2.627	0.030	-0.030	OMM	2.635	2.631	2.636	0.008	0.004	0.009	2.634	31%	0%			OK	
30	Distance	12.482	0.030	-0.030	OMM	12.502	12.496	12.502	0.020	0.014	0.020	12.500	68%	0%	Alert		OK	
31	Distance	11.089	0.030	-0.030	OMM	11.087	11.104	11.103	-0.002	0.015	0.014	11.098	52%	6%			OK	
32	Distance	2.092	0.030	-0.030	OMM	2.106	2.107	2.088	0.014	0.015	-0.004	2.100	50%	14%			OK	
33	Distance	0.000	0.030	0.000	OMM	0.013	0.014	0.013	0.013	0.014	0.013	0.013	46%				OK	
34	Distance	0.000	0.020	0.000	OMM	0.006	0.005	0.004	0.006	0.005	0.004	0.005	31%				OK	
35	Distance	13.614	0.030	-0.030	OMM	13.635	13.627	13.625	0.021	0.013	0.011	13.629	69%	0%	Alert		OK	
36	Distance	1.951	0.030	-0.030	OMM	1.957	1.950	1.951	0.006	-0.001	0.000	1.953	19%	3%			OK	
37	Distance	2.355	0.030	-0.030	OMM	2.359	2.366	2.363	0.004	0.011	0.008	2.363	38%	0%			OK	
38	Distance	10.182	0.030	-0.030	OMM	10.182	10.188	10.191	0.000	0.006	0.009	10.187	31%	0%			OK	
39	Distance	0.200	0.030	-0.030	OMM	0.194	0.193	0.204	-0.006	-0.007	0.004	0.197	14%	23%			OK	
40-1	Tolerance	0.350	0.030	-0.030	MIC	0.323	0.326	0.324	-0.027	-0.024	-0.026	0.324	0%	90%		Alert	OK	
40-2	Tolerance	0.350	0.030	-0.030	MIC	0.322	0.326	0.323	-0.028	-0.024	-0.027	0.324	0%	93%		Alert	OK	
40-3	Tolerance	0.350	0.030	-0.030	MIC	0.324	0.328	0.340	-0.026	-0.022	-0.010	0.331	0%	87%		Alert	OK	
40-4	Tolerance	0.350	0.030	-0.030	MIC	0.325	0.334	0.343	-0.025	-0.016	-0.007	0.334	0%	83%		Alert	OK	
41	Distance	1.902	0.020	-0.020	OMM	1.900	1.891	1.918	-0.002	-0.011	0.016	1.903	79%	53%	Alert		OK	
54	Distance	1.740	0.030	-0.030	OMM	1.738	1.716	1.742	-0.002	-0.024	0.002	1.732	7%	81%		Alert	OK	
55	Distance	1.740	0.030	-0.030	OMM	1.739	1.732	1.742	-0.001	-0.008	0.002	1.738	8%	26%			OK	
56	Distance	10.772	0.030	-0.030	OMM	10.782	10.791	10.777	0.010	0.019	0.005	10.783	63%	0%			OK	
57	Distance	14.854	0.030	-0.030	OMM	14.846	14.841	14.861	-0.008	-0.013	0.007	14.849	24%	44%			OK	
58	Distance	13.270	0.030	-0.030	OMM	13.272	13.267	13.283	0.002	-0.003	0.013	13.274	42%	11%			OK	
59	Distance	0.642	0.030	-0.030	OMM	0.651	0.645	0.653	0.009	0.003	0.011	0.650	37%	0%			OK	
60	Distance	0.403	0.030	-0.030	OMM	0.414	0.425	0.407	0.011	0.022	0.004	0.415	72%	0%	Alert		OK	
61	Distance	1.986	0.030	-0.030	OMM	1.984	1.993	1.975	-0.002	0.007	-0.011	1.984	24%	35%			OK	
62	Distance	2.226	0.030	-0.030	OMM	2.230	2.243	2.231	0.004	0.017	0.005	2.235	58%	0%			OK	
63	Distance	1.718	0.020	-0.020	OMM	1.705	1.723	1.720	-0.013	0.005	0.002	1.716	25%	66%		Alert	OK	
64	Distance	0.385	0.220	-0.220	OMM	0.383	0.386	0.404	-0.002	0.001	0.019	0.391	9%	1%			OK	
65	Distance	5.278	0.300	-0.300	OMM	5.316	5.270	5.267	0.038	-0.008	-0.011	5.284	13%	4%			OK	
66	Angle	0.000	3.000	-3.000	OMM	1.657	1.725	1.697	1.657	1.725	1.697	1.693	57%				OK	
68-1	Distance	1.030	0.020	-0.020	OMM	1.031	1.021	1.012	0.001	-0.009	-0.018	1.022	5%	88%		Alert	OK	
68-2	Distance	1.030	0.020	-0.020	OMM	1.041	1.043	1.032	0.011	0.013	0.002	1.039	66%	0%	Alert		OK	
69	Distance	14.496	0.020	-0.020	OMM	14.500	14.492	14.500	0.004	-0.004	0.004	14.497	19%	18%			OK	
70-1	Distance	0.770	0.020	-0.020	OMM	0.769	0.770	0.778	-0.001	0.000	0.008	0.772	38%	7%			OK	
70-2	Distance	0.770	0.020	-0.020	OMM	0.767	0.778	0.783	-0.003	0.008	0.013	0.776	66%	14%	Alert		OK	
71	Distance	11.777	0.020	-0.020	OMM	11.778	11.769	11.783	0.001	-0.008	0.006	11.777	30%	40%			OK	

[illegible]

Cosmetic Waiver List

[illegible]

Dimensional Waiver List

[illegible]

Functional Waiver List

[illegible]

Reliability Waiver List

[illegible]

Revision	Date	Author	Comments
1	2018-08-03	Tim Burks	Initial Release