

QQC Waiver Request

Vendor Input		Vendor Input	
Program:	Memphis-Project	Waiver Request Date:	-
Vendor:	Dpamstech	Planned Shipment Date:	2026-03-23
APN:	817-11233	Judgment :	PASS
Revision:	MCO Rev.7 / MSoP Rev.1 / PGM Rev.1	OK Quantity:	450,000
Build:	MP	Waived Quantity:	-
Config:	-	Shipment Quantity:	450,000

[illegible]

FAI Data Sheet Enclosures MD

DRAWING SPECIFICATIONS						INSPECTION RESULTS						INSPECTION ANALYSIS					Supplier Comment
FAI#	Description	Nominal	+TOL	TOL	Inspection Method	Sample Number			Deviation from Nominal			Mean	% Tolerance	Alert/Reject			
						G#2	E#3	G#4	1	2	3		Upper	Lower	High	Low	
4-1	Height	0.500	0.010	-0.010	OMM	0.502	0.500	0.501	0.002	0.000	0.001	0.501	23%	0%		OK	
4-2	Height	0.500	0.010	-0.010	OMM	0.498	0.500	0.504	-0.002	0.000	0.004	0.501	43%	22%		OK	
4-3	Height	0.500	0.010	-0.010	OMM	0.505	0.497	0.498	0.005	-0.003	-0.002	0.500	49%	26%		OK	
6-1	Height	0.500	0.010	-0.010	OMM	0.498	0.499	0.500	-0.002	-0.001	0.000	0.499	0%	20%		OK	
6-2	Height	0.500	0.010	-0.010	OMM	0.499	0.497	0.500	-0.001	-0.003	0.000	0.499	4%	28%		OK	
6-3	Height	0.500	0.010	-0.010	OMM	0.496	0.498	0.502	-0.004	-0.002	0.002	0.499	22%	42%		OK	
8	Parallelism	0.000	0.030	0.000	OMM	0.004	0.003	0.002	0.004	0.003	0.002	0.003	13%			OK	
9	Perpendicularity	0.000	0.030	0.000	OMM	0.010	0.015	0.004	0.010	0.015	0.004	0.010	51%			OK	
10-1	Distance	1.090	0.015	-0.010	OMM	1.084	1.091	1.095	-0.006	0.001	0.005	1.090	33%	60%		OK	
10-2	Distance	1.090	0.015	-0.010	OMM	1.097	1.093	1.086	0.007	0.003	-0.004	1.092	45%	44%		OK	
10-3	Distance	1.090	0.015	-0.010	OMM	1.090	1.091	1.088	0.000	0.001	-0.002	1.090	4%	22%		OK	
23	Distance	1.852	0.020	-0.020	OMM	1.847	1.856	1.864	-0.005	0.004	0.012	1.856	58%	23%		OK	
24	Distance	0.214	0.020	-0.020	OMM	0.209	0.212	0.218	-0.005	-0.002	0.004	0.213	20%	24%		OK	
25A-1	Distance	1.290	0.030	-0.030	OMM	1.265	1.283	1.284	-0.025	-0.007	-0.006	1.277	0%	83%	Alert	OK	
25A-2	Distance	1.290	0.030	-0.030	OMM	1.273	1.269	1.269	-0.017	-0.021	-0.021	1.270	0%	70%	Alert	OK	
25A-3	Distance	1.290	0.030	-0.030	OMM	1.274	1.301	1.308	-0.016	0.011	0.018	1.294	59%	53%		OK	
26	Distance	15.262	0.030	-0.030	OMM	15.255	15.263	15.274	-0.008	0.001	0.012	15.264	40%	25%		OK	
27	Distance	12.839	0.030	-0.030	OMM	12.837	12.839	12.830	-0.002	0.000	-0.009	12.835	0%	29%		OK	
28	Distance	2.627	0.030	-0.030	OMM	2.632	2.638	2.633	0.005	0.011	0.006	2.634	36%	0%		OK	
30	Distance	12.482	0.030	-0.030	OMM	12.483	12.479	12.488	0.001	-0.003	0.006	12.484	20%	9%		OK	
31	Distance	11.089	0.030	-0.030	OMM	11.105	11.093	11.094	0.016	0.004	0.005	11.098	54%	0%		OK	
32	Distance	2.092	0.030	-0.030	OMM	2.092	2.091	2.102	0.000	-0.001	0.010	2.095	32%	4%		OK	
33	Distance	0.000	0.030	0.000	OMM	0.015	0.011	0.022	0.015	0.011	0.022	0.016	74%		Alert	OK	
34	Distance	0.000	0.020	0.000	OMM	0.002	0.007	0.004	0.002	0.007	0.004	0.004	35%			OK	
35	Distance	13.614	0.030	-0.030	OMM	13.601	13.626	13.625	-0.013	0.012	0.011	13.618	41%	42%		OK	
36	Distance	1.951	0.030	-0.030	OMM	1.945	1.960	1.951	-0.006	0.009	0.000	1.952	31%	22%		OK	
37	Distance	2.355	0.030	-0.030	OMM	2.371	2.365	2.373	0.016	0.010	0.018	2.370	60%	0%		OK	
38	Distance	10.182	0.030	-0.030	OMM	10.183	10.182	10.193	0.001	0.000	0.011	10.186	36%	1%		OK	
39	Distance	0.200	0.030	-0.030	OMM	0.177	0.205	0.224	-0.023	0.005	0.024	0.202	80%	78%		OK	
40-1	Tolerance	0.350	0.030	-0.030	MIC	0.322	0.329	0.329	-0.028	-0.021	-0.021	0.327	0%	93%	Alert	OK	
40-2	Tolerance	0.350	0.030	-0.030	MIC	0.320	0.334	0.321	-0.030	-0.016	-0.029	0.325	0%	100%	Alert	OK	
40-3	Tolerance	0.350	0.030	-0.030	MIC	0.328	0.335	0.338	-0.022	-0.015	-0.012	0.334	0%	73%	Alert	OK	
40-4	Tolerance	0.350	0.030	-0.030	MIC	0.332	0.331	0.337	-0.018	-0.019	-0.013	0.333	0%	63%		OK	
41	Distance	1.902	0.020	-0.020	OMM	1.913	1.901	1.902	0.011	-0.001	0.000	1.906	57%	5%		OK	
54	Distance	1.740	0.030	-0.030	OMM	1.730	1.750	1.751	-0.010	0.010	0.011	1.744	37%	33%		OK	
55	Distance	1.740	0.030	-0.030	OMM	1.742	1.741	1.752	0.002	0.001	0.012	1.745	39%	0%		OK	
56	Distance	10.772	0.030	-0.030	OMM	10.781	10.785	10.787	0.009	0.013	0.015	10.785	51%	0%		OK	
57	Distance	14.854	0.030	-0.030	OMM	14.847	14.851	14.848	-0.007	-0.003	-0.006	14.848	0%	23%		OK	
58	Distance	13.270	0.030	-0.030	OMM	13.264	13.280	13.276	-0.006	0.010	0.006	13.273	34%	20%		OK	
59	Distance	0.642	0.030	-0.030	OMM	0.637	0.661	0.651	-0.005	0.019	0.009	0.650	62%	15%		OK	
60	Distance	0.403	0.030	-0.030	OMM	0.414	0.423	0.422	0.011	0.020	0.019	0.420	66%	0%	Alert	OK	
61	Distance	1.986	0.030	-0.030	OMM	1.988	1.995	1.999	0.002	0.009	0.013	1.994	44%	0%		OK	
62	Distance	2.226	0.030	-0.030	OMM	2.217	2.239	2.227	-0.009	0.013	0.001	2.228	45%	30%		OK	
63	Distance	1.718	0.020	-0.020	OMM	1.717	1.707	1.714	-0.001	-0.011	-0.004	1.713	0%	57%		OK	
64	Distance	0.385	0.220	-0.220	OMM	0.448	0.360	0.409	0.063	-0.025	0.024	0.406	29%	11%		OK	
65	Distance	5.278	0.300	-0.300	OMM	5.254	5.337	5.354	-0.024	0.059	0.076	5.315	25%	8%		OK	
66	Angle	0.000	3.000	-3.000	OMM	1.322	1.258	1.156	1.322	1.258	1.156	1.245	44%			OK	
68-1	Distance	1.030	0.020	-0.020	OMM	1.028	1.037	1.039	-0.002	0.007	0.009	1.035	47%	12%		OK	
68-2	Distance	1.030	0.020	-0.020	OMM	1.042	1.033	1.028	0.012	0.003	-0.002	1.034	60%	10%		OK	
69	Distance	14.496	0.020	-0.020	OMM	14.498	14.496	14.498	0.002	0.000	0.002	14.498	12%	0%		OK	
70-1	Distance	0.770	0.020	-0.020	OMM	0.780	0.771	0.761	0.010	0.001	-0.009	0.771	51%	43%		OK	
70-2	Distance	0.770	0.020	-0.020	OMM	0.776	0.768	0.763	0.006	-0.002	-0.007	0.769	31%	35%		OK	
71	Distance	11.777	0.020	-0.020	OMM	11.781	11.769	11.778	0.004	-0.008	0.001	11.776	22%	40%		OK	

[illegible][illegible]

Cosmetic Waiver List

[illegible]

Dimensional Waiver List

[illegible]

Functional Waiver List

[illegible]

Reliability Waiver List

[illegible]

Revision	Date	Author	Comments
1	2018-08-03	Tim Burks	Initial Release