

QQC Waiver Request

Vendor Input		Vendor Input	
Program:	Memphis-Project	Waiver Request Date:	-
Vendor:	Dpamstech	Planned Shipment Date:	2026-03-23
APN:	817-11238	Judgment :	PASS
Revision:	MCO Rev.11 / MSoP Rev.1 / PGM Rev.01	OK Quantity:	403,200
Build:	MP	Waived Quantity:	0
Config:	-	Shipment Quantity:	403,200

[illegible]

[illegible]

[illegible]

FAI Data Sheet Enclosures MD

DRAWING SPECIFICATIONS					INSPECTION RESULTS												Inspection Location		Alert/Reject		Supplier Comment
FA#	Description	Nominal	+TOL	Tolerance	Inspection Method	Q#1	Sample Number	Q#2	Q#3	1	Deviation from Nominal	2	3	Mean	% Tolerance	Upper	Lower				
2-1	Straightness	0.000	0.008	0.000	CMM	0.002	0.003	0.002	0.002	0.002	0.002	0.002	0.002	41%							
2-2	Straightness	0.000	0.008	0.000	CMM	0.002	0.004	0.002	0.002	0.004	0.002	0.003	0.002	48%							
2-3	Straightness	0.000	0.008	0.000	CMM	0.003	0.004	0.002	0.002	0.003	0.004	0.002	0.003	49%							
2-4	Straightness	0.000	0.008	0.000	CMM	0.002	0.003	0.002	0.002	0.003	0.002	0.002	0.002	34%							
3	Flatness	0.000	0.000	0.000	CMM	0.006	0.006	0.006	0.004	0.006	0.006	0.006	0.006	21%							
4-a	Distance	0.500	0.015	-0.010	CMM	0.504	0.488	0.506	0.504	-0.002	0.006	0.503	43%	20%							
4-b	Distance	0.500	0.015	-0.010	CMM	0.504	0.484	0.501	0.504	-0.006	0.001	0.500	24%	59%							
4-c	Distance	0.500	0.015	-0.010	CMM	0.508	0.498	0.499	0.508	-0.002	-0.001	0.502	55%	23%							
4-d	Distance	0.720	0.020	-0.020	CMM	0.721	0.720	0.723	0.720	0.002	0.000	0.722	14%								
6-a	Distance	0.720	0.020	-0.020	CMM	0.721	0.723	0.723	0.001	0.003	0.003	0.722	17%	0%							
6-c	Distance	0.720	0.020	-0.020	CMM	0.720	0.721	0.736	0.000	0.001	0.016	0.726	81%	0%			Alert				
7	Distance	0.500	0.018	-0.015	CMM	0.507	0.497	0.493	0.507	-0.003	-0.007	0.499	39%	50%							
8	Distance	0.500	0.018	-0.015	CMM	0.507	0.502	0.501	0.507	0.002	0.001	0.503	39%	0%							
9-1	Distance	3.100	0.030	-0.030	CMM	3.091	3.096	3.094	-0.009	-0.014	-0.006	3.090	0%	41%							
9-2	Distance	3.100	0.030	-0.030	CMM	3.103	3.102	3.106	0.003	0.002	0.006	3.104	21%	0%							
9-3	Distance	3.100	0.030	-0.030	CMM	3.092	3.104	3.103	-0.008	0.004	0.003	3.100	15%	22%							
9-4	Distance	3.100	0.030	-0.030	CMM	3.092	3.093	3.093	-0.008	-0.007	-0.007	3.093	0%	23%							
9-5	Distance	3.100	0.030	-0.030	CMM	3.099	3.099	3.084	-0.012	-0.011	-0.016	3.087	0%	2%							
9-6	Distance	3.100	0.030	-0.030	CMM	3.099	3.092	3.097	-0.001	-0.008	-0.003	3.096	0%	23%							
9-7	Distance	3.100	0.030	-0.030	CMM	3.105	3.088	3.093	0.005	-0.012	-0.007	3.095	17%	33%							
9-8	Distance	3.100	0.030	-0.030	CMM	3.088	3.099	3.099	-0.012	-0.001	-0.001	3.095	0%	33%							
11	Perpendicularity	0.000	0.025	0.000	CMM	0.012	0.012	0.011	0.012	0.012	0.012	0.011	24%								
12-1	Distance	0.520	0.030	-0.030	CMM	0.515	0.519	0.519	-0.005	-0.001	-0.001	0.518	0%	17%							
12-2	Distance	0.520	0.030	-0.030	CMM	0.511	0.509	0.517	-0.009	-0.011	-0.003	0.512	0%	38%							
12-3	Distance	0.520	0.030	-0.030	CMM	0.523	0.523	0.525	0.003	0.003	0.005	0.524	17%	0%							
12-4	Distance	0.520	0.030	-0.030	CMM	0.520	0.530	0.537	0.000	0.010	0.017	0.529	56%	0%							
13-1	Distance	1.270	0.020	-0.020	CMM	1.271	1.276	1.272	0.002	-0.014	-0.008	1.276	0%	31%							
13-2	Distance	1.270	0.020	-0.020	CMM	1.270	1.276	1.272	0.002	-0.014	-0.008	1.276	0%	31%							
14-1	Distance	14.264	0.030	-0.030	CMM	14.267	14.269	14.282	0.003	0.005	0.018	14.273	59%	0%							
14-2	Distance	14.264	0.030	-0.030	CMM	14.273	14.275	14.289	0.009	0.011	0.005	14.272	37%	0%							
15-1	Distance	1.840	0.025	-0.020	CMM	1.838	1.852	1.830	-0.002	0.012	-0.010	1.840	47%	30%							
15-2	Distance	1.840	0.025	-0.020	CMM	1.848	1.851	1.832	0.000	0.011	-0.008	1.843	43%	0%							
15-3	Distance	1.840	0.025	-0.020	CMM	1.840	1.841	1.833	0.000	0.001	-0.007	1.838	2%	34%							
15-4	Distance	1.840	0.025	-0.020	CMM	1.840	1.840	1.838	0.000	0.000	-0.002	1.839	2%	11%							
20	Distance	13.454	0.030	-0.030	CMM	13.455	13.466	13.453	0.001	0.012	-0.001	13.458	39%	3%							
21	Distance	0.900	0.020	-0.020	CMM	0.902	0.897	0.894	-0.002	-0.003	-0.006	0.898	10%	2%							
22	Distance	15.448	0.020	-0.030	CMM	15.451	15.446	15.454	0.003	-0.002	0.006	15.450	28%	6%							
23	Distance	13.094	0.030	-0.020	CMM	13.088	13.112	13.112	-0.006	0.018	0.018	13.104	59%	31%							
24	Distance	13.324	0.025	-0.040	CMM	13.322	13.326	13.326	-0.002	0.002	0.002	13.325	8%	6%							
25-1	Position	0.520	0.025	-0.025	CMM	0.521	0.522	0.526	0.001	-0.008	-0.004	0.526	2%	31%							
25-2	Position	0.520	0.025	-0.025	CMM	0.527	0.521	0.521	-0.005	-0.010	0.001	0.526	2%	38%							
26-1	Distance	0.970	0.030	-0.020	CMM	0.974	0.977	0.970	0.004	0.007	0.000	0.973	22%	2%							
26-2	Distance	0.970	0.030	-0.020	CMM	0.971	0.975	0.971	0.001	0.005	0.001	0.972	18%	0%							
27	Distance	15.228	0.035	-0.020	CMM	15.232	15.241	15.254	0.004	0.013	0.026	15.243	75%	0%			Alert				
28	Distance	0.260	0.020	-0.020	CMM	0.262	0.261	0.260	0.002	-0.012	-0.011	0.262	8%	2%							
29	Distance	0.520	0.030	-0.020	CMM	0.523	0.518	0.519	0.003	-0.002	-0.001	0.520	10%	10%							
31	Distance	2.068	0.020	-0.030	CMM	2.072	2.077	2.069	0.004	0.008	0.000	2.072	42%	0%							
33	Distance	1.137	0.025	-0.035	CMM	1.124	1.117	1.123	-0.013	-0.020	-0.014	1.121	0%	58%							
34	Distance	13.574	0.030	-0.030	CMM	13.567	13.580	13.589	0.007	0.009	0.004	13.577	29%	23%							
35-1	Distance	0.090	0.010	-0.030	CMM	0.082	0.073	0.078	-0.009	-0.017	-0.012	0.078	2%	3%							
35-2	Distance	0.090	0.010	-0.030	CMM	0.084	0.078	0.079	-0.006	-0.012	-0.011	0.080	0%	41%							
36	Distance	11.277	0.030	-0.030	CMM	11.283	11.284	11.286	0.006	0.007	0.000	11.284	29%	0%							
37-1	Distance	0.300	0.030	-0.030	CMM	0.305	0.311	0.298	0.005	0.011	-0.002	0.305	38%	8%							
37-2	Distance	0.300	0.030	-0.030	CMM	0.296	0.306	0.298	0.004	0.006	-0.012	0.297	0%	3%							
38-1	Distance	0.300	0.030	-0.030	CMM	0.294	0.292	0.301	-0.006	-0.008	0.001	0.296	2%	26%							
38-2	Distance	0.300	0.030	-0.030	CMM	0.289	0.293	0.300	-0.011	-0.007	0.000	0.294	0%	36%							
39	Distance	14.490	0.030	-0.030	CMM	14.493	14.475	14.502	0.003	-0.015	0.012	14.490	41%	50%							
40	Distance	2.648	0.030	-0.030	CMM	2.649	2.643	2.640	-0.001	-0.004	-0.004	2.646	40%	1%							
41-1	Distance	2.648	0.030	-0.030	CMM	2.662	2.667	2.660	0.014	0.019	0.012	2.663	60%	0%							
45	Distance	3.229	0.035	-0.035	CMM	3.231	3.225	3.228	0.002	-0.004	-0.001	3.228	7%	11%							
46	Distance	12.572	0.040	-0.020	CMM	12.568	12.560	12.574	-0.004	-0.012	0.002	12.567	6%	59%							
47	Distance	16.858	0.025	-0.025	CMM	16.852	16.862	16.847	-0.006	0.003	-0.011	16.853	14%	44%							
49	Distance	0.970	0.020	-0.020	CMM	0.969	0.976	0.975	0.005	0.002	0.002	0.972	26%	0%							
51	Distance	0.280	0.020	-0.020	CMM	0.281	0.280	0.288	0.001	0.010	0.008	0.280	54%	0%							
52	Distance	2.440	0.030	-0.020	CMM	2.426	2.430	2.435	-0.014	-0.010	-0.005	2.431	0%	69%			Alert				
53	Distance	1.280	0.010	-0.040	CMM	1.272	1.275	1.279	-0.008	-0.005	-0.001	1.275	0%	21%							
54-1	Position	0.000	0.075	0.000	CMM	0.009	0.006	0.047	0.009	0.006	0.047	0.001	63%								
54-2	Position	0.075	0.000	0.000	CMM	0.050	0.034	0.050	0.000	0.034	0.050	0.045	80%				Alert				
55-1	Position	0.000	0.085	0.000	CMM	0.060	0.017	0.022	0.060	0.017	0.022	0.033	71%				Alert				
55-2	Position	0.000	0.085	0.000	CMM	0.051	0.047	0.035	0.081	0.047	0.035	0.054	95%				Alert				
56-1	Distance	0.648	0.030	-0.020	CMM	0.650	0.641	0.													

[illegible]

Cosmetic Waiver List

[illegible]

Dimensional Waiver List

[illegible]

Functional Waiver List

[illegible]

Reliability Waiver List

[illegible]

Revision	Date	Author	Comments
1	2018-08-03	Tim Burks	Initial Release