

QQC Waiver Request

	Vendor Input
Program:	Memphis-Project
Vendor:	Dpamstech
APN:	817-11234
Revision:	MCO Rev.9 / MSoP Rev.1 / PGM Rev.1
Build:	MP
Config:	-

	Vendor Input
Waiver Request Date:	-
Planned Shipment Date:	2026-03-29
Judgment :	PASS
OK Quantity:	480
Waived Quantity:	0
Shipment Quantity:	480

Vendor Input

☐ **Input**

[illegible]

APN	Shipping Date	Build	Inner package	Shipping Lot No	Total Q'TY	Cavity	Shipping Qty	Unit
817-11234	2026-03-29	MP	3HUR00020A/480/DP252232070C1BYM	20250530-25-B	5760	1	480	PCS

FAI Data Sheet Enclosures MD

DRAWING SPECIFICATIONS					INSPECTION RESULTS										INSPECTION ANALYSIS					
FA#	Description	Nominal	+TOL	-TOL	Inspection Method	MM	IN	GT	Sample Number	GAZ	1	Deviation from Nominal	3	Mean	% Tolerance	Lower	Upper	Abscissa/pts	Line	Supplier Comment
3-1	Distance	0.500	0.010	-0.010	OMM	0.497	0.504	0.499	-0.003	0.004	-0.001	0.500	43%	31%						
3-2	Distance	0.500	0.010	-0.010	OMM	0.497	0.501	0.500	-0.003	0.001	0.000	0.499	9%	30%						
3-3	Distance	0.500	0.010	-0.010	OMM	0.498	0.498	0.500	-0.002	-0.002	0.000	0.499	0%	20%						
4	Parallelism	0.000	0.000	0.000	OMM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0%	0%						
5	Parallelism	0.000	0.000	0.000	OMM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0%	0%						
6	Flatness	0.000	0.000	0.000	OMM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0%	0%						
7	Distance	12.812	0.020	-0.020	OMM	12.815	12.821	12.812	0.002	0.009	0.002	12.817	46%	0%						
8-1	Distance	0.040	0.020	-0.020	OMM	0.038	0.042	0.038	-0.002	0.002	-0.004	0.039	10%	20%						
8-2	Distance	0.040	0.020	-0.020	OMM	0.038	0.040	0.039	0.000	0.000	-0.003	0.039	0%	24%						
9	Distance	12.360	0.020	-0.020	OMM	12.362	12.360	12.368	0.000	0.008	0.006	12.367	41%	0%						
10	Distance	14.728	0.020	-0.020	OMM	14.724	14.725	14.722	-0.002	-0.001	-0.004	14.724	0%	21%						
11	Distance	14.506	0.020	-0.020	OMM	14.500	14.509	14.496	-0.006	0.003	-0.010	14.502	17%	52%						
12-1	Distance	0.020	0.020	-0.020	OMM	0.045	0.048	0.046	-0.005	-0.004	-0.004	0.046	0%	25%						
12-2	Distance	0.020	0.020	-0.020	OMM	0.042	0.043	0.045	-0.009	-0.007	-0.005	0.043	0%	30%						
13-1	Distance	9.919	0.020	-0.020	OMM	9.920	9.918	9.926	0.001	-0.001	0.007	9.921	36%	4%						
13-2	Distance	9.919	0.020	-0.020	OMM	9.920	9.921	9.921	0.001	0.002	0.002	9.921	12%	0%						
13-3	Distance	9.919	0.020	-0.020	OMM	9.921	9.924	9.915	0.002	0.005	-0.004	9.920	27%	21%						
14-1	Distance	12.796	0.020	-0.020	OMM	12.799	12.792	12.799	-0.005	-0.003	0.004	12.794	18%	27%						
14-2	Distance	12.796	0.020	-0.020	OMM	12.790	12.790	12.794	-0.005	-0.005	-0.001	12.791	0%	27%						
14-3	Distance	12.796	0.020	-0.020	OMM	12.792	12.795	12.801	-0.003	0.000	0.006	12.796	32%	17%						
15-1	Distance	0.105	0.020	-0.020	OMM	0.097	0.095	0.104	-0.008	-0.010	-0.001	0.099	0%	49%						
15-2	Distance	0.105	0.020	-0.020	OMM	0.102	0.091	0.109	-0.003	-0.014	0.004	0.101	26%	69%						Alert
16-1	Distance	0.910	0.020	-0.020	OMM	0.901	0.907	0.906	-0.009	-0.009	-0.009	0.901	0%	47%						
18-3	Distance	0.910	0.020	-0.020	OMM	0.907	0.905	0.907	-0.003	-0.005	-0.003	0.906	0%	26%						
19-1	Distance	0.860	0.025	-0.025	OMM	0.872	0.860	0.867	0.012	0.000	0.007	0.866	49%	1%						
19-2	Distance	0.860	0.025	-0.025	OMM	0.871	0.852	0.862	0.011	-0.008	0.002	0.862	40%	31%						
19-3	Distance	0.860	0.025	-0.025	OMM	0.865	0.863	0.860	0.005	-0.007	0.000	0.869	19%	29%						
24-1	Distance	0.870	0.025	-0.025	OMM	0.883	0.876	0.879	0.013	0.006	0.009	0.879	51%	0%						
24-2	Distance	0.870	0.025	-0.025	OMM	0.874	0.870	0.871	0.004	0.000	0.001	0.872	17%	0%						
25	Distance	12.562	0.020	-0.020	OMM	12.568	12.568	12.568	0.006	0.004	0.004	12.567	34%	0%						
26	Distance	12.332	0.020	-0.020	OMM	12.330	12.335	12.333	-0.002	0.003	0.001	12.333	10%	8%						
27-1	Distance	0.355	0.025	-0.025	OMM	0.351	0.352	0.357	-0.004	-0.003	0.002	0.353	9%	16%						
27-2	Distance	0.355	0.025	-0.025	OMM	0.359	0.358	0.356	0.004	0.013	0.011	0.364	52%	0%						
27-3	Distance	0.355	0.025	-0.025	OMM	0.351	0.357	0.362	-0.004	0.002	0.007	0.357	30%	17%						
27-4	Distance	0.355	0.025	-0.025	OMM	0.354	0.353	0.359	0.001	0.006	0.004	0.359	33%	4%						
28	Distance	0.963	0.020	-0.020	OMM	0.958	0.969	0.954	-0.005	-0.004	-0.009	0.957	0%	47%						
29	Distance	1.580	0.020	-0.020	OMM	1.569	1.579	1.569	-0.011	-0.001	-0.011	1.572	0%	55%						
30-1	Distance	1.650	0.020	-0.020	OMM	1.648	1.657	1.649	-0.002	0.007	-0.002	1.651	36%	12%						
30-2	Distance	1.650	0.020	-0.020	OMM	1.649	1.648	1.648	-0.004	-0.002	-0.002	1.649	28%	21%						
31-1	Distance	6.901	0.015	-0.015	OMM	6.905	6.903	6.906	0.004	0.002	-0.005	6.901	25%	3%						
31-2	Distance	6.901	0.015	-0.015	OMM	6.905	6.903	6.900	0.004	0.002	-0.001	6.903	25%	5%						
31-3	Distance	6.901	0.015	-0.015	OMM	6.905	6.903	6.901	0.004	0.002	0.000	6.903	25%	0%						
32-1	Distance	2.975	0.020	-0.020	OMM	2.979	2.978	2.976	0.006	0.005	0.002	2.977	28%	0%						
32-2	Distance	2.975	0.020	-0.020	OMM	2.979	2.979	2.989	0.006	0.006	0.004	2.976	29%	19%						
33-1	Distance	0.975	0.020	-0.020	OMM	0.979	0.979	0.970	0.006	0.006	-0.003	0.976	32%	17%						
33	Distance	4.532	0.030	-0.030	OMM	4.527	4.529	4.526	-0.005	-0.003	-0.006	4.527	0%	19%						
34-1	Distance	7.801	0.030	-0.030	OMM	7.803	7.803	7.803	0.002	0.002	0.002	7.803	8%	0%						
34-2	Distance	7.801	0.030	-0.030	OMM	7.801	7.800	7.804	0.000	-0.001	0.003	7.801	9%	4%						
34-3	Distance	7.801	0.030	-0.030	OMM	7.800	7.800	7.804	-0.001	-0.001	0.003	7.802	10%	2%						
35-1	Distance	10.155	0.030	-0.030	OMM	10.160	10.143	10.146	0.005	-0.012	-0.009	10.150	16%	39%						
35-2	Distance	10.155	0.030	-0.030	OMM	10.162	10.145	10.148	0.007	-0.010	-0.007	10.152	22%	34%						
36	Distance	8.195	0.020	-0.020	OMM	8.199	8.197	8.194	0.004	0.002	-0.001	8.197	14%	3%						
37-1	Distance	0.626	0.020	-0.020	OMM	0.631	0.618	0.626	0.005	0.000	0.000	0.626	26%	41%						
37-2	Distance	0.626	0.020	-0.020	OMM	0.628	0.615	0.625	0.002	-0.011	-0.001	0.623	11%	54%						
38-1	Distance	1.963	0.030	-0.030	OMM	1.962	1.972	1.965	-0.001	0.019	0.012	1.963	63%	4%						
38-2	Distance	1.963	0.030	-0.030	OMM	1.962	1.972	1.967	-0.001	0.019	0.014	1.964	64%	3%						
39	Distance	2.926	0.020	-0.020	OMM	2.929	2.936	2.934	0.003	0.001	0.000	2.934	18%	0%						
41	Distance	2.873	0.030	-0.030	OMM	2.874	2.877	2.887	0.001	0.004	0.014	2.879	46%	0%						
42	Distance	0.978	0.030	-0.030	OMM	0.972	0.973	0.971	-0.006	-0.005	-0.007	0.972	0%	23%						
43	Distance	0.985	0.030	-0.030	OMM	0.985	0.989	0.985	0.000	0.004	0.000	0.986	13%	1%						
44	Distance	4.534	0.030	-0.030	OMM	4.530	4.538	4.533	-0.004	0.004	-0.001	4.534	13%	13%						
45	Distance	0.938	0.030	-0.030	OMM	0.938	0.938	0.938	0.000	0.000	0.000	0.938	0%	33%						
46	Distance	0.611	0.030	-0.030	OMM	0.616	0.618	0.611	0.005	0.007	0.000	0.615	23%	1%						
46-1	Distance	2.243	0.030	-0.030	OMM	2.236	2.239	2.236	-0.007	-0.004	-0.007	2.237	0%	24%						
48-2	Distance	2.243	0.030	-0.030	OMM	2.244	2.241	2.239	0.001	-0.002	-0.004	2.241	3%	16%						
48-3	Distance	2.243	0.030	-0.030	OMM	2.239	2.242	2.234	-0.004	-0.001	-0.009	2.238	7%	31%						
49	Parallelism	0.000	0.020	0.000	OMM	0.007	0.000	0.015	0.007	0.000	0.015	0.007	75%							

DRAWING SPECIFICATIONS						CALCULATED RESULTS					
				100% for one	50% for one						

MEASURED DATA

MR	JR	GR	BR	CR	GR	HR	JR	MR	NR	OR	CR	GR	HR	JR	MR	NR	BR	CR	GR
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

J	POS	NEG	POS	NEG	J	POS	NEG	POS	NEG
0	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
1	0.001	0.000	0.001	0.000	0.001	0.000	0.001	0.000	0.000
2	0.002	0.000	0.002	0.000	0.002	0.000	0.002	0.000	0.000
3	0.003	0.000	0.003	0.000	0.003	0.000	0.003	0.000	0.000
4	0.004	0.000	0.004	0.000	0.004	0.000	0.004	0.000	0.000
5	0.005	0.000	0.005	0.000	0.005	0.000	0.005	0.000	0.000
6	0.006	0.000	0.006	0.000	0.006	0.000	0.006	0.000	0.000
7	0.007	0.000	0.007	0.000	0.007	0.000	0.007	0.000	0.000
8	0.008	0.000	0.008	0.000	0.008	0.000	0.008	0.000	0.000
9	0.009	0.000	0.009	0.000	0.009	0.000	0.009	0.000	0.000
10	0.010	0.000	0.010	0.000	0.010	0.000	0.010	0.000	0.000
11	0.011	0.000	0.011	0.000	0.011	0.000	0.011	0.000	0.000
12	0.012	0.000	0.012	0.000	0.012	0.000	0.012	0.000	0.000
13	0.013	0.000	0.013	0.000	0.013	0.000	0.013	0.000	0.000
14	0.014	0.000	0.014	0.000	0.014	0.000	0.014	0.000	0.000
15	0.015	0.000	0.015	0.000	0.015	0.000	0.015	0.000	0.000
16	0.016	0.000	0.016	0.000	0.016	0.000	0.016	0.000	0.000
17	0.017	0.000	0.017	0.000	0.017	0.000	0.017	0.000	0.000
18	0.018	0.000	0.018	0.000	0.018	0.000	0.018	0.000	0.000
19	0.019	0.000	0.019	0.000	0.019	0.000	0.019	0.000	0.000
20	0.020	0.000	0.020	0.000	0.020	0.000	0.020	0.000	0.000
21	0.021	0.000	0.021	0.000	0.021	0.000	0.021	0.000	0.000
22	0.022	0.000	0.022	0.000	0.022	0.000	0.022	0.000	0.000
23	0.023	0.000	0.023	0.000	0.023	0.000	0.023	0.000	0.000
24	0.024	0.000	0.024	0.000	0.024	0.000	0.024	0.000	0.000
25	0.025	0.000	0.025	0.000	0.025	0.000	0.025	0.000	0.000
26	0.026	0.000	0.026	0.000	0.026	0.000	0.026	0.000	0.000
27	0.027	0.000	0.027	0.000	0.027	0.000	0.027	0.000	0.000
28	0.028	0.000	0.028	0.000	0.028	0.000	0.028	0.000	0.000
29	0.029	0.000	0.029	0.000	0.029	0.000	0.029	0.000	0.000
30	0.030	0.000	0.030	0.000	0.030	0.000	0.030	0.000	0.000
31	0.031	0.000	0.031	0.000	0.031	0.000	0.031	0.000	0.000
32	0.032	0.000	0.032	0.000	0.032	0.000	0.032	0.000	0.000
33	0.033	0.000	0.033	0.000	0.033	0.000	0.033	0.000	0.000
34	0.034	0.000	0.034	0.000	0.034	0.000	0.034	0.000	0.000
35	0.035	0.000	0.035	0.000	0.035	0.000	0.035	0.000	0.000
36	0.036	0.000	0.036	0.000	0.036	0.000	0.036	0.000	0.000
37	0.037	0.000	0.037	0.000	0.037	0.000	0.037	0.000	0.000
38	0.038	0.000	0.038	0.000	0.038	0.000	0.038	0.000	0.000
39	0.039	0.000	0.039	0.000	0.039	0.000	0.039	0.000	0.000
40	0.040	0.000	0.040	0.000	0.040	0.000	0.040	0.000	0.000
41	0.041	0.000	0.041	0.000	0.041	0.000	0.041	0.000	0.000
42	0.042	0.000	0.042	0.000	0.042	0.000	0.042	0.000	0.000
43	0.043	0.000	0.043	0.000	0.043	0.000	0.043	0.000	0.000
44	0.044	0.000	0.044	0.000	0.044	0.000	0.044	0.000	0.000
45	0.045	0.000	0.045	0.000	0.045	0.000	0.045	0.000	0.000
46	0.046	0.000	0.046	0.000	0.046	0.000	0.046	0.000	0.000
47	0.047	0.000	0.047	0.000	0.047	0.000	0.047	0.000	0.000
48	0.048	0.000	0.048	0.000	0.048	0.000	0.048	0.000	0.000
49	0.049	0.000	0.049	0.000	0.049	0.000	0.049	0.000	0.000
50	0.050	0.000	0.050	0.000	0.050	0.000	0.050	0.000	0.000
51	0.051	0.000	0.051	0.000	0.051	0.000	0.051	0.000	0.000
52	0.052	0.000	0.052	0.000	0.052	0.000	0.052	0.000	0.000
53	0.053	0.000	0.053	0.000	0.053	0.000	0.053	0.000	0.000
54	0.054	0.000	0.054	0.000	0.054	0.000	0.054	0.000	0.000
55	0.055	0.000	0.055	0.000	0.055	0.000	0.055	0.000	0.000
56	0.056	0.000	0.056	0.000	0.056	0.000	0.056	0.000	0.000
57	0.057	0.000	0.057	0.000	0.057	0.000	0.057	0.000	0.000
58	0.058	0.000	0.058	0.000	0.058	0.000	0.058	0.000	0.000
59	0.059	0.000	0.059	0.000	0.059	0.000	0.059	0.000	0.000
60	0.060	0.000	0.060	0.000	0.060	0.000	0.060	0.000	0.000
61	0.061	0.000	0.061	0.000	0.061	0.000	0.061	0.000	0.000
62	0.062	0.000	0.062	0.000	0.062	0.000	0.062	0.000	0.000
63	0.063	0.000	0.063	0.000	0.063	0.000	0.063	0.000	0.000
64	0.064	0.000	0.064	0.000	0.064	0.000	0.064	0.000	0.000
65	0.065	0.000	0.065	0.000	0.065	0.000	0.065	0.000	0.000
66	0.066	0.000	0.066	0.000	0.066	0.000	0.066	0.000	0.000
67	0.067	0.000	0.067	0.000	0.067	0.000	0.067	0.000	0.000
68	0.068	0.000	0.068	0.000	0.068	0.000	0.068	0.000	0.000
69	0.069	0.000	0.069	0.000	0.069	0.000	0.069	0.000	0.000
70	0.070	0.000	0.070	0.000	0.070	0.000	0.070	0.000	0.000
71	0.071	0.000	0.071	0.000	0.071	0.000	0.071	0.000	0.000
72	0.072	0.000	0.072	0.000	0.072	0.000	0.072	0.000	0.000
73	0.073	0.000	0.073	0.000	0.073	0.000	0.073	0.000	0.000
74	0.074	0.000	0.074	0.000	0.074	0.000	0.074	0.000	0.000
75	0.075	0.000	0.075	0.000	0.075	0.000	0.075	0.000	0.000
76	0.076	0.000	0.076	0.000	0.076	0.000	0.076	0.000	0.000
77	0.077	0.000	0.077	0.000	0.077	0.000	0.077	0.000	0.000
78	0.078	0.000	0.078	0.000	0.078	0.000	0.078	0.000	0.000
79	0.079	0.000	0.079	0.000	0.079	0.000	0.079	0.000	0.000
80	0.080	0.000	0.080	0.000	0.080	0.000	0.080	0.000	0.000
81	0.081	0.000	0.081	0.000	0.081	0.000	0.081	0.000	0.000
82	0.082	0.000	0.082	0.000	0.082	0.000	0.082	0.000	0.000
83	0.083	0.000	0.083	0.000	0.083	0.000	0.083	0.000	0.000
84	0.084	0.000	0.084	0.000	0.084	0.000	0.084	0.000	0.000
85	0.085	0.000	0.085	0.000	0.085	0.000	0.085	0.000	0.000
86	0.086	0.000	0.086	0.000	0.086	0.000	0.086	0.000	0.000
87	0.087	0.000	0.087	0.000	0.087	0.000	0.087	0.000	0.000
88	0.088	0.000	0.088	0.000	0.088	0.000	0.088	0.000	0.000
89	0.089	0.000	0.089	0.000	0.089	0.000	0.089	0.000	0.000
90	0.090	0.000	0.090	0.000	0.090	0.000	0.090	0.000	0.000
91	0.091	0.000	0.091	0.000	0.091	0.000	0.091	0.000	0.000
92	0.092	0.000	0.092	0.000	0.092	0.000	0.092	0.000	0.000
93	0.093	0.000	0.093	0.000	0.093	0.000	0.093	0.000	0.000
94	0.094	0.000	0.094	0.000	0.094	0.000	0.094	0.000	0.000
95	0.095	0.000	0.095	0.000	0.095	0.000	0.095	0.000	0.000
96	0.096	0.000	0.096	0.000	0.096	0.000	0.096	0.000	0.000
97	0.097	0.000	0.097	0.000	0.097	0.000	0.097	0.000	0.000
98	0.098	0.000	0.098	0.000	0.098	0.000	0.098	0.000	0.000
99	0.099	0.000	0.099	0.000	0.099	0.000	0.099	0.000	0.000
100	0.100	0.000	0.100	0.000	0.100	0.000	0.100	0.000	0.000

Cosmetic Waiver List

[illegible]

Dimensional Waiver List

[illegible]

Functional Waiver List

[illegible]

Reliability Waiver List

[illegible]

Revision	Date	Author	Comments
1	2018-08-03	Tim Burks	Initial Release