

QQC Waiver Request

Program: Memphis-Project Vendor: Dpamstech APN: 817-11238 Revision: MCO Rev.11 / MSoP Rev.1 / PGM Rev.01 Build: MP Config: -		Waiver Request Date: - Planned Shipment Date: 2026-04-04 Judgment : NG OK Quantity: 480 Waived Quantity: 0 Shipment Quantity: 480		Vendor Input Input
---	--	--	--	---

[illegible]

APN	Shipping Date	Build	Inner package	Shipping Lot No	Total Q'TY	Cavity	Shipping Qty	Unit
817-11238	2026-04-04	MP	3HUR00021A/480/DP252312080A2BZM	20250604-27-B	5760	2	480	PCS

FAI Data Sheet Enclosures MD

DRAWING SPECIFICATIONS					INSPECTION RESULTS										INSPECTION ANALYSIS				
FID	Description	Nominal	±TOL	±TOL	Inspection	Q01	Sample Number	H04	1	Deviation from Nominal	3	Mean	% Tolerance	Acceptance	High	Low	Supplier Comment		
2-1	Straightness	0.000	0.008	0.000	CMM	0.003	0.003	0.003	0.003	0.003	0.003	0.003	41%	Lower					
2-2	Straightness	0.000	0.008	0.000	CMM	0.002	0.002	0.004	0.002	0.002	0.004	0.003	46%						
2-3	Straightness	0.000	0.008	0.000	CMM	0.007	0.003	0.003	0.007	0.003	0.003	0.004	83%				Alert		
2-4	Straightness	0.000	0.008	0.000	CMM	0.004	0.003	0.003	0.004	0.002	0.003	0.003	49%						
3-1	Distance	0.000	0.000	0.000	CMM	0.000	0.000	0.000	0.000	0.000	0.007	0.000	42%						
4-1	Distance	0.500	0.015	-0.010	CMM	0.505	0.503	0.495	0.505	0.003	-0.005	0.501	30%	49%					
4-2	Distance	0.500	0.015	-0.010	CMM	0.494	0.498	0.499	-0.006	-0.002	-0.001	0.497	0%	64%					
4-3	Distance	0.500	0.015	-0.010	CMM	0.500	0.501	0.504	0.000	0.001	0.004	0.502	25%	1%					
5-1	Distance	0.720	0.020	-0.020	CMM	0.729	0.726	0.728	0.000	0.001	0.002	0.727	0%	76%					
5-2	Distance	0.720	0.020	-0.020	CMM	0.719	0.728	0.732	-0.001	-0.008	0.012	0.725	0%	72%					
6-1	Distance	0.720	0.020	-0.020	CMM	0.720	0.720	0.729	0.000	0.018	0.009	0.729	88%	2%			Alert		
7-1	Distance	0.500	0.018	-0.015	CMM	0.503	0.498	0.505	0.003	-0.002	0.005	0.502	29%	14%					
8-1	Distance	0.500	0.018	-0.015	CMM	0.509	0.497	0.501	0.008	-0.003	0.002	0.502	47%	18%					
9-1	Distance	0.300	0.020	-0.020	CMM	0.300	0.300	0.300	0.000	0.000	0.000	0.300	44%	0%					
9-2	Distance	0.300	0.020	-0.020	CMM	0.308	0.307	0.308	-0.015	-0.003	-0.002	0.307	0%	62%			Alert		
9-3	Distance	0.300	0.020	-0.020	CMM	0.310	0.314	0.315	0.004	0.019	0.005	0.309	63%	0%					
9-4	Distance	0.300	0.020	-0.020	CMM	0.302	0.306	0.303	-0.008	-0.004	-0.007	0.304	0%	22%					
9-5	Distance	0.300	0.020	-0.020	CMM	0.308	0.309	0.304	-0.012	-0.009	-0.015	0.308	4%	49%					
9-6	Distance	0.300	0.020	-0.020	CMM	0.309	0.309	0.300	-0.009	-0.005	-0.009	0.300	0%	42%					
9-7	Distance	0.300	0.020	-0.020	CMM	0.307	0.307	0.305	-0.024	-0.024	-0.025	0.307	0%	71%			Alert		
9-8	Distance	0.300	0.020	-0.020	CMM	0.310	0.314	0.308	0.000	0.014	-0.002	0.304	47%	0%					
11-1	Perpendicular	0.000	0.035	0.000	CMM	0.005	0.012	0.007	0.005	0.012	0.007	0.008	35%	0%					
12-1	Distance	0.520	0.030	-0.030	CMM	0.520	0.519	0.523	0.000	0.001	0.001	0.521	0%	0%					
12-2	Distance	0.520	0.030	-0.030	CMM	0.514	0.524	0.519	-0.008	0.004	-0.001	0.519	13%	19%					
12-3	Distance	0.520	0.030	-0.030	CMM	0.518	0.527	0.528	-0.002	0.007	0.008	0.524	25%	0%					
12-4	Distance	0.520	0.030	-0.030	CMM	0.528	0.541	0.532	0.008	0.021	0.012	0.534	71%	0%			Alert		
13-1	Distance	0.220	0.020	-0.020	CMM	0.226	0.228	0.228	0.006	-0.004	-0.008	0.223	49%	12%					
13-2	Distance	0.220	0.020	-0.020	CMM	0.217	0.227	0.217	-0.003	0.010	-0.001	0.220	40%	0%					
14-1	Distance	0.264	0.030	-0.030	CMM	0.271	0.262	0.267	0.007	0.018	0.003	0.273	59%	0%					
14-2	Distance	0.264	0.030	-0.030	CMM	0.263	0.262	0.262	0.019	-0.002	-0.012	0.266	63%	41%					
15-1	Distance	1.840	0.025	-0.020	CMM	1.850	1.845	1.836	0.010	0.005	-0.014	1.840	39%	68%			Alert		
15-2	Distance	1.840	0.025	-0.020	CMM	1.842	1.840	1.839	0.000	0.000	0.000	1.840	42%	0%					
15-3	Distance	1.840	0.025	-0.020	CMM	1.842	1.839	1.834	0.002	-0.001	-0.006	1.838	7%	31%					
15-4	Distance	1.840	0.025	-0.020	CMM	1.842	1.843	1.832	0.002	0.003	-0.008	1.839	11%	40%					
20	Distance	0.3454	0.030	-0.030	CMM	0.3458	0.3445	0.344	0.004	-0.009	0.010	0.3456	35%	29%					
21	Distance	0.900	0.020	-0.020	CMM	0.903	0.905	0.913	-0.007	0.000	0.013	0.902	76%	35%			Alert		
22	Distance	0.4454	0.030	-0.030	CMM	0.4458	0.4451	0.450	-0.005	-0.005	0.000	0.4451	40%	0%					
23	Distance	0.1004	0.030	-0.020	CMM	0.1113	0.1022	0.106	0.019	-0.002	0.012	0.103	62%	10%					
24	Distance	0.1324	0.025	-0.040	CMM	0.1334	0.1337	0.1327	0.010	0.013	0.003	0.1333	53%	0%					
25-1	Distance	0.530	0.030	-0.030	CMM	0.525	0.535	0.534	-0.005	-0.005	-0.006	0.528	19%	23%					
25-2	Distance	0.530	0.030	-0.030	CMM	0.530	0.516	0.529	-0.015	-0.014	-0.005	0.525	22%	86%					
26-1	Distance	0.970	0.030	-0.020	CMM	0.976	0.976	0.980	0.000	0.006	0.010	0.978	34%	0%					
26-2	Distance	0.970	0.030	-0.020	CMM	0.976	0.972	0.981	0.008	0.002	0.011	0.976	35%	0%					
27	Distance	0.1528	0.035	-0.020	CMM	0.1529	0.1529	0.1524	0.021	0.011	0.016	0.1524	59%	0%					
28	Distance	0.220	0.020	-0.025	CMM	0.242	0.225	0.242	-0.018	-0.011	-0.018	0.238	4%	89%			Alert		
29	Distance	0.520	0.020	-0.020	CMM	0.520	0.516	0.516	0.000	-0.005	-0.005	0.520	22%	2%					
31	Distance	2.068	0.050	-0.050	CMM	2.073	2.081	2.067	0.005	0.012	0.019	2.080	93%	0%			Alert		
33	Distance	1.137	0.025	-0.035	CMM	1.131	1.101	1.119	-0.206	-0.034	-0.018	1.111	0%	98%			Alert		
34	Distance	0.3574	0.030	-0.030	CMM	0.3588	0.3576	0.3589	0.014	0.002	0.015	0.3585	50%	0%					
35-1	Distance	0.900	0.010	-0.010	CMM	0.900	0.900	0.900	0.000	0.000	0.000	0.900	0%	0%			Alert		
35-2	Distance	0.900	0.010	-0.010	CMM	0.908	0.908	0.972	-0.022	-0.004	-0.018	0.973	0%	74%			Alert		
36	Distance	0.1127	0.030	-0.030	CMM	0.1120	0.1127	0.1120	0.013	0.010	0.015	0.1128	50%	0%					
37-1	Distance	0.300	0.030	-0.030	CMM	0.301	0.312	0.307	0.001	0.012	0.007	0.307	41%	0%					
37-2	Distance	0.300	0.030	-0.030	CMM	0.296	0.303	0.301	-0.005	0.003	0.007	0.300	9%	17%					
38-1	Distance	0.300	0.030	-0.030	CMM	0.301	0.301	0.301	0.000	0.000	0.000	0.301	44%	0%					
38-2	Distance	0.300	0.030	-0.030	CMM	0.292	0.298	0.295	-0.008	-0.003	-0.005	0.295	0%	26%					
39	Distance	0.4490	0.030	-0.030	CMM	0.4474	0.4490	0.450	-0.016	-0.000	0.010	0.4488	32%	53%					
40	Distance	0.449	0.035	-0.035	CMM	0.442	0.448	0.446	0.003	0.000	-0.003	0.449	8%	10%					
41	Distance	0.248	0.030	-0.030	CMM	0.248	0.247	0.247	0.001	0.000	0.000	0.247	42%	0%					
46	Distance	0.3229	0.035	-0.035	CMM	0.3233	0.3238	0.3230	0.004	0.007	0.001	0.3233	20%	0%					
48	Distance	0.1272	0.040	-0.020	CMM	0.1259	0.1269	0.1230	-0.013	-0.003	-0.002	0.1266	0%	64%					
49	Distance	0.1858	0.025	-0.025	CMM	0.1872	0.1856	0.1866	0.014	-0.002	0.006	0.1865	54%	8%					
50	Distance	0.621	0.030	-0.020	CMM	0.606	0.606	0.625	0.005	-0.005	-0.006	0.623	24%	3%					
51	Distance	2.490	0.030	-0.030	CMM	2.476	2.476	2.476	0.000	0.000	0.000	2.476	0%	0%					
52	Distance	2.490	0.030	-0.030	CMM	2.424	2.455	2.439	-0.018	-0.015	-0.021	2.439	49%	7%			Alert		
53	Distance	1.280	0.010	-0.040	CMM	1.275	1.270	1.279	-0.005	-0.010	-0.001	1.275	0%	26%					
54-1	Position	0.000	0.075	0.000	CMM	0.020	0.013	0.009	0.020	0.013	0.009	0.014	27%	0%					
54-2	Position	0.000	0.075	0.000	CMM	0.022	0.022	0.011	0.021	0.022	0.011	0.022	27%	0%					
55-1	Position	0.000	0.085	0.000	CMM	0.009	0.022	0.025	0.029	0.022	0.025	0.025	34%	0%					
55-2	Position	0.000	0.085	0.000	CMM	0.002	0.058	0.010	0.062	0.058	0.010	0.043	73%	0%			Alert		
56-1	Distance	0.649	0.030	-0.020	CMM	0.638	0.642	0.652	-0.011	-0.007	0.003	0.644	9%	57%					
56-2	Distance	0.649	0.030	-0.020	CMM	0.673	0.667	0.664	0.024	0.018	0.015	0.668	81%	0%			Alert		
57	Distance	0.1738	0.020	-0.040	CMM	0.1738	0.1738	0.178	-0.008	-0.008	-0.008	0.1738	0%	26%					
66	Angle	0.000	3.000	-3.000	CMM	0.264	0.214	0.212	0.264	0.216	0.132	0.204	0%	0%					
67	Distance	0.1527	0.060	-0.060	CMM	0.1547	0.1544	0.1529	0.020	0.017	0.020	0.1540	3%	0%					
68	Distance	1.175	0.300	-0.300	CMM	1.134	1.225	1.192	-0.241	-0.050	0.017	1.184	17%	14%					
69-1	Distance	0.4514	0.025	-0.025	CMM	0.4534	0.4514	0.4522	0.020	-0.010	-0.008	0.4520	80%	38%					
69-2	Distance	0.4514	0.025	-0.025	CMM	0.4518	0.4514	0.4512	0.000	-0.002	-0.002	0.4515	81%	47%					
70-1	Distance	0.230	0.020	-0.020	CMM	0.225	0.225	0.228	-0.005	-0.005	-0.002	0.226	0%	26%					
70-2	Distance	0.230	0.020	-0.020	CMM	0.229	0.217	0.233	-0.001	-0.013	0.003	0.226	13%	65%					
80	Distance	0.1281	0.040	-0.020	CMM	0.1236	0.1287	0.1295	0.015	0.006	0.014	0.1293	37%	0%					
81	Distance	0.																	

[illegible][illegible]

Cosmetic Waiver List

[illegible]

Dimensional Waiver List

[illegible]

Functional Waiver List

[illegible]

Reliability Waiver List

[illegible]

Revision	Date	Author	Comments
1	2018-08-03	Tim Burks	Initial Release