Login

Execution Environment

Host name Ahadian Rifky - NKC-23 Local OS Windows 10 64bit

Katalon version 8.5.5.208 Browser null

Summary

ID Test Suites/Auth/Login

Description

Total 5
Passed 3

Error 0 Skipped 0

Start 2023-02-17 14:22:27 End 2023-02-17 14:26:53

Elapsed 4m - 26.038s

#	ID	Description	Status
1	Test Cases/Login KFCKU Apps/Login Failed - Empty Phone Number and Password		PASSED
2	Test Cases/Login KFCKU Apps/Login Failed - Wrong Password		PASSED
3	Test Cases/Login KFCKU Apps/Login Failed - Phone Number Not Registered		PASSED
4	Test Cases/Login KFCKU Apps/Login Social Media		FAILED
5	Test Cases/Login KFCKU Apps/Login Phone Number		FAILED

Failed

Incomplete

2

0

Login Failed - Empty Phone Number and Password

Information

ID Test Cases/Login KFCKU Apps/Login Failed - Empty Phone Number and Password

Description

Tag

Start 2023-02-17 14:22:28 End 2023-02-17 14:23:25

Elapsed 56.998s Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile.hkStaging", STOP_ON_FAILURE)	29.120s	PASSED
	Starting app with application ID: 'com.kfc.mobile.hkStaging'		
2	delay(5, STOP_ON_FAILURE)	5.077s	PASSED
	Delayed 5 second(s)		
3	tap(findTestObject("Profile/android.widget.TextView - Profil"), 5)	3.301s	PASSED
	Tapped on element 'Object Repository/Profile/android.widget.TextView - Profil'		
4	setText(findTestObject("Login/android.widget.EditText - Masukkan nomor handphone Anda"), "", 0)	3.275s	PASSED
	Text " has been set to element 'Object Repository/Login/android.widget.EditText - Masukkan nomor handphone Anda'		
5	hideKeyboard()	0.875s	PASSED
	Keyboard is hidden		
6	setText(findTestObject("Login/android.widget.EditText - Ketik kata sandi Anda"), "", 0)	1.448s	PASSED
	Text " has been set to element 'Object Repository/Login/android.widget.EditText - Ketik kata sandi Anda'		

Login Failed - Empty Phone Number and Password

#	Description	Elapsed	Status
7	hideKeyboard() Keyboard is hidden	0.841s	PASSED
8	tap(findTestObject("Login/android.widget.Button - Masuk"), 0) Tapped on element 'Object Repository/Login/android.widget.Button - Masuk'	0.702s	PASSED
9	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.009s	PASSED
10	verifyElementVisible(findTestObject("Login/Login Failed/android.widget.TextView - nullPhone"), 3) Element 'Object Repository/Login/Login Failed/android.widget.TextView - nullPhone' is visible	0.513s	PASSED
11	verifyElementText(findTestObject("Login/Login Failed/android.widget.TextView - nullPhone"), "Mohon masukkan nomor handphone Anda") Actual text and expected text of test object 'Object Repository/Login/Login Failed/android.widget.TextView - nullPhone' are matched.	0.446s	PASSED
12	verifyElementVisible(findTestObject("Login/Login Failed/android.widget.TextView - nullPass"), 3) Element 'Object Repository/Login/Login Failed/android.widget.TextView - nullPass' is visible	0.518s	PASSED
13	verifyElementText(findTestObject("Login/Login Failed/android.widget.TextView - nullPass"), "Masukkan kata sandi Anda yang benar") Actual text and expected text of test object 'Object Repository/Login/Login Failed/android.widget.TextView - nullPass' are matched.	0.422s	PASSED
14	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.011s	PASSED
15	closeApplication() Close app successfully	1.764s	PASSED

Login Failed - Empty Phone Number and Password

#	Description	Elapsed	Status
16	Start listener action : sampleAfterTestCase	0.067s	PASSED

Login Failed - Wrong Password

Information

ID Test Cases/Login KFCKU Apps/Login Failed - Wrong Password

Description

Tag

Start 2023-02-17 14:23:25 End 2023-02-17 14:24:49

Elapsed 1m - 24.103s

Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile.hkStaging", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile.hkStaging'	25.747s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.016s	PASSED
3	tap(findTestObject("Profile/android.widget.TextView - Profil"), 5) Tapped on element 'Object Repository/Profile/android.widget.TextView - Profil'	3.877s	PASSED
4	setText(findTestObject("Login/android.widget.EditText - Masukkan nomor handphone Anda"), "081211287377", 0) Text '081211287377' has been set to element 'Object Repository/Login/android.widget.EditText - Masukkan nomor handphone Anda'	4.496s	PASSED
5	hideKeyboard() Keyboard is hidden	0.789s	PASSED
6	setText(findTestObject("Login/android.widget.EditText - Ketik kata sandi Anda"), "qwerty123", 0) Text 'qwerty123' has been set to element 'Object Repository/Login/android.widget.EditText - Ketik kata sandi Anda'	1.147s	PASSED

Login Failed - Wrong Password

#	Description	Elapsed	Status
7	hideKeyboard() Keyboard is hidden	0.752s	PASSED
8	tap(findTestObject("Login/android.widget.Button - Masuk"), 0) Tapped on element 'Object Repository/Login/android.widget.Button - Masuk'	0.620s	PASSED
9	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.006s	PASSED
10	waitForElementPresent(findTestObject("Login/android.widget.TextView - Kata sandi yang Anda masukkan salah"), 3) Object Object Repository/Login/android.widget.TextView - Kata sandi yang Anda masukkan salah not found	3.397s	PASSED
11	waitForElementPresent(findTestObject("Login/android.widget.TextView - Kata sandi yang Anda masukkan salah"), 0) Object Object Repository/Login/android.widget.TextView - Kata sandi yang Anda masukkan salah not found	30.215s	PASSED
12	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.016s	PASSED
13	closeApplication() Close app successfully	1.317s	PASSED
14	Start listener action : sampleAfterTestCase	0.002s	PASSED

Login Failed - Phone Number Not Registered

Information

ID Test Cases/Login KFCKU Apps/Login Failed - Phone Number Not Registered

Description

Tag

Start 2023-02-17 14:24:49 End 2023-02-17 14:25:39

Elapsed 50.391s Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile.hkStaging", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile.hkStaging'	25.912s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.010s	PASSED
3	tap(findTestObject("Profile/android.widget.TextView - Profil"), 5) Tapped on element 'Object Repository/Profile/android.widget.TextView - Profil'	2.733s	PASSED
4	setText(findTestObject("Login/android.widget.EditText - Masukkan nomor handphone Anda"), "081211287388", 0) Text '081211287388' has been set to element 'Object Repository/Login/android.widget.EditText - Masukkan nomor handphone Anda'	2.906s	PASSED
5	hideKeyboard() Keyboard is hidden	0.735s	PASSED
6	setText(findTestObject("Login/android.widget.EditText - Ketik kata sandi Anda"), "pass123", 0) Text 'pass123' has been set to element 'Object Repository/Login/android.widget.EditText - Ketik kata sandi Anda'	1.542s	PASSED

Login Failed - Phone Number Not Registered

#	Description	Elapsed	Status
7	hideKeyboard() Keyboard is hidden	0.717s	PASSED
8	tap(findTestObject("Login/android.widget.Button - Masuk"), 0) Tapped on element 'Object Repository/Login/android.widget.Button - Masuk'	0.503s	PASSED
9	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.016s	PASSED
10	waitForElementPresent(findTestObject("Login/android.widget.TextView - Nomor handphone Anda belum terdaftar"), 3) Object Object Repository/Login/android.widget.TextView - Nomor handphone Anda belum terdaftar not found	3.189s	PASSED
11	closeApplication() Close app successfully	1.211s	PASSED
12	Start listener action : sampleAfterTestCase	0.003s	PASSED

Login Social Media

Information

ID Test Cases/Login KFCKU Apps/Login Social Media

Description

Tag

Start 2023-02-17 14:25:39 End 2023-02-17 14:26:00

Elapsed 20.669s Status FAILED

Details

Description Elapsed Status

Login Social Media

Desc	ription	Elapsed	Status
Start	application on current selected android device	19.966s	FAILE
Unak	le to start app with application ID: '{0}' (Root cause: org.openqa.selenium.		
	dArgumentException: Parameters were incorrect. We wanted {"required":[["appId"],		
_	dleld"]],"optional":["options","sessionId","id"]} and you sent []		
	info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	em info: host: 'NKC-23', ip: '172.10.9.156', os.name: 'Windows 10', os.arch: 'amd64', os.		
	on: '10.0', java.version: '1.8.0_282'		
	r info: com.kms.katalon.core.appium.driver.SwipeableAndroidDriver		
Capa	bilities {appActivity: com.kfc.mobile.presentation, appPackage: com.kfc.mobile.		
hkSt	aging, autoGrantPermissions: true, automationName: uiautomator2, chromedriverPort:		
5236	4, databaseEnabled: false, desired: {appActivity: com.kfc.mobile.presentation,		
appF	ackage: com.kfc.mobile.hkStaging, autoGrantPermissions: true, automationName:		
	omator2, chromedriverPort: 52364, deviceId: , deviceName: emulator-5554		
	gphone64, newCommandTimeout: 1800, noReset: true, platform: ANDROID,		
	prmName: android, platformVersion: 12, systemPort: 8287, udid: emulator-5554},		
	eApiLevel: 31, deviceId: , deviceManufacturer: Google, deviceModel:		
	gphone64_x86_64, deviceName: emulator-5554, deviceScreenDensity: 440,		
	eScreenSize: 1080x2160, deviceUDID: emulator-5554, javascriptEnabled: true,		
	onContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout:		
	, noReset: true, pixelRatio: 2.75, platform: ANDROID, platformName: Android,		
	ormVersion: 12, statBarHeight: 66, systemPort: 8287, takesScreenshot: true, udid:		
	ator-5554, viewportRect: {height: 1962, left: 0, top: 66, width: 1080}, warnings: {},		
	StorageEnabled: false}		
Sess	ion ID: c6150b37-cc28-4bc0-8d93-1d52c8d58e00		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException		
(W30	CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode		
(W30	CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode		
(W30	CHttpResponseCodec.java:49)		
	at org.openga.selenium.remote.HttpCommandExecutor.execute		
(Http	CommandExecutor.java:158)		
(at io.appium.java_client.remote.AppiumCommandExecutor.execute		
(Ann	umCommandExecutor.java:239)		
(71)	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		
iovo			
java:			
/D-4	at io.appium.java_client.DefaultGenericMobileDriver.execute		
(Deta	aultGenericMobileDriver.java:42)		
	at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)		
	at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)		
	at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.execute		
(Swi	peableAndroidDriver.java:1)		
	at io.appium.java_client.CommandExecutionHelper.execute		
(Con	mandExecutionHelper.java:27)		
	at io.appium.java_client.InteractsWithApps.activateApp(InteractsWithApps.java:		
165)			
,	at io.appium.java_client.InteractsWithApps.activateApp(InteractsWithApps.java:		
149)			
,	at io.appium.java_client.InteractsWithApps\$activateApp.call(Unknown Source)		
	at io.appium.java_client.InteractsWithApps\$activateApp.call(Unknown Source)		
	at to.applum.java_client.interactsvvimApps\$activateApp.caii(Onknown Source) at com.kms.katalon.core.mobile.keyword.builtin.		
Ctort			
	ExistingApplicationKeyword\$_startApplication_closure1.doCall		
(Star	ExistingApplicationKeyword.groovy:41)		
	at com.kms.katalon.core.mobile.keyword.builtin.		
	ExistingApplicationKeyword\$_startApplication_closure1.doCall		
(Star	ExistingApplicationKeyword.groovy)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		

Login Social Media

```
Description
                                                                                                                                                                                                                                                                                       Elapsed
                                                                                                                                                                                                                                                                                                                                             Status
 runKeyword(MobileKeywordMain.groovy:21)
                              at com.kms.katalon.core.mobile.keyword.internal.
 MobileKeywordMain$runKeyword.call(Unknown Source)
                              at com.kms.katalon.core.mobile.keyword.builtin.StartExistingApplicationKeyword.
  startApplication(StartExistingApplicationKeyword.groovy:43)
                              at com.kms.katalon.core.mobile.keyword.builtin.StartExistingApplicationKeyword.
  execute(StartExistingApplicationKeyword.groovy:34)
                              at com.kms.katalon.core.keyword.internal.KeywordExecutor.
  executeKeywordForPlatform(KeywordExecutor.groovy:74)
                              at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.
 startExistingApplication(MobileBuiltInKeywords.groovy:113)
                              at com.kms.katalon.core.mobile.keyword.
 MobileBuiltInKeywords$startExistingApplication.call(Unknown Source)
                              at Login Social Media.run(Login Social Media:25)
                              at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                              at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
 java:119)
                               at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
 java:448)
                              at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.d
 java:439)
                              at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
 (TestCaseExecutor.java:418)
                              at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
  (TestCaseExecutor.java:410)
                              at\ com.kms.katalon.core.main.Test Case Executor.execute (Test Case Executor.execute) at\ com.kms.katalon.core.main.Execute (Test Case Execut
 java:285)
                              at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
  (CommonExecutor.java:65)
                              at\ com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
  (TestSuiteExecutor.java:151)
                              at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
  106)
                              at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
  185)
                              at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
  Source)
                              at TempTestSuite1676618535351.run(TempTestSuite1676618535351.groovy:36)
```

Information

ID Test Cases/Login KFCKU Apps/Login Phone Number

Description

Tag

Start 2023-02-17 14:26:00 End 2023-02-17 14:26:53

Elapsed 53.363s Status FAILED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile.hkStaging", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile.hkStaging'	24.101s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.009s	PASSED
3	tap(findTestObject("Profile/android.widget.TextView - Profil"), 5) Tapped on element 'Object Repository/Profile/android.widget.TextView - Profil'	4.019s	PASSED
4	setText(findTestObject("Login/android.widget.EditText - Masukkan nomor handphone Anda"), "081211287377", 0) Text '081211287377' has been set to element 'Object Repository/Login/android.widget.EditText - Masukkan nomor handphone Anda'	3.569s	PASSED
5	hideKeyboard() Keyboard is hidden	0.815s	PASSED
6	setText(findTestObject("Login/android.widget.EditText - Ketik kata sandi Anda"), "pass111", 0) Text 'pass111' has been set to element 'Object Repository/Login/android.widget.EditText - Ketik kata sandi Anda'	1.745s	PASSED

#	Description	Elapsed	Status
7	hideKeyboard()	0.825s	PASSED
	Keyboard is hidden		
8	tap(findTestObject("Login/android.widget.Button - Masuk"), 0)	0.695s	PASSED
	Tapped on element 'Object Repository/Login/android.widget.Button - Masuk'		
9	delay(5, STOP_ON_FAILURE)	5.009s	PASSED
	Delayed 5 second(s)		

Descript	ion	Elapsed	Statu
tap(findT	estObject("Profile/android.widget.TextView - Profil"), 5)	6.601s	FAILE
Failed to	tap on element 'Object Repository/Profile/android.widget.TextView - Profil' (Root		
	om.kms.katalon.core.exception.StepFailedException: Object Object		
	ry/Profile/android.widget.TextView - Profil not found		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:5	0)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed		
(MobileK	eywordMain.groovy:40)		
	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1.		
doCall(T	apKeyword.groovy:79)		
	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1.call		
(TapKey	word.groovy)		
mun Vounu	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		
runkeyw	ord(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.tap(TapKeyword.		
groovy:8			
groovy.o	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.execute		
(TapKev	word.groovy:68)		
()	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executel	KeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.tap		
(MobileE	uiltInKeywords.groovy:1490)		
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$tap\$0.call		
(Unknow	n Source)		
	at Login Phone Number.run(Login Phone Number:44)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
java:119	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java. 113	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448			
,	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439			
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCas	seExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCas	seExecutor.java:410)		
:005	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Commo	nExecutor.java:65)		
(00111110	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSui	teExecutor.java:151)		
•	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
185)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
\	at TempTestSuite1676618535351.run(TempTestSuite1676618535351.groovy:36)		
)			

Elapsed

Status

Description **V**41 2:26 🖭 🚷 🖰 💈 **MASUK** Untuk mengakses semua fitur Nomor Handphone 081211287377 Kata Sandi 0 Lupa Kata Sandi Tidak punya akun? Daftarkan di sini **ATAU MASUK DENGAN** Masuk dengan Google Dengan masuk atau mendaftar, Anda menyetujui Syarat & Ketentuan dan Kebijakan Privasi

#	Description	Elapsed	Status
11	Start listener action : sampleAfterTestCase	0.003s	PASSED