KFCKU Apps

Execution Environment

Host name Ahadian Rifky - NKC-23 Local OS Windows 10 64bit

Katalon version 8.5.5.208 Browser null

Summary

ID Test Suites/Production/KFCKU Apps

Description

Total 22
Passed 18 Failed 4
Error 0 Incomplete 0

Skipped 0

Start 2023-07-11 20:16:38 End 2023-07-11 20:37:04

Elapsed 20m - 26.427s

#	ID	Description	Status
1	Test Cases/Production/Login KFCKU Apps/Login Failed - Empty Phone Number and Password		PASSED
2	Test Cases/Production/Login KFCKU Apps/Login Failed - Phone Number Not Registered		PASSED
3	Test Cases/Production/Login KFCKU Apps/Login Failed - Wrong Password		PASSED
4	Test Cases/Production/Login KFCKU Apps/Login Social Media		PASSED
5	Test Cases/Production/Login KFCKU Apps/Login Phone Number		PASSED
6	Test Cases/Production/Home Page/Promotion		PASSED
7	Test Cases/Production/My Order/Order Detail HMD - My Order		PASSED
8	Test Cases/Production/My Order/View All Status Order - My Order		PASSED
9	Test Cases/Production/My Order/Order Detail PNP - My Order		PASSED
10	Test Cases/Production/Create Order/HMD/HMD - QR		PASSED
11	Test Cases/Production/Create Order/PNP/Take Away/Take Away - Credit Card		PASSED
12	Test Cases/Production/Create Order/PNP/Dine In/Dine In - Debit Card		FAILED
13	Test Cases/Production/Re-Buy/Rebuy		FAILED
14	Test Cases/Production/Profile/Personal Info/User Profile		FAILED
15	Test Cases/Production/Profile/Personal Info/Setting - Personal Info		FAILED

KFCKU Apps

#	ID	Description	Status
16	Test Cases/Production/Profile/General/Change Language		PASSED
17	Test Cases/Production/Profile/General/Customer Service		PASSED
18	Test Cases/Production/Profile/General/Privacy Policy		PASSED
19	Test Cases/Production/Profile/General/Term and Condition		PASSED
20	Test Cases/Production/Profile/Device/Linked Account		PASSED
21	Test Cases/Production/Profile/Device/App Version		PASSED
22	Test Cases/Production/Profile/Device/Logout		PASSED

Login Failed - Empty Phone Number and Password

Information

ID Test Cases/Production/Login KFCKU Apps/Login Failed - Empty Phone Number and Password

Description

Tag

Start 2023-07-11 20:16:39 End 2023-07-11 20:17:37

Elapsed 58.901s
Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	36.783s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.087s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 5) Tapped on element 'Object Repository/Productions/Menu/Profile'	3.063s	PASSED
4	tap(findTestObject("Productions/Login/Button - Sign In"), 0) Tapped on element 'Object Repository/Productions/Login/Button - Sign In'	2.616s	PASSED
5	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.027s	PASSED
6	waitForElementPresent(findTestObject("Productions/Login/Please enter your phone number"), 0, STOP_ON_FAILURE) Element 'Object Repository/Productions/Login/Please enter your phone number' is present	0.975s	PASSED

Login Failed - Empty Phone Number and Password

#	Description	Elapsed	Status
7	waitForElementPresent(findTestObject("Productions/Login/Please type your correct password"), 0) Element 'Object Repository/Productions/Login/Please type your correct password' is present	0.783s	PASSED
8	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.028s	PASSED
9	closeApplication() Close app successfully	0.797s	PASSED
10	Start listener action : sampleAfterTestCase	0.055s	PASSED

Login Failed - Phone Number Not Registered

Information

ID Test Cases/Production/Login KFCKU Apps/Login Failed - Phone Number Not Registered

Description

Tag

Start 2023-07-11 20:17:37 End 2023-07-11 20:18:28

Elapsed 50.519s
Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	23.991s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.018s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 5) Tapped on element 'Object Repository/Productions/Menu/Profile'	2.424s	PASSED
4	tap(findTestObject("Productions/Login/Enter your phone number"), 0) Tapped on element 'Object Repository/Productions/Login/Enter your phone number'	2.458s	PASSED
5	setText(findTestObject("Productions/Login/Enter your phone number"), "081211287366", 0) Text '081211287366' has been set to element 'Object Repository/Productions/Login/Enter your phone number'	2.381s	PASSED
6	pressBack() Press back button successfully	0.542s	PASSED

Login Failed - Phone Number Not Registered

#	Description	Elapsed	Status
7	setText(findTestObject("Productions/Login/Type your password"), "Pass123", 0)	2.519s	PASSED
	Text 'Pass123' has been set to element 'Object Repository/Productions/Login/Type your password'		
8	tap(findTestObject("Productions/Login/Button - Sign In"), 0)	0.997s	PASSED
	Tapped on element 'Object Repository/Productions/Login/Button - Sign In'		
9	delay(5, STOP_ON_FAILURE)	5.022s	PASSED
	Delayed 5 second(s)		
10	waitForElementPresent(findTestObject("Productions/Login/Your phone number has not been registered"), 0, STOP_ON_FAILURE)	0.707s	PASSED
	Element 'Object Repository/Productions/Login/Your phone number has not been registered' is present		
11	delay(3, STOP_ON_FAILURE)	3.011s	PASSED
	Delayed 3 second(s)		
12	closeApplication()	0.456s	PASSED
	Close app successfully		
13	Start listener action : sampleAfterTestCase	0.011s	PASSED

Login Failed - Wrong Password

Information

ID Test Cases/Production/Login KFCKU Apps/Login Failed - Wrong Password

Description

Tag

Start 2023-07-11 20:18:28 End 2023-07-11 20:19:17

Elapsed 48.903s Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	22.308s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.022s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 5) Tapped on element 'Object Repository/Productions/Menu/Profile'	2.398s	PASSED
4	tap(findTestObject("Productions/Login/Enter your phone number"), 0) Tapped on element 'Object Repository/Productions/Login/Enter your phone number'	2.557s	PASSED
5	setText(findTestObject("Productions/Login/Enter your phone number"), "081211287377", 0) Text '081211287377' has been set to element 'Object Repository/Productions/Login/Enter your phone number'	3.130s	PASSED
6	pressBack() Press back button successfully	0.551s	PASSED

Login Failed - Wrong Password

#	Description	Elapsed	Status
7	setText(findTestObject("Productions/Login/Type your password"), "passk209", 0) Text 'passk209' has been set to element 'Object Repository/Productions/Login/Type your password'	1.715s	PASSED
8	tap(findTestObject("Productions/Login/Button - Sign In"), 0) Tapped on element 'Object Repository/Productions/Login/Button - Sign In'	1.191s	PASSED
9	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.018s	PASSED
10	waitForElementPresent(findTestObject("Productions/Login/The password you entered is incorrect"), 0, STOP_ON_FAILURE) Element 'Object Repository/Productions/Login/The password you entered is incorrect' is present	0.674s	PASSED
11	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.012s	PASSED
12	closeApplication() Close app successfully	0.482s	PASSED
13	Start listener action : sampleAfterTestCase	0.013s	PASSED

Login Social Media

Information

ID Test Cases/Production/Login KFCKU Apps/Login Social Media

Description

Tag

Start 2023-07-11 20:19:17 End 2023-07-11 20:20:13

Elapsed 56.247s
Status PASSED

Details

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	22.348s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.011s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 5) Tapped on element 'Object Repository/Productions/Menu/Profile'	2.378s	PASSED
4	waitForElementPresent(findTestObject("Productions/Login/Button - Sign in with Google"), 0) Element 'Object Repository/Productions/Login/Button - Sign in with Google' is present	2.638s	PASSED
5	tap(findTestObject("Productions/Login/Button - Sign in with Google"), 0) Tapped on element 'Object Repository/Productions/Login/Button - Sign in with Google'	0.846s	PASSED
6	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.021s	PASSED
7	tap(findTestObject("Productions/Login/jecsanmaychelgmail.com"), 0, STOP_ON_FAILURE)	0.805s	PASSED

Tapped on element 'Object Repository/Productions/Login/jecsanmaychelgmail.com'

Login Social Media

#	Description	Elapsed	Status
8	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.009s	PASSED
9	waitForElementPresent(findTestObject("Productions/Login/Profile Info"), 0) Element 'Object Repository/Productions/Login/Profile Info' is present	2.906s	PASSED
10	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.025s	PASSED
11	tap(findTestObject("Productions/Login/Log Out"), 0) Tapped on element 'Object Repository/Productions/Login/Log Out'	0.846s	PASSED
12	tap(findTestObject("Productions/Login/Logout - Yes"), 0) Tapped on element 'Object Repository/Productions/Login/Logout - Yes'	1.075s	PASSED
13	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.017s	PASSED
14	closeApplication() Close app successfully	0.510s	PASSED
15	Start listener action : sampleAfterTestCase	0.012s	PASSED

Login Phone Number

Information

ID Test Cases/Production/Login KFCKU Apps/Login Phone Number

Description

Tag

Start 2023-07-11 20:20:13 End 2023-07-11 20:21:01

Elapsed 47.915s Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	21.440s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.024s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 5) Tapped on element 'Object Repository/Productions/Menu/Profile'	2.362s	PASSED
4	tap(findTestObject("Productions/Login/Enter your phone number"), 0) Tapped on element 'Object Repository/Productions/Login/Enter your phone number'	2.424s	PASSED
5	setText(findTestObject("Productions/Login/Enter your phone number"), "081211287377", 0) Text '081211287377' has been set to element 'Object Repository/Productions/Login/Enter your phone number'	2.739s	PASSED
6	pressBack() Press back button successfully	0.555s	PASSED

Login Phone Number

#	Description	Elapsed	Status
7	setText(findTestObject("Productions/Login/Type your password"), "pass123", 0)	2.258s	PASSED
	Text 'pass123' has been set to element 'Object Repository/Productions/Login/Type your password'		
8	tap(findTestObject("Productions/Login/Button - Sign In"), 0)	0.995s	PASSED
	Tapped on element 'Object Repository/Productions/Login/Button - Sign In'		
9	delay(5, STOP_ON_FAILURE)	5.025s	PASSED
	Delayed 5 second(s)		
10	waitForElementPresent(findTestObject("Productions/Login/Profile Info"), 0, STOP_ON_FAILURE)	0.774s	PASSED
	Element 'Object Repository/Productions/Login/Profile Info' is present		
11	delay(3, STOP_ON_FAILURE)	3.013s	PASSED
	Delayed 3 second(s)		
12	closeApplication()	0.423s	PASSED
	Close app successfully		
13	Start listener action : sampleAfterTestCase	0.012s	PASSED

Promotion

Information

ID Test Cases/Production/Home Page/Promotion

Description

Tag

Start 2023-07-11 20:21:01 End 2023-07-11 20:21:46

Elapsed 44.846s Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	21.059s	PASSED
2	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.013s	PASSED
3	verifyElementVisible(findTestObject("Productions/Home Page/Promotion/Banner"), 0) Element 'Object Repository/Productions/Home Page/Promotion/Banner' is visible	2.866s	PASSED
4	swipe(281, 800, 434, 61) Swiped from 281,800 to 434,61	1.526s	PASSED
5	verifyElementVisible(findTestObject("Productions/Home Page/Promotion/Title - PROMOS AND REWARDS"), 0) Element 'Object Repository/Productions/Home Page/Promotion/Title - PROMOS AND REWARDS' is visible	1.299s	PASSED
6	Get Device Height and Store in to device_height variable Current device physical height is 1520	0.310s	PASSED

Promotion

#	Description	Elapsed	Status
7	Get Width Height and Store in to device_Width variable Current device physical width is 720	0.299s	PASSED
8	Storing the value in startY variable by dividing device height by 2 Because Y coordinates are constant	0.013s	PASSED
9	Here startY and endY values are equal for Horizontal Swiping for that assigning startX value to endX	0.005s	PASSED
10	Storing the value in startX variable	0.011s	PASSED
11	Storing the value in endX variable	0.007s	PASSED
12	Here Y constant for Swipe Horizontal Right to Left Swiped from 504,760 to 216,760	1.302s	PASSED
13	tap(findTestObject("Productions/Home Page/Promotion/View All"), 3) Tapped on element 'Object Repository/Productions/Home Page/Promotion/View All'	1.073s	PASSED
14	verifyElementVisible(findTestObject("Productions/Home Page/Promotion/Title - ONGOING PROMO"), 0) Element 'Object Repository/Productions/Home Page/Promotion/Title - ONGOING PROMO' is visible	2.088s	PASSED
15	verifyElementVisible(findTestObject("Productions/Home Page/Promotion/Promo List 1"), 0) Element 'Object Repository/Productions/Home Page/Promotion/Promo List 1' is visible	0.628s	PASSED

Promotion

#	Description	Elapsed	Status
16	verifyElementVisible(findTestObject("Productions/Home Page/Promotion/Promo List 2"), 0) Element 'Object Repository/Productions/Home Page/Promotion/Promo List 2' is visible	0.592s	PASSED
17	verifyElementVisible(findTestObject("Productions/Home Page/Promotion/Promo List 3"), 0) Element 'Object Repository/Productions/Home Page/Promotion/Promo List 3' is visible	0.569s	PASSED
18	tap(findTestObject("Productions/Home Page/Promotion/Promo List 1"), 3) Tapped on element 'Object Repository/Productions/Home Page/Promotion/Promo List 1'	0.628s	PASSED
19	tap(findTestObject("Productions/Home Page/Promotion/Button Back Promo Detail"), 3) Tapped on element 'Object Repository/Productions/Home Page/Promotion/Button Back Promo Detail'	1.629s	PASSED
20	tap(findTestObject("Productions/Home Page/Promotion/Button Back"), 3) Tapped on element 'Object Repository/Productions/Home Page/Promotion/Button Back'	1.504s	PASSED
21	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.019s	PASSED
22	closeApplication() Close app successfully	0.485s	PASSED
23	Start listener action : sampleAfterTestCase	0.011s	PASSED

Order Detail HMD - My Order

Information

ID Test Cases/Production/My Order/Order Detail HMD - My Order

Description

Tag

Start 2023-07-11 20:21:46 End 2023-07-11 20:22:32

Elapsed 46.334s Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	21.091s	PASSED
2	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.014s	PASSED
3	tap(findTestObject("Productions/Menu/My Order"), 0) Tapped on element 'Object Repository/Productions/Menu/My Order'	2.609s	PASSED
4	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.015s	PASSED
5	verifyElementVisible(findTestObject("Productions/My Order/Title - MY ORDER"), 0) Element 'Object Repository/Productions/My Order/Title - MY ORDER' is visible	1.010s	PASSED
6	tap(findTestObject("Productions/My Order/Order Detail - HMD/HMD - Kombo Crispy Burger"), 0) Tapped on element 'Object Repository/Productions/My Order/Order Detail - HMD/HMD - Kombo Crispy Burger'	1.029s	PASSED

Order Detail HMD - My Order

#	Description	Elapsed	Status
7	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.015s	PASSED
8	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - HMD/Title - ORDER DETAIL"), 0) Element 'Object Repository/Productions/My Order/Order Detail - HMD/Title - ORDER DETAIL' is visible	1.663s	PASSED
9	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - HMD/Delivery Number"), 0) Element 'Object Repository/Productions/My Order/Order Detail - HMD/Delivery Number' is visible	0.753s	PASSED
10	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - HMD/Order Type"), 0) Element 'Object Repository/Productions/My Order/Order Detail - HMD/Order Type' is visible	0.763s	PASSED
11	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - HMD/Delivery Detail"), 0) Element 'Object Repository/Productions/My Order/Order Detail - HMD/Delivery Detail' is visible	1.018s	PASSED
12	scrollToText("Tax", STOP_ON_FAILURE) Scrolling to text 'Tax' successfully	4.162s	PASSED
13	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - HMD/Order Items"), 0) Element 'Object Repository/Productions/My Order/Order Detail - HMD/Order Items' is visible	1.219s	PASSED
14	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - HMD/Order Summary"), 0) Element 'Object Repository/Productions/My Order/Order Detail - HMD/Order Summary' is visible	0.642s	PASSED

Order Detail HMD - My Order

#	Description	Elapsed	Status
15	closeApplication()	0.533s	PASSED
	Close app successfully		
16	Start listener action : sampleAfterTestCase	0.018s	PASSED

View All Status Order - My Order

Information

ID Test Cases/Production/My Order/View All Status Order - My Order

Description

Tag

Start 2023-07-11 20:22:32 End 2023-07-11 20:23:22

Elapsed 49.894s
Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	21.488s	PASSED
2	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.024s	PASSED
3	tap(findTestObject("Productions/Menu/My Order"), 0) Tapped on element 'Object Repository/Productions/Menu/My Order'	2.766s	PASSED
4	verifyElementVisible(findTestObject("Productions/My Order/Title - MY ORDER"), 0) Element 'Object Repository/Productions/My Order/Title - MY ORDER' is visible	2.517s	PASSED
5	tap(findTestObject("Productions/My Order/Get List Status"), 0) Tapped on element 'Object Repository/Productions/My Order/Get List Status'	1.072s	PASSED
6	verifyElementVisible(findTestObject("Productions/My Order/Status Order List"), 0) Element 'Object Repository/Productions/My Order/Status Order List' is visible	1.489s	PASSED
7	tap(findTestObject("Productions/My Order/Awaiting Payment"), 0) Tapped on element 'Object Repository/Productions/My Order/Awaiting Payment'	0.703s	PASSED

View All Status Order - My Order

#	Description	Elapsed	Status
8	tap(findTestObject("Productions/My Order/Get List Status"), 0)	1.774s	PASSED
	Tapped on element 'Object Repository/Productions/My Order/Get List Status'		
9	tap(findTestObject("Productions/My Order/Cancelled"), 0)	1.438s	PASSED
	Tapped on element 'Object Repository/Productions/My Order/Cancelled'		
10	tap(findTestObject("Productions/My Order/Get List Status"), 0)	2.085s	PASSED
	Tapped on element 'Object Repository/Productions/My Order/Get List Status'		
11	tap(findTestObject("Productions/My Order/Completed"), 0)	1.401s	PASSED
	Tapped on element 'Object Repository/Productions/My Order/Completed'		
12	tap(findTestObject("Productions/My Order/Get List Status"), 0)	1.233s	PASSED
	Tapped on element 'Object Repository/Productions/My Order/Get List Status'		
13	tap(findTestObject("Productions/My Order/In Progress"), 0)	1.385s	PASSED
	Tapped on element 'Object Repository/Productions/My Order/In Progress'		
14	tap(findTestObject("Productions/My Order/Get List Status"), 0)	1.858s	PASSED
	Tapped on element 'Object Repository/Productions/My Order/Get List Status'		
15	tap(findTestObject("Productions/My Order/Rejected"), 0)	1.400s	PASSED
	Tapped on element 'Object Repository/Productions/My Order/Rejected'		
16	tap(findTestObject("Productions/My Order/Get List Status"), 0)	1.690s	PASSED
	Tapped on element 'Object Repository/Productions/My Order/Get List Status'		
17	tap(findTestObject("Productions/My Order/All"), 0)	1.357s	PASSED
	Tapped on element 'Object Repository/Productions/My Order/All'		

View All Status Order - My Order

#	Description	Elapsed	Status
18	closeApplication()	0.440s	PASSED
	Close app successfully		
19	Start listener action : sampleAfterTestCase	0.011s	PASSED

Order Detail PNP - My Order

Information

ID Test Cases/Production/My Order/Order Detail PNP - My Order

Description

Tag

Start 2023-07-11 20:23:22 End 2023-07-11 20:24:09

Elapsed 46.953s Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	21.886s	PASSED
2	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.016s	PASSED
3	tap(findTestObject("Productions/Menu/My Order"), 0) Tapped on element 'Object Repository/Productions/Menu/My Order'	2.455s	PASSED
4	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.023s	PASSED
5	verifyElementVisible(findTestObject("Productions/My Order/Title - MY ORDER"), 0) Element 'Object Repository/Productions/My Order/Title - MY ORDER' is visible	1.084s	PASSED
6	tap(findTestObject("Productions/My Order/Order Detail - PNP/Snack Bucket Margheritta 1"), 0) Tapped on element 'Object Repository/Productions/My Order/Order Detail - PNP/Snack Bucket Margheritta 1'	1.087s	PASSED

Order Detail PNP - My Order

#	Description	Elapsed	Status
7	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.017s	PASSED
8	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - PNP/Pick Number"), 0) Element 'Object Repository/Productions/My Order/Order Detail - PNP/Pick Number' is visible	1.274s	PASSED
9	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - PNP/Order Type"), 0) Element 'Object Repository/Productions/My Order/Order Detail - PNP/Order Type' is visible	0.725s	PASSED
10	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - PNP/Pick Up Outlet"), 0) Element 'Object Repository/Productions/My Order/Order Detail - PNP/Pick Up Outlet' is visible	1.495s	PASSED
11	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - PNP/Order Items"), 0) Element 'Object Repository/Productions/My Order/Order Detail - PNP/Order Items' is visible	1.087s	PASSED
12	scrollToText("Total", STOP_ON_FAILURE) Scrolling to text 'Total' successfully	4.036s	PASSED
13	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - HMD/Instant Reward"), 0) Element 'Object Repository/Productions/My Order/Order Detail - HMD/Instant Reward' is visible	0.980s	PASSED
14	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - PNP/Order Summary"), 0) Element 'Object Repository/Productions/My Order/Order Detail - PNP/Order Summary' is visible	0.703s	PASSED

Order Detail PNP - My Order

#	Description	Elapsed	Status
15	closeApplication()	0.491s	PASSED
	Close app successfully		
16	Start listener action : sampleAfterTestCase	0.016s	PASSED

Information

ID Test Cases/Production/Create Order/HMD/HMD - QR

Description

Tag

Start 2023-07-11 20:24:09 End 2023-07-11 20:26:17

Elapsed 2m - 7.671s Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	22.397s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.018s	PASSED
3	swipe(281, 500, 434, 170) Swiped from 281,500 to 434,170	1.400s	PASSED
4	tap(findTestObject("Productions/Create Order/HMD/Menu - DELIVERY"), 5) Tapped on element 'Object Repository/Productions/Create Order/HMD/Menu - DELIVERY'	2.442s	PASSED
5	verifyElementVisible(findTestObject("Productions/Create Order/HMD/Search Location - Search Bar"), 5) Element 'Object Repository/Productions/Create Order/HMD/Search Location - Search Bar' is visible	3.816s	PASSED
6	tap(findTestObject("Productions/Create Order/HMD/Search Location - Search Bar"), 0, STOP_ON_FAILURE) Tapped on element 'Object Repository/Productions/Create Order/HMD/Search Location - Search Bar'	0.984s	PASSED

#	Description	Elapsed	Status
7	setText(findTestObject("Productions/Create Order/HMD/Input Location - Search Bar"), "Kemang", 5) Text 'Kemang' has been set to element 'Object Repository/Productions/Create	3.660s	PASSED
	Order/HMD/Input Location - Search Bar'		
8	hideKeyboard() Keyboard is hidden	4.113s	PASSED
9	delay(5, STOP_ON_FAILURE)	5.018s	PASSED
	Delayed 5 second(s)		
10	tap(findTestObject("Productions/Create Order/HMD/kemang village"), 0)	0.834s	PASSED
	Tapped on element 'Object Repository/Productions/Create Order/HMD/kemang village'		
11	delay(3, STOP_ON_FAILURE)	3.021s	PASSED
	Delayed 3 second(s)		
12	tap(findTestObject("Productions/Create Order/HMD/KEMANG"), 0)	1.579s	PASSED
	Tapped on element 'Object Repository/Productions/Create Order/HMD/KEMANG'		
13	delay(3, STOP_ON_FAILURE)	3.016s	PASSED
	Delayed 3 second(s)		
14	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Add"), 3)	1.741s	PASSED
	Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Add'		
15	delay(3, STOP_ON_FAILURE)	3.019s	PASSED
	Delayed 3 second(s)		

#	Description	Elapsed	Status
16	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Continue Custom"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Continue Custom'	0.765s	PASSED
17	tap(findTestObject("Productions/Create Order/PNP/Dine In/Next Button Order"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Next Button Order'	2.250s	PASSED
18	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.081s	PASSED
19	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/You Got Free GOCENG"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/You Got Free GOCENG' is visible	0.721s	PASSED
20	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/Continue Choose Reward"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/Continue Choose Reward' is visible	0.538s	PASSED
21	tap(findTestObject("Productions/Create Order/PNP/Dine In/Continue Choose Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Continue Choose Reward'	0.513s	PASSED
22	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.020s	PASSED
23	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Choose Now Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Choose Now Reward'	1.396s	PASSED

.,	Description (Control of Control o		0: :
#	Description	Elapsed	Status
24	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.012s	PASSED
25	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Add Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Add Reward'	0.579s	PASSED
26	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Confirm Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Confirm Reward'	0.998s	PASSED
27	swipe(281, 500, 434, 161) Swiped from 281,500 to 434,161	1.296s	PASSED
28	scrollToText("TOTAL", STOP_ON_FAILURE) Scrolling to text 'TOTAL' successfully	5.843s	PASSED
29	setText(findTestObject("Productions/Create Order/HMD/Add notes for your driver"), "Rumah depan POS satpam", 0) Text 'Rumah depan POS satpam' has been set to element 'Object Repository/Productions/Create Order/HMD/Add notes for your driver'	1.189s	PASSED
30	tap(findTestObject("Productions/Create Order/HMD/Select Delivery Method"), 5) Tapped on element 'Object Repository/Productions/Create Order/HMD/Select Delivery Method'	0.894s	PASSED
31	delay(7, STOP_ON_FAILURE) Delayed 7 second(s)	7.013s	PASSED
32	tap(findTestObject("Productions/Create Order/HMD/GrabExpress"), 5) Tapped on element 'Object Repository/Productions/Create Order/HMD/GrabExpress'	0.535s	PASSED

#	Description	Elapsed	Status
33	tap(findTestObject("Productions/Create Order/HMD/Button - Select"), 5)	0.793s	PASSED
	Tapped on element 'Object Repository/Productions/Create Order/HMD/Button - Select'		
34	delay(5, STOP_ON_FAILURE)	5.015s	PASSED
	Delayed 5 second(s)		
35	tap(findTestObject("Productions/Create Order/PNP/Dine In/Select Payment Method"), 5)	0.664s	PASSED
	Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Select Payment Method'		
36	delay(5, STOP_ON_FAILURE)	5.010s	PASSED
	Delayed 5 second(s)		
37	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/Group Payment Method"), 5)	0.612s	PASSED
	Element 'Object Repository/Productions/Create Order/PNP/Dine In/Group Payment Method' is visible		
38	tap(findTestObject("Productions/Create Order/Payment Method/Payment QRIS"), 5)	0.532s	PASSED
	Tapped on element 'Object Repository/Productions/Create Order/Payment Method/Payment QRIS'		
39	tap(findTestObject("Productions/Create Order/Payment Method/Button - Save Payment"), 5)	1.210s	PASSED
	Tapped on element 'Object Repository/Productions/Create Order/Payment Method/Button - Save Payment'		
40	delay(5, STOP_ON_FAILURE)	5.007s	PASSED
	Delayed 5 second(s)		
41	swipe(281, 500, 434, 161)	1.259s	PASSED
	Swiped from 281,500 to 434,161		

#	Description	Elapsed	Status
42	delay(5, STOP_ON_FAILURE)	5.016s	PASSED
	Delayed 5 second(s)		
43	Start listener action : sampleAfterTestCase	0.007s	PASSED

Information

ID Test Cases/Production/Create Order/PNP/Take Away/Take Away - Credit Card

Description

Tag

Start 2023-07-11 20:26:17 End 2023-07-11 20:28:02

Elapsed 1m - 44.754s

Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	17.633s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.008s	PASSED
3	tap(findTestObject("Productions/Menu/Home"), 5) Tapped on element 'Object Repository/Productions/Menu/Home'	2.396s	PASSED
4	swipe(281, 500, 434, 170) Swiped from 281,500 to 434,170	1.303s	PASSED
5	tap(findTestObject("Productions/Create Order/PNP/Dine In/Menu - DINE-IN"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Menu - DINE-IN'	1.225s	PASSED
6	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/Search KFC Outlet"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/Search KFC Outlet' is visible	3.080s	PASSED

#	Description	Elapsed	Status
7	tap(findTestObject("Productions/Create Order/PNP/Dine In/Search KFC Outlet"), 0, STOP_ON_FAILURE) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Search KFC Outlet'	0.863s	PASSED
8	setText(findTestObject("Productions/Create Order/PNP/Dine In/EditText - Search KFC Outlet"), "Kemang", 5) Text 'Kemang' has been set to element 'Object Repository/Productions/Create Order/PNP/Dine In/EditText - Search KFC Outlet'	2.830s	PASSED
9	hideKeyboard() Keyboard is hidden	3.803s	PASSED
10	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.019s	PASSED
11	waitForElementPresent(findTestObject("Productions/Create Order/PNP/Dine In/Button - Select Outlet"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Select Outlet' is present	0.724s	PASSED
12	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Select Outlet"), 0) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Select Outlet'	0.673s	PASSED
13	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.018s	PASSED
14	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/List Menu Group"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/List Menu Group' is visible	0.691s	PASSED

#	Description	Elapsed	Status
15	tap(findTestObject("Productions/Create Order/PNP/Dine In/List Menu Group"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/List Menu Group'	0.741s	PASSED
16	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.023s	PASSED
17	tap(findTestObject("Productions/Create Order/PNP/Dine In/Breakfast"), 3) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Breakfast'	0.526s	PASSED
18	tap(findTestObject("Productions/Create Order/PNP/Dine In/List Menu Group"), 3) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/List Menu Group'	3.549s	PASSED
19	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.016s	PASSED
20	tap(findTestObject("Productions/Create Order/PNP/Dine In/Spesial"), 3) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Spesial'	0.628s	PASSED
21	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Add"), 3) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Add'	3.320s	PASSED
22	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.020s	PASSED
23	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Continue Custom"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Continue Custom'	0.565s	PASSED

#	Description	Elapsed	Status
24	tap(findTestObject("Productions/Create Order/PNP/Dine In/Next Button Order"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Next Button Order'	1.630s	PASSED
25	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/You Got Free GOCENG"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/You Got Free GOCENG' is visible	2.307s	PASSED
26	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/Continue Choose Reward"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/Continue Choose Reward' is visible	0.451s	PASSED
27	tap(findTestObject("Productions/Create Order/PNP/Dine In/Continue Choose Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Continue Choose Reward'	0.452s	PASSED
28	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.010s	PASSED
29	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Choose Now Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Choose Now Reward'	2.271s	PASSED
30	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Add Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Add Reward'	2.121\$	PASSED
31	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Confirm Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Confirm Reward'	0.941s	PASSED

# Description Swipe(281, 500, 434, 161) Swiped from 281,500 to 434,161 1.246 33 tap(findTestObject("Productions/Create Order/PNP/Dine In/Select Payment Method"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Select Payment Method' 34 tap(findTestObject("Productions/Create Order/Payment Method/Payment Credit Card"), 5) Tapped on element 'Object Repository/Productions/Create Order/Payment Method/Payment Credit Card' 1.420	ss PASSED
 tap(findTestObject("Productions/Create Order/PNP/Dine In/Select Payment Method"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Select Payment Method' tap(findTestObject("Productions/Create Order/Payment Method/Payment Credit Card"), 5) Tapped on element 'Object Repository/Productions/Create Order/Payment Method/Payment 	
Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Select Payment Method' 34 tap(findTestObject("Productions/Create Order/Payment Method/Payment Credit Card"), 5) Tapped on element 'Object Repository/Productions/Create Order/Payment Method/Payment	
Payment Method' 34 tap(findTestObject("Productions/Create Order/Payment Method/Payment Credit Card"), 5) Tapped on element 'Object Repository/Productions/Create Order/Payment Method/Payment	I s PASSED
Tapped on element 'Object Repository/Productions/Create Order/Payment Method/Payment	S PASSED
35 tap(findTestObject("Productions/Create Order/Payment Method/Button - Save Payment"), 5) 1.180	os PASSED
Tapped on element 'Object Repository/Productions/Create Order/Payment Method/Button - Save Payment'	
36 delay(5, STOP_ON_FAILURE) 5.017	's PASSED
Delayed 5 second(s)	
37 swipe(281, 500, 434, 161) 1.303	s PASSED
Swiped from 281,500 to 434,161	
38 delay(7, STOP_ON_FAILURE) 7.009	9s PASSED
Delayed 7 second(s)	
39 closeApplication() 0.516	SS PASSED
Close app successfully	
40 Start listener action : sampleAfterTestCase 0.006	SS PASSED

Dine In - Debit Card

Information

ID Test Cases/Production/Create Order/PNP/Dine In/Dine In - Debit Card

Description

Tag

Start 2023-07-11 20:28:02 End 2023-07-11 20:29:35

Elapsed 1m - 33.501s

Status FAILED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	22.651s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.013s	PASSED
3	tap(findTestObject("Productions/Menu/Home"), 5) Tapped on element 'Object Repository/Productions/Menu/Home'	2.467s	PASSED
4	swipe(281, 500, 434, 170) Swiped from 281,500 to 434,170	1.280s	PASSED
5	tap(findTestObject("Productions/Create Order/PNP/Dine In/Menu - DINE-IN"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Menu - DINE-IN'	1.263s	PASSED
6	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/Search KFC Outlet"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/Search KFC Outlet' is visible	3.075s	PASSED

#	Description	Elapsed	Status
7	tap(findTestObject("Productions/Create Order/PNP/Dine In/Search KFC Outlet"), 0, STOP_ON_FAILURE) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Search KFC	0.834s	PASSED
	Outlet'		
8	setText(findTestObject("Productions/Create Order/PNP/Dine In/EditText - Search KFC Outlet"), "Kemang", 5) Text 'Kemang' has been set to element 'Object Repository/Productions/Create Order/PNP/Dine In/EditText - Search KFC Outlet'	3.477s	PASSED
9	hideKeyboard() Keyboard is hidden	3.719s	PASSED
10	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.018s	PASSED
11	waitForElementPresent(findTestObject("Productions/Create Order/PNP/Dine In/Button - Select Outlet"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Select Outlet' is present	0.674s	PASSED
12	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Select Outlet"), 0) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Select Outlet'	0.784s	PASSED
13	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.020s	PASSED
14	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/List Menu Group"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/List Menu Group' is visible	0.646s	PASSED

#	Description	Elapsed	Status
15	tap(findTestObject("Productions/Create Order/PNP/Dine In/List Menu Group"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/List Menu Group'	0.707s	PASSED
16	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.019s	PASSED
17	tap(findTestObject("Productions/Create Order/PNP/Dine In/Breakfast"), 3) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Breakfast'	0.567s	PASSED
18	tap(findTestObject("Productions/Create Order/PNP/Dine In/List Menu Group"), 3) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/List Menu Group'	3.556s	PASSED
19	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.023s	PASSED
20	tap(findTestObject("Productions/Create Order/PNP/Dine In/Spesial"), 3) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Spesial'	0.577s	PASSED
21	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Add"), 3) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Add'	3.357s	PASSED
22	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.020s	PASSED
23	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Continue Custom"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Continue Custom'	0.575s	PASSED

#	Description	Elapsed	Status
24	tap(findTestObject("Productions/Create Order/PNP/Dine In/Next Button Order"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Next Button Order'	1.620s	PASSED
25	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/You Got Free GOCENG"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/You Got Free GOCENG' is visible	2.351s	PASSED
26	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/Continue Choose Reward"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/Continue Choose Reward' is visible	0.393s	PASSED
27	tap(findTestObject("Productions/Create Order/PNP/Dine In/Continue Choose Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Continue Choose Reward'	0.467s	PASSED
28	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.015s	PASSED
29	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Choose Now Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Choose Now Reward'	1.224s	PASSED
30	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Add Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Add Reward'	2.507s	PASSED
31	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Confirm Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Confirm Reward'	0.954s	PASSED


#	Description	Elapsed	Status
32	swipe(281, 500, 434, 161)	1.258s	PASSED
	Swiped from 281,500 to 434,161		

#	Description	Elapsed	Status
33	tap(findTestObject("Productions/Create Order/PNP/Dine In/Select Payment Method"), 5)	2.533s	FAILED
	Failed to tap on element 'Object Repository/Productions/Create Order/PNP/Dine In/Select Payment Method' (Root cause: org.openqa.selenium.StaleElementReferenceException: Cached elements 'By.xpath: //*[@class = 'android.widget.TextView' and (@text = 'Select Payment Method' or . = 'Select Payment Method')]' do not exist in DOM anymore For documentation on this error, please visit: https://www.seleniumhq.		
	org/exceptions/stale_element_reference.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'NKC-23', ip: '192.168.1.14', os.name: 'Windows 10', os.arch: 'amd64', os.		
	version: '10.0', java.version: '1.8.0_282' Driver info: com.kms.katalon.core.appium.driver.SwipeableAndroidDriver		
	Capabilities {appActivity: com.kfc.mobile.presentation, appPackage: com.kfc.mobile, autoGrantPermissions: true, automationName: uiautomator2, chromedriverPort: 54830, databaseEnabled: false, desired: {appActivity: com.kfc.mobile.presentation, appPackage: com.kfc.mobile, autoGrantPermissions: true, automationName: uiautomator2,		
	chromedriverPort: 54830, deviceId: , deviceName: OPPO CPH1803 (Android 8.1.0), newCommandTimeout: 1800, noReset: true, platform: ANDROID, platformName: android, platformVersion: 8.1.0, systemPort: 8295, udid: cefdc881}, deviceApiLevel: 27, deviceId: , deviceManufacturer: OPPO, deviceModel: CPH1803, deviceName: cefdc881,		
	deviceScreenDensity: 320, deviceScreenSize: 720x1520, deviceUDID: cefdc881, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true,		
	newCommandTimeout: 1800, noReset: true, pixelRatio: 2, platform: ANDROID, platformName: Android, platformVersion: 8.1.0, statBarHeight: 53, systemPort: 8295, takesScreenshot: true, udid: cefdc881, viewportRect: {height: 1467, left: 0, top: 53, width:		
	720}, warnings: {}, webStorageEnabled: false} Session ID: d2aa3af5-7611-464d-b014-930bda20690c at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException		
	(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode		
	(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:239)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at io.appium.java_client.DefaultGenericMobileDriver.execute		
	(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)		
	at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.execute (SwipeableAndroidDriver.java:1)		
	at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at io.appium.java_client.DefaultGenericMobileElement.execute		
	(DefaultGenericMobileElement.java:45) at io.appium.java_client.MobileElement.execute(MobileElement.java:1) at io.appium.java_client.android.AndroidElement.execute(AndroidElement.java:1)		
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84) at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1.		
	doCall(TapKeyword.groovy:82) at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1.call		
	(Tankeyword groovy)		

at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.

(TapKeyword.groovy)

```
Description
                                                                                                                                                                                                Elapsed
                                                                                                                                                                                                                                     Status
 runKeyword(MobileKeywordMain.groovy:21)
                     at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.tap(TapKeyword.
 groovy:84)
                     at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.execute
 (TapKeyword.groovy:68)
                     at com.kms.katalon.core.keyword.internal.KeywordExecutor.
 executeKeywordForPlatform(KeywordExecutor.groovy:74)
                     at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.tap
 (MobileBuiltInKeywords.groovy:1490)
                    at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords$tap$0.call
 (Unknown Source)
                    at Dine In - Debit Card.run(Dine In - Debit Card:85)
                    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                     java:448)
                     at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.d
java:439)
                    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
 (TestCaseExecutor.java:418)
                    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
 (TestCaseExecutor.java:410)
                    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
 java:285)
                    at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
 (CommonExecutor.java:65)
                    at\ com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
 (TestSuiteExecutor.java:151)
                    at\ com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
 106)
                     at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
 185)
                     at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
 Source)
                    at TempTestSuite1689081381910.run(TempTestSuite1689081381910.groovy:36)
```



#	Description	Elapsed	Status
34	Start listener action : sampleAfterTestCase	0.009s	PASSED

Information

ID Test Cases/Production/Re-Buy/Rebuy

Description

Tag


Start 2023-07-11 20:29:35 End 2023-07-11 20:30:35

Elapsed 59.545s Status FAILED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	17.334s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.013s	PASSED
3	tap(findTestObject("Productions/Menu/My Order"), 0) Tapped on element 'Object Repository/Productions/Menu/My Order'	3.477s	PASSED
4	tap(findTestObject("Productions/My Order/Order Detail - HMD/HMD - Kombo Crispy Burger"), 0) Tapped on element 'Object Repository/Productions/My Order/Order Detail - HMD/HMD - Kombo Crispy Burger'	3.803s	PASSED
5	delay(10, STOP_ON_FAILURE) Delayed 10 second(s)	10.009s	PASSED
6	scrollToText("TOTAL", STOP_ON_FAILURE) Scrolling to text 'TOTAL' successfully	4.006s	PASSED

#	Description	Elapsed	Status
7	swipe(281, 500, 434, 161)	1.213s	PASSED
	Swiped from 281,500 to 434,161		
8	tap(findTestObject("Productions/Rebuy/Button - Re-Order"), 5)	0.799s	PASSED
	Tapped on element 'Object Repository/Productions/Rebuy/Button - Re-Order'		
9	delay(5, STOP_ON_FAILURE)	5.012s	PASSED
	Delayed 5 second(s)		
10	swipe(281, 500, 434, 161)	1.424s	PASSED
	Swiped from 281,500 to 434,161		

#	Description	Elapsed	Status
11	tap(findTestObject("Productions/Create Order/HMD/Select Delivery Method"), 5)	6.397s	FAILED
		0.00.0	
	Failed to tap on element 'Object Repository/Productions/Create Order/HMD/Select Delivery		
	Method' (Root cause: com.kms.katalon.core.exception.StepFailedException: Object Object Repository/Productions/Create Order/HMD/Select Delivery Method not found		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
	groovy:50)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed		
	(MobileKeywordMain.groovy:40)		
	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1.		
	doCall(TapKeyword.groovy:79)		
	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1.call (TapKeyword.groovy)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		
	runKeyword(MobileKeywordMain.groovy:21)		
	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.tap(TapKeyword.		
	groovy:84)		
	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.execute		
	(TapKeyword.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.tap		
	(MobileBuiltInKeywords.groovy:1490)		
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$tap\$0.call		
	(Unknown Source)		
	at Rebuy.run(Rebuy:40)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1689081381910.run(TempTestSuite1689081381910.groovy:36)		



Order Detail



Kombo Crispy Burger Rp41.818

1 Porsi Crispy Burger + 1 FF Reg + 1 Coca-Cola Reg

Jl. Bulungan I / 6 A Jakarta Selatan









Instant Reward - Free GOCENG

Let's purchase up to Rp 50.000 and get 1 Free GOCENG. Applies multiply.



Add more menu

Delivery Address

Change Address



Jalan Dasa Raya

Jl. Dasa Raya, Gandaria Utara, Kec. Kby. Baru, Kota Jakarta Selatan, Daerah Khusus Ibukota ...

#	Description	Elapsed	Status
12	Start listener action : sampleAfterTestCase	0.007s	PASSED

Information

ID Test Cases/Production/Profile/Personal Info/User Profile

Description


Tag

Start 2023-07-11 20:30:35 End 2023-07-11 20:31:06

Elapsed 31.674s
Status FAILED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE)	17.487s	PASSED
	Starting app with application ID: 'com.kfc.mobile'		
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.015s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 0) Tapped on element 'Object Repository/Productions/Menu/Profile'	2.454s	PASSED
4	verifyElementVisible(findTestObject("Productions/Personal Info/Profile/Photo Profile"), 3) Element 'Object Repository/Productions/Personal Info/Profile/Photo Profile' is visible	1.801s	PASSED

Description	Elapsed	Status
verifyElementVisible(findTestObject("Productions/Personal Info/Profile/Username"), 3)	4.250s	FAILED
Failed to check for element 'Object Repository/Productions/Personal Info/Profile/Username' visible (Root cause: com.kms.katalon.core.exception.StepFailedException: Element 'Object		
Repository/Productions/Personal Info/Profile/Username' not found at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:50) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed		
(MobileKeywordMain.groovy:40)		
at com.kms.katalon.core.mobile.keyword.builtin. VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.doCall		
(VerifyElementVisibleKeyword.groovy:82) at com.kms.katalon.core.mobile.keyword.builtin.		
VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.call (VerifyElementVisibleKeyword.groovy)		
at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:21)		
at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword.		
verifyElementVisible(VerifyElementVisibleKeyword.groovy:85) at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword.		
execute(VerifyElementVisibleKeyword.groovy:64) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.		
verifyElementVisible(MobileBuiltInKeywords.groovy:2031)		
at com.kms.katalon.core.mobile.keyword. MobileBuiltInKeywords\$verifyElementVisible\$7.call(Unknown Source)		
at User Profile.run(User Profile:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source) at TempTestSuite1689081381910.run(TempTestSuite1689081381910.groovy:36)		



# I	Description	Elapsed	Status
6	Start listener action : sampleAfterTestCase	0.010s	PASSED

Information

ID Test Cases/Production/Profile/Personal Info/Setting - Personal Info

Description


Tag

Start 2023-07-11 20:31:06 End 2023-07-11 20:32:05

Elapsed 58.959s Status FAILED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE)	17.613s	PASSED
	Starting app with application ID: 'com.kfc.mobile'		
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.020s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 0) Tapped on element 'Object Repository/Productions/Menu/Profile'	2.565s	PASSED
4	tap(findTestObject("Productions/Personal Info/Edit Profile"), 0) Tapped on element 'Object Repository/Productions/Personal Info/Edit Profile'	1.717s	PASSED

#	Description	Elapsed	Status
5	setText(findTestObject("Productions/Personal Info/Edit-Profile/Edit Name"), "Mike", 0)	31.271s	FAILED
	Failed to set text into element (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Object Object Repository/Productions/Personal Info/Edit-Profile/Edit		
	Name not found		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
	groovy:50)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed		
	(MobileKeywordMain.groovy:40)		
	at com.kms.katalon.core.mobile.keyword.builtin.		
	SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:76)		
	at com.kms.katalon.core.mobile.keyword.builtin.		
	SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		
	runKeyword(MobileKeywordMain.groovy:21)		
	at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.setText		
	(SetTextKeyword.groovy:83)		
	at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute		
	(SetTextKeyword.groovy:66)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.setText		
	(MobileBuiltInKeywords.groovy:1307)		
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$setText\$4.call		
	(Unknown Source)		
	at Setting - Personal Info.run(Setting - Personal Info:28)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1689081381910.run(TempTestSuite1689081381910.groovy:36)		



#	Description	Elapsed	Status
6	Start listener action : sampleAfterTestCase	0.011s	PASSED

Change Language

Information

ID Test Cases/Production/Profile/General/Change Language

Description

Tag

Start 2023-07-11 20:32:05 End 2023-07-11 20:32:54

Elapsed 49.059s Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	17.644s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.021s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 0) Tapped on element 'Object Repository/Productions/Menu/Profile'	2.458s	PASSED
4	tap(findTestObject("Productions/General/Change Language/Menu - Language"), 3) Tapped on element 'Object Repository/Productions/General/Change Language/Menu - Language'	1.863s	PASSED
5	verifyElementVisible(findTestObject("Productions/General/Change Language/SELECT LANGUAGE"), 3) Element 'Object Repository/Productions/General/Change Language/SELECT LANGUAGE' is visible	1.402s	PASSED
6	verifyElementVisible(findTestObject("Productions/General/Change Language/Bahasa Indonesia"), 3) Element 'Object Repository/Productions/General/Change Language/Bahasa Indonesia' is visible	0.618s	PASSED

Change Language

(verifyElementVisible(findTestObject("Productions/General/Change Language/English (United States)"), 3) Element 'Object Repository/Productions/General/Change Language/English (United States)"	0.586s	PASSED
	is visible		
	tap(findTestObject("Productions/General/Change Language/Bahasa Indonesia"), 3)	0.569s	PASSED
	Tapped on element 'Object Repository/Productions/General/Change Language/Bahasa Indonesia'		
9 t	tap(findTestObject("Productions/General/Change Language/Save"), 3)	1.153s	PASSED
-	Tapped on element 'Object Repository/Productions/General/Change Language/Save'		
	delay(5, STOP_ON_FAILURE)	5.019s	PASSED
I	Delayed 5 second(s)		
	verifyElementText(findTestObject("Productions/General/Change Language/Manu - Bahasa"), "Bahasa")	0.802s	PASSED
	Actual text and expected text of test object 'Object Repository/Productions/General/Change Language/Manu - Bahasa' are matched.		
12 t	tap(findTestObject("Productions/General/Change Language/Manu - Bahasa"), 3)	0.745s	PASSED
_	Tapped on element 'Object Repository/Productions/General/Change Language/Manu - Bahasa'		
	verifyElementVisible(findTestObject("Productions/General/Change Language/PILIH BAHASA"), 3)	1.313s	PASSED
	Element 'Object Repository/Productions/General/Change Language/PILIH BAHASA' is visible		
	verifyElementVisible(findTestObject("Productions/General/Change Language/Bahasa Indonesia"), 3)	0.517s	PASSED
	Element 'Object Repository/Productions/General/Change Language/Bahasa Indonesia' is visible		

Change Language

#	Description	Elapsed	Status
15	verifyElementVisible(findTestObject("Productions/General/Change Language/English (United States)"), 3) Element 'Object Repository/Productions/General/Change Language/English (United States)' is visible	0.497s	PASSED
16	tap(findTestObject("Productions/General/Change Language/English (United States)"), 3) Tapped on element 'Object Repository/Productions/General/Change Language/English (United States)'	1.117s	PASSED
17	tap(findTestObject("Productions/General/Change Language/Simpan"), 3) Tapped on element 'Object Repository/Productions/General/Change Language/Simpan'	0.911s	PASSED
18	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.017s	PASSED
19	verifyElementText(findTestObject("Productions/General/Change Language/Menu - Language"), "Language") Actual text and expected text of test object 'Object Repository/Productions/General/Change Language/Menu - Language' are matched.	0.646s	PASSED
20	closeApplication() Close app successfully	0.419s	PASSED
21	Start listener action : sampleAfterTestCase	0.013s	PASSED

Customer Service

Information

ID Test Cases/Production/Profile/General/Customer Service

Description

Tag

Start 2023-07-11 20:32:54 End 2023-07-11 20:33:38

Elapsed 43.848s Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	22.454s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.022s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 0) Tapped on element 'Object Repository/Productions/Menu/Profile'	2.358s	PASSED
4	tap(findTestObject("Productions/General/Customer-Service/Menu-Customer Service"), 3) Tapped on element 'Object Repository/Productions/General/Customer-Service/Menu-Customer Service'	1.836s	PASSED
5	verifyElementVisible(findTestObject("Productions/General/Customer-Service/CUSTOMER SERVICE"), 3) Element 'Object Repository/Productions/General/Customer-Service/CUSTOMER SERVICE' is visible	1.841s	PASSED
6	verifyElementVisible(findTestObject("Productions/General/Customer-Service/Call"), 3) Element 'Object Repository/Productions/General/Customer-Service/Call' is visible	0.674s	PASSED

Customer Service

#	Description	Elapsed	Status
7	verifyElementVisible(findTestObject("Productions/General/Customer-Service/Whatsapp"), 3) Element 'Object Repository/Productions/General/Customer-Service/Whatsapp' is visible	0.570s	PASSED
8	verifyElementVisible(findTestObject("Productions/General/Customer-Service/Email"), 3) Element 'Object Repository/Productions/General/Customer-Service/Email' is visible	0.592s	PASSED
9	verifyElementVisible(findTestObject("Productions/General/Customer-Service/Image CS KFC"), 3) Element 'Object Repository/Productions/General/Customer-Service/Image CS KFC' is visible	0.547s	PASSED
10	tap(findTestObject("Productions/General/Customer-Service/Close Button"), 3) Tapped on element 'Object Repository/Productions/General/Customer-Service/Close Button'	1.835s	PASSED
11	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.023s	PASSED
12	closeApplication() Close app successfully	0.454s	PASSED
13	Start listener action : sampleAfterTestCase	0.010s	PASSED

Privacy Policy

Information

ID Test Cases/Production/Profile/General/Privacy Policy

Description

Tag

Start 2023-07-11 20:33:38 End 2023-07-11 20:34:20

Elapsed 42.075s Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	21.233s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.009s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 0) Tapped on element 'Object Repository/Productions/Menu/Profile'	2.455s	PASSED
4	tap(findTestObject("Productions/General/Privacy-Policy/Menu - Privacy Policy"), 3) Tapped on element 'Object Repository/Productions/General/Privacy-Policy/Menu - Privacy Policy'	2.469s	PASSED
5	verifyElementVisible(findTestObject("Productions/General/Privacy-Policy/Title - PRIVACY POLICY"), 3) Element 'Object Repository/Productions/General/Privacy-Policy/Title - PRIVACY POLICY' is visible	2.602s	PASSED
6	verifyElementVisible(findTestObject("Productions/General/Privacy-Policy/Privacy Policy"), 3) Element 'Object Repository/Productions/General/Privacy-Policy/Privacy Policy' is visible	1.214s	PASSED

Privacy Policy

#	Description	Elapsed	Status
7	tap(findTestObject("Productions/General/Privacy-Policy/Close"), 3)	0.674s	PASSED
	Tapped on element 'Object Repository/Productions/General/Privacy-Policy/Close'		
8	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.024s	PASSED
9	closeApplication() Close app successfully	0.445s	PASSED
10	Start listener action : sampleAfterTestCase	0.008s	PASSED

Term and Condition

Information

ID Test Cases/Production/Profile/General/Term and Condition

Description

Tag

Start 2023-07-11 20:34:20 End 2023-07-11 20:35:01

Elapsed 40.628s Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	20.842s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.010s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 0) Tapped on element 'Object Repository/Productions/Menu/Profile'	2.434s	PASSED
4	tap(findTestObject("Productions/General/Term and Condition/Menu - TnC"), 3) Tapped on element 'Object Repository/Productions/General/Term and Condition/Menu - TnC'	1.865s	PASSED
5	verifyElementVisible(findTestObject("Productions/General/Term and Condition/Title - TERMS AND CONDITIONS"), 3) Element 'Object Repository/Productions/General/Term and Condition/Title - TERMS AND CONDITIONS' is visible	2.746s	PASSED
6	verifyElementVisible(findTestObject("Productions/General/Term and Condition/Term Of Use"), 3) Element 'Object Repository/Productions/General/Term and Condition/Term Of Use' is visible	0.704s	PASSED

Term and Condition

#	Description	Elapsed	Status
7	tap(findTestObject("Productions/General/Term and Condition/Close"), 3)	0.586s	PASSED
	Tapped on element 'Object Repository/Productions/General/Term and Condition/Close'		
8	delay(5, STOP_ON_FAILURE)	5.025s	PASSED
	Delayed 5 second(s)		
9	closeApplication()	0.426s	PASSED
	Close app successfully		
10	Start listener action : sampleAfterTestCase	0.006s	PASSED

Linked Account

Information

ID Test Cases/Production/Profile/Device/Linked Account

Description

Tag

Start 2023-07-11 20:35:01 End 2023-07-11 20:35:50

Elapsed 49.091s Status PASSED

PASSED
PASSED

Linked Account

#	Description	Elapsed	Status
7	verifyElementVisible(findTestObject("Productions/General/Linked Account/Note"), 3)	0.561s	PASSED
	Element 'Object Repository/Productions/General/Linked Account/Note' is visible		
8	tap(findTestObject("Productions/General/Linked Account/Back Button"), 3)	0.630s	PASSED
	Tapped on element 'Object Repository/Productions/General/Linked Account/Back Button'		
9	delay(5, STOP_ON_FAILURE)	5.026s	PASSED
	Delayed 5 second(s)		
10	closeApplication()	0.514s	PASSED
	Close app successfully		
11	Start listener action : sampleAfterTestCase	0.011s	PASSED

App Version

Information

ID Test Cases/Production/Profile/Device/App Version

Description

Tag

Start 2023-07-11 20:35:50 End 2023-07-11 20:36:26

Elapsed 36.012s
Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	20.776s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.009s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 0) Tapped on element 'Object Repository/Productions/Menu/Profile'	2.340s	PASSED
4	verifyElementVisible(findTestObject("Productions/Device/Version Apps"), 3) Element 'Object Repository/Productions/Device/Version Apps' is visible	1.919s	PASSED
5	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.018s	PASSED
6	closeApplication() Close app successfully	0.462s	PASSED
7	Start listener action : sampleAfterTestCase	0.010s	PASSED

Logout

Information

ID Test Cases/Production/Profile/Device/Logout

Description

Tag

Start 2023-07-11 20:36:26 End 2023-07-11 20:37:04

Elapsed 38.306s Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	20.418s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.017s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 0) Tapped on element 'Object Repository/Productions/Menu/Profile'	2.295s	PASSED
4	tap(findTestObject("Productions/Device/Log Out"), 3) Tapped on element 'Object Repository/Productions/Device/Log Out'	2.462s	PASSED
5	verifyElementVisible(findTestObject("Productions/Login/Logout - Yes"), 3) Element 'Object Repository/Productions/Login/Logout - Yes' is visible	1.061s	PASSED
6	verifyElementVisible(findTestObject("Productions/Login/Logout - Cancel"), 3) Element 'Object Repository/Productions/Login/Logout - Cancel' is visible	0.524s	PASSED
7	tap(findTestObject("Productions/Login/Logout - Yes"), 3) Tapped on element 'Object Repository/Productions/Login/Logout - Yes'	0.560s	PASSED

Logout

#	Description	Elapsed	Status
8	delay(5, STOP_ON_FAILURE)	5.018s	PASSED
	Delayed 5 second(s)		
9	closeApplication()	0.448s	PASSED
	Close app successfully		
10	Start listener action : sampleAfterTestCase	0.014s	PASSED