Login Production

Execution Environment

Host name	Ahadian Rifky - NKC-23
Local OS	Windows 10 64bit
Katalon version	8.5.5.208
Browser	null

Summary

ID	Test Suites/Production/Login Production		
Description			
Total	2		
Passed	1	Failed	0
Error	1	Incomplete	0
Skipped	0		
Start	2023-03-13 15:25:23	End	2023-03-13 15:27:01
Elapsed	1m - 38.131s		

#	ID	Description	Status
1	Test Cases/Production/Login KFCKU Apps/Login Failed - Empty Phone Number and Password		ERROR
2	Test Cases/Production/Login KFCKU Apps/Login Failed - Phone Number Not Registered		PASSED

Login Failed - Empty Phone Number and Password

Information

ID	Test Cases/Production/Login KFCKU Apps/Login Failed - Empty Phone Number and Password
Description	
Tag	

Start	2023-03-13 15:25:23	End	2023-03-13 15:26:15
Elapsed	52.178s		
Status	ERROR		

Details

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	24.141s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.038s	PASSED
3	pressBack() Press back button successfully	0.881s	PASSED
4	tap(findTestObject("Production/Home - Login/Profil"), 5) Tapped on element 'Object Repository/Production/Home - Login/Profil'	2.835s	PASSED
5	setText(findTestObject("Production/Home - Login/Masukkan nomor handphone Anda"), "", 0) Text '' has been set to element 'Object Repository/Production/Home - Login/Masukkan nomor handphone Anda'	4.162s	PASSED
6	hideKeyboard() Keyboard is hidden	1.390s	PASSED

Login Failed - Empty Phone Number and Password

#	Description	Elapsed	Status
7	setText(findTestObject("Production/Home - Login/Ketik kata sandi Anda"), "", 0) Text '' has been set to element 'Object Repository/Production/Home - Login/Ketik kata sandi Anda'	1.844s	PASSED
8	hideKeyboard() Keyboard is hidden	1.361s	PASSED
9	tap(findTestObject("Production/Home - Login/Button - Masuk"), 0) Tapped on element 'Object Repository/Production/Home - Login/Button - Masuk'	0.968s	PASSED
10	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.015s	PASSED
11	waitForElementPresent(findTestObject("Production/Home - Login/Mohon masukkan nomor handphone Anda"), 0, STOP_ON_FAILURE) Element 'Object Repository/Production/Home - Login/Mohon masukkan nomor handphone Anda' is present	0.639s	PASSED
12	waitForElementPresent(findTestObject("Production/Home - Login/Masukkan kata sandi Anda yang benar"), 0) Element 'Object Repository/Production/Home - Login/Masukkan kata sandi Anda yang benar' is present	0.385s	PASSED
13	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.012s	PASSED

#	Description	Elapsed	Status
14	closeApplication("com.kfc.mobile", STOP_ON_FAILURE)	0.059s	ERROR
	Test Cases/Production/Login KFCKU Apps/Login Failed - Empty Phone Number and Password FAILED. Reason: groovy.lang.MissingMethodException: No signature of method: static com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.closeApplication() is applicable for argument types: (java.lang.String, com.kms.katalon.core.model.FailureHandling) values: [com.kfc.mobile, STOP_ON_FAILURE] Possible solutions: closeApplication(), closeApplication(com.kms.katalon.core.model.FailureHandling) at Login Failed - Empty Phone Number and Password.run(Login Failed - Empty Phone Number and Password:46) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source) at TempTestSuite1678695912498.run(TempTestSuite1678695912498.groovy:36)		
15	Start listener action : sampleAfterTestCase	0.021s	PASSED

Login Failed - Phone Number Not Registered

Information

ID	Test Cases/Production/Login KFCKU Apps/Login Failed - Phone Number Not Registered
Description	
Tag	

Start	2023-03-13 15:26:15	End	2023-03-13 15:27:01
Elapsed	45.688s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	15.905s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.009s	PASSED
3	pressBack() Press back button successfully	0.218s	PASSED
4	tap(findTestObject("Production/Home - Login/Profil"), 5) Tapped on element 'Object Repository/Production/Home - Login/Profil'	2.337s	PASSED
5	setText(findTestObject("Production/Home - Login/Masukkan nomor handphone Anda"), "081211287388", 0) Text '081211287388' has been set to element 'Object Repository/Production/Home - Login/Masukkan nomor handphone Anda'	4.196s	PASSED
6	hideKeyboard() Keyboard is hidden	1.392s	PASSED

Login Failed - Phone Number Not Registered

#	Description	Elapsed	Status
7	setText(findTestObject("Production/Home - Login/Ketik kata sandi Anda"), "pass123", 0) Text 'pass123' has been set to element 'Object Repository/Production/Home - Login/Ketik kata sandi Anda'	1.858s	PASSED
8	hideKeyboard() Keyboard is hidden	1.413s	PASSED
9	tap(findTestObject("Production/Home - Login/Button - Masuk"), 0) Tapped on element 'Object Repository/Production/Home - Login/Button - Masuk'	0.568s	PASSED
10	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.019s	PASSED
11	waitForElementPresent(findTestObject("Production/Home - Login/Error - Nomor handphone Anda belum terdaftar"), 3) Element 'Object Repository/Production/Home - Login/Error - Nomor handphone Anda belum terdaftar' is present	0.990s	PASSED
12	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.011s	PASSED
13	closeApplication() Close app successfully	1.405s	PASSED
14	Start listener action : sampleAfterTestCase	0.002s	PASSED