KFCKU Apps

Execution Environment

Host name Ahadian Rifky - NKC-23 Local OS Windows 10 64bit

Katalon version 8.5.5.208 Browser null

Summary

ID Test Suites/Production/KFCKU Apps

Description

Total 23
Passed 16 Failed 7
Error 0 Incomplete 0

Skipped 0

Start 2023-06-13 11:51:27 End 2023-06-13 12:13:54

Elapsed 22m - 27.478s

#	ID	Description	Status
1	Test Cases/Production/Login KFCKU Apps/Login Failed - Empty Phone Number and Password		PASSED
2	Test Cases/Production/Login KFCKU Apps/Login Failed - Phone Number Not Registered		PASSED
3	Test Cases/Production/Login KFCKU Apps/Login Failed - Wrong Password		PASSED
4	Test Cases/Production/Login KFCKU Apps/Login Social Media		PASSED
5	Test Cases/Production/Login KFCKU Apps/Login Phone Number		PASSED
6	Test Cases/Production/Home Page/Promotion		PASSED
7	Test Cases/Production/My Order/Order Detail HMD - My Order		FAILED
8	Test Cases/Production/My Order/Order Detail PNP - My Order		PASSED
9	Test Cases/Production/My Order/View All Status Order - My Order		PASSED
10	Test Cases/Production/Create Order/PNP/Dine In/Dine In - Debit Card		FAILED
11	Test Cases/Production/Create Order/PNP/Take Away/Take Away - Credit Card		FAILED
12	Test Cases/Production/Create Order/HMD/HMD - QR		PASSED
13	Test Cases/Production/Create Order/Drive Thru/Drive Thru - Gopay		FAILED
14	Test Cases/Production/Re-Buy/Rebuy		PASSED
15	Test Cases/Production/Profile/Personal Info/User Profile		FAILED

KFCKU Apps

#	ID	Description	Status
16	Test Cases/Production/Profile/Personal Info/Setting - Personal Info		FAILED
17	Test Cases/Production/Profile/General/Change Language		PASSED
18	Test Cases/Production/Profile/General/Customer Service		PASSED
19	Test Cases/Production/Profile/General/Privacy Policy		PASSED
20	Test Cases/Production/Profile/General/Term and Condition		PASSED
21	Test Cases/Production/Profile/Device/Linked Account		FAILED
22	Test Cases/Production/Profile/Device/App Version		PASSED
23	Test Cases/Production/Profile/Device/Logout		PASSED

Login Failed - Empty Phone Number and Password

Information

ID Test Cases/Production/Login KFCKU Apps/Login Failed - Empty Phone Number and Password

Description

Tag

Start 2023-06-13 11:51:27 End 2023-06-13 11:52:18

Elapsed 50.868s
Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	29.067s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.069s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 5) Tapped on element 'Object Repository/Productions/Menu/Profile'	3.292s	PASSED
4	tap(findTestObject("Productions/Login/Button - Sign In"), 0) Tapped on element 'Object Repository/Productions/Login/Button - Sign In'	2.349s	PASSED
5	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.018s	PASSED
6	waitForElementPresent(findTestObject("Productions/Login/Please enter your phone number"), 0, STOP_ON_FAILURE) Element 'Object Repository/Productions/Login/Please enter your phone number' is present	1.007s	PASSED

Login Failed - Empty Phone Number and Password

#	Description	Elapsed	Status
7	waitForElementPresent(findTestObject("Productions/Login/Please type your correct password"), 0) Element 'Object Repository/Productions/Login/Please type your correct password' is present	0.820s	PASSED
8	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.018s	PASSED
9	closeApplication() Close app successfully	0.703s	PASSED
10	Start listener action : sampleAfterTestCase	0.032s	PASSED

Login Failed - Phone Number Not Registered

Information

ID Test Cases/Production/Login KFCKU Apps/Login Failed - Phone Number Not Registered

Description

Tag

Start 2023-06-13 11:52:18 End 2023-06-13 11:53:06

Elapsed 47.788s Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	21.788s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.020s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 5) Tapped on element 'Object Repository/Productions/Menu/Profile'	2.886s	PASSED
4	tap(findTestObject("Productions/Login/Enter your phone number"), 0) Tapped on element 'Object Repository/Productions/Login/Enter your phone number'	2.345s	PASSED
5	setText(findTestObject("Productions/Login/Enter your phone number"), "081211287366", 0) Text '081211287366' has been set to element 'Object Repository/Productions/Login/Enter your phone number'	2.437s	PASSED
6	pressBack() Press back button successfully	0.535s	PASSED

Login Failed - Phone Number Not Registered

#	Description	Elapsed	Status
7	setText(findTestObject("Productions/Login/Type your password"), "Pass123", 0)	1.806s	PASSED
	Text 'Pass123' has been set to element 'Object Repository/Productions/Login/Type your password'		
8	tap(findTestObject("Productions/Login/Button - Sign In"), 0)	1.085s	PASSED
	Tapped on element 'Object Repository/Productions/Login/Button - Sign In'		
9	delay(5, STOP_ON_FAILURE)	5.015s	PASSED
	Delayed 5 second(s)		
10	waitForElementPresent(findTestObject("Productions/Login/Your phone number has not been registered"), 0, STOP_ON_FAILURE)	0.734s	PASSED
	Element 'Object Repository/Productions/Login/Your phone number has not been registered' is present		
11	delay(3, STOP_ON_FAILURE)	3.013s	PASSED
	Delayed 3 second(s)		
12	closeApplication()	0.528s	PASSED
	Close app successfully		
13	Start listener action : sampleAfterTestCase	0.014s	PASSED

Login Failed - Wrong Password

Information

ID Test Cases/Production/Login KFCKU Apps/Login Failed - Wrong Password

Description

Tag

Start 2023-06-13 11:53:06 End 2023-06-13 11:53:55

Elapsed 49.280s Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	22.241s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.021s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 5) Tapped on element 'Object Repository/Productions/Menu/Profile'	3.976s	PASSED
4	tap(findTestObject("Productions/Login/Enter your phone number"), 0) Tapped on element 'Object Repository/Productions/Login/Enter your phone number'	2.355s	PASSED
5	setText(findTestObject("Productions/Login/Enter your phone number"), "081211287377", 0) Text '081211287377' has been set to element 'Object Repository/Productions/Login/Enter your phone number'	2.382s	PASSED
6	pressBack() Press back button successfully	0.559s	PASSED

Login Failed - Wrong Password

#	Description	Elapsed	Status
7	setText(findTestObject("Productions/Login/Type your password"), "passk209", 0)	1.849s	PASSED
	Text 'passk209' has been set to element 'Object Repository/Productions/Login/Type your password'		
8	tap(findTestObject("Productions/Login/Button - Sign In"), 0)	1.043s	PASSED
	Tapped on element 'Object Repository/Productions/Login/Button - Sign In'		
9	delay(5, STOP_ON_FAILURE)	5.014s	PASSED
	Delayed 5 second(s)		
10	waitForElementPresent(findTestObject("Productions/Login/The password you entered is incorrect"), 0, STOP_ON_FAILURE)	0.699s	PASSED
	Element 'Object Repository/Productions/Login/The password you entered is incorrect' is present		
11	delay(3, STOP_ON_FAILURE)	3.021s	PASSED
	Delayed 3 second(s)		
12	closeApplication()	0.435s	PASSED
	Close app successfully		
13	Start listener action : sampleAfterTestCase	0.007s	PASSED

Login Social Media

Information

ID Test Cases/Production/Login KFCKU Apps/Login Social Media

Description

Tag

Start 2023-06-13 11:53:55 End 2023-06-13 11:54:50

Elapsed 54.891s Status PASSED

Details

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	21.519s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.016s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 5) Tapped on element 'Object Repository/Productions/Menu/Profile'	2.935s	PASSED
4	waitForElementPresent(findTestObject("Productions/Login/Button - Sign in with Google"), 0) Element 'Object Repository/Productions/Login/Button - Sign in with Google' is present	2.376s	PASSED
5	tap(findTestObject("Productions/Login/Button - Sign in with Google"), 0) Tapped on element 'Object Repository/Productions/Login/Button - Sign in with Google'	1.005s	PASSED
6	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.020s	PASSED
7	tap(findTestObject("Productions/Login/jecsanmaychelgmail.com"), 0, STOP_ON_FAILURE)	0.791s	PASSED

Tapped on element 'Object Repository/Productions/Login/jecsanmaychelgmail.com'

Login Social Media

#	Description	Elapsed	Status
8	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.022s	PASSED
9	waitForElementPresent(findTestObject("Productions/Login/Profile Info"), 0) Element 'Object Repository/Productions/Login/Profile Info' is present	1.854s	PASSED
10	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.023s	PASSED
11	tap(findTestObject("Productions/Login/Log Out"), 0) Tapped on element 'Object Repository/Productions/Login/Log Out'	0.976s	PASSED
12	tap(findTestObject("Productions/Login/Logout - Yes"), 0) Tapped on element 'Object Repository/Productions/Login/Logout - Yes'	1.356s	PASSED
13	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.017s	PASSED
14	closeApplication() Close app successfully	0.493s	PASSED
15	Start listener action : sampleAfterTestCase	0.016s	PASSED

Login Phone Number

Information

ID Test Cases/Production/Login KFCKU Apps/Login Phone Number

Description

Tag

Start 2023-06-13 11:54:50 End 2023-06-13 11:55:39

Elapsed 48.990s Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	22.761s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.014s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 5) Tapped on element 'Object Repository/Productions/Menu/Profile'	2.914s	PASSED
4	tap(findTestObject("Productions/Login/Enter your phone number"), 0) Tapped on element 'Object Repository/Productions/Login/Enter your phone number'	2.341s	PASSED
5	setText(findTestObject("Productions/Login/Enter your phone number"), "081211287377", 0) Text '081211287377' has been set to element 'Object Repository/Productions/Login/Enter your phone number'	2.355s	PASSED
6	pressBack() Press back button successfully	0.545s	PASSED

Login Phone Number

#	Description	Elapsed	Status
7	setText(findTestObject("Productions/Login/Type your password"), "pass123", 0)	1.797s	PASSED
	Text 'pass123' has been set to element 'Object Repository/Productions/Login/Type your password'		
8	tap(findTestObject("Productions/Login/Button - Sign In"), 0)	1.085s	PASSED
	Tapped on element 'Object Repository/Productions/Login/Button - Sign In'		
9	delay(5, STOP_ON_FAILURE)	5.026s	PASSED
	Delayed 5 second(s)		
10	waitForElementPresent(findTestObject("Productions/Login/Profile Info"), 0, STOP_ON_FAILURE)	0.855s	PASSED
	Element 'Object Repository/Productions/Login/Profile Info' is present		
11	delay(3, STOP_ON_FAILURE)	3.021s	PASSED
	Delayed 3 second(s)		
12	closeApplication()	0.473s	PASSED
	Close app successfully		
13	Start listener action : sampleAfterTestCase	0.009s	PASSED

Promotion

Information

ID Test Cases/Production/Home Page/Promotion

Description

Tag

Start 2023-06-13 11:55:39 End 2023-06-13 11:56:26

Elapsed 46.997s Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	22.073s	PASSED
2	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.027s	PASSED
3	verifyElementVisible(findTestObject("Productions/Home Page/Promotion/Banner"), 0) Element 'Object Repository/Productions/Home Page/Promotion/Banner' is visible	2.994s	PASSED
4	swipe(281, 800, 434, 61) Swiped from 281,800 to 434,61	1.446s	PASSED
5	verifyElementVisible(findTestObject("Productions/Home Page/Promotion/Title - PROMOS AND REWARDS"), 0) Element 'Object Repository/Productions/Home Page/Promotion/Title - PROMOS AND REWARDS' is visible	1.606s	PASSED
6	Get Device Height and Store in to device_height variable Current device physical height is 1520	0.293s	PASSED

Promotion

#	Description	Elapsed	Status
7	Get Width Height and Store in to device_Width variable Current device physical width is 720	0.259s	PASSED
8	Storing the value in startY variable by dividing device height by 2 Because Y coordinates are constant	0.017s	PASSED
9	Here startY and endY values are equal for Horizontal Swiping for that assigning startX value to endX	0.007s	PASSED
10	Storing the value in startX variable	0.013s	PASSED
11	Storing the value in endX variable	0.007s	PASSED
12	Here Y constant for Swipe Horizontal Right to Left Swiped from 504,760 to 216,760	1.433s	PASSED
13	tap(findTestObject("Productions/Home Page/Promotion/View All"), 3) Tapped on element 'Object Repository/Productions/Home Page/Promotion/View All'	1.189s	PASSED
14	verifyElementVisible(findTestObject("Productions/Home Page/Promotion/Title - ONGOING PROMO"), 0) Element 'Object Repository/Productions/Home Page/Promotion/Title - ONGOING PROMO' is visible	1.824s	PASSED
15	verifyElementVisible(findTestObject("Productions/Home Page/Promotion/Promo List 1"), 0) Element 'Object Repository/Productions/Home Page/Promotion/Promo List 1' is visible	0.733s	PASSED

Promotion

#	Description	Elapsed	Status
16	verifyElementVisible(findTestObject("Productions/Home Page/Promotion/Promo List 2"), 0) Element 'Object Repository/Productions/Home Page/Promotion/Promo List 2' is visible	0.706s	PASSED
17	verifyElementVisible(findTestObject("Productions/Home Page/Promotion/Promo List 3"), 0) Element 'Object Repository/Productions/Home Page/Promotion/Promo List 3' is visible	0.701s	PASSED
18	tap(findTestObject("Productions/Home Page/Promotion/Promo List 1"), 3) Tapped on element 'Object Repository/Productions/Home Page/Promotion/Promo List 1'	0.741s	PASSED
19	tap(findTestObject("Productions/Home Page/Promotion/Button Back Promo Detail"), 3) Tapped on element 'Object Repository/Productions/Home Page/Promotion/Button Back Promo Detail'	2.997s	PASSED
20	tap(findTestObject("Productions/Home Page/Promotion/Button Back"), 3) Tapped on element 'Object Repository/Productions/Home Page/Promotion/Button Back'	0.662s	PASSED
21	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.024s	PASSED
22	closeApplication() Close app successfully	0.474s	PASSED
23	Start listener action : sampleAfterTestCase	0.013s	PASSED

Information

ID Test Cases/Production/My Order/Order Detail HMD - My Order

Description

Tag

Start 2023-06-13 11:56:26 End 2023-06-13 11:57:37


Elapsed 1m - 11.297s

Status FAILED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	22.804s	PASSED
2	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.020s	PASSED
3	tap(findTestObject("Productions/Menu/My Order"), 0) Tapped on element 'Object Repository/Productions/Menu/My Order'	3.349s	PASSED
4	verifyElementVisible(findTestObject("Productions/My Order/Title - MY ORDER"), 0) Element 'Object Repository/Productions/My Order/Title - MY ORDER' is visible	1.928s	PASSED
5	tap(findTestObject("Productions/My Order/Order Detail - HMD/List Order 1"), 0) Tapped on element 'Object Repository/Productions/My Order/Order Detail - HMD/List Order 1'	2.319s	PASSED
6	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - HMD/Title - ORDER DETAIL"), 0) Element 'Object Repository/Productions/My Order/Order Detail - HMD/Title - ORDER DETAIL' is visible	1.841s	PASSED

#	Description	Elapsed	Status
7	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - HMD/Delivery Number"), 0)	2.682s	PASSED
	Element 'Object Repository/Productions/My Order/Order Detail - HMD/Delivery Number' is visible		
8	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - HMD/Order Type"), 0)	0.909s	PASSED
	Element 'Object Repository/Productions/My Order/Order Detail - HMD/Order Type' is visible		

#	Description	Elapsed	Status
		31.379s	FAILED
9	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - HMD/Delivery Detail"), 0)	31.3798	FAILED
	Failed to check for element 'Object Repository/Productions/My Order/Order Detail -		
	HMD/Delivery Detail' visible (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Element 'Object Repository/Productions/My Order/Order Detail - HMD/Delivery Detail' not found		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
	groovy:50)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed		
	(MobileKeywordMain.groovy:40)		
	at com.kms.katalon.core.mobile.keyword.builtin.		
	VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.doCall		
	(VerifyElementVisibleKeyword.groovy:82)		
	at com.kms.katalon.core.mobile.keyword.builtin.		
	VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.call		
	(VerifyElementVisibleKeyword.groovy)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:21)		
	at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword.		
	verifyElementVisible(VerifyElementVisibleKeyword.groovy:85)		
	at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword.		
	execute(VerifyElementVisibleKeyword.groovy:64)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.		
	verifyElementVisible(MobileBuiltInKeywords.groovy:2031)		
	at com.kms.katalon.core.mobile.keyword.		
	MobileBuiltInKeywords\$verifyElementVisible\$7.call(Unknown Source)		
	at Order Detail HMD - My Order.run(Order Detail HMD - My Order:36)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1686631872767.run(TempTestSuite1686631872767.groovy:36)		





K-Chicken + 1 Rice + 1 Ch...

9 pcs Chicken + 7 Rice

Show Detail



1x 9 Plus 7 Rp161.818

Show Detail

#	Description	Elapsed	Status
10	Start listener action : sampleAfterTestCase	0.013s	PASSED

Order Detail PNP - My Order

Information

ID Test Cases/Production/My Order/Order Detail PNP - My Order

Description

Tag

Start 2023-06-13 11:57:37 End 2023-06-13 11:58:28

Elapsed 51.127s
Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	17.434s	PASSED
2	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.010s	PASSED
3	tap(findTestObject("Productions/Menu/My Order"), 0) Tapped on element 'Object Repository/Productions/Menu/My Order'	2.832s	PASSED
4	verifyElementVisible(findTestObject("Productions/My Order/Title - MY ORDER"), 0) Element 'Object Repository/Productions/My Order/Title - MY ORDER' is visible	2.964s	PASSED
5	tap(findTestObject("Productions/My Order/Order Detail - PNP/Dine In"), 0) Tapped on element 'Object Repository/Productions/My Order/Order Detail - PNP/Dine In'	1.062s	PASSED
6	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - PNP/Pick Number"), 0) Element 'Object Repository/Productions/My Order/Order Detail - PNP/Pick Number' is visible	3.893s	PASSED

Order Detail PNP - My Order

#	Description	Elapsed	Status
7	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - PNP/Order Type"), 0)	0.799s	PASSED
	Element 'Object Repository/Productions/My Order/Order Detail - PNP/Order Type' is visible		
8	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - PNP/Pick Up Outlet"), 0)	12.884s	PASSED
	Element 'Object Repository/Productions/My Order/Order Detail - PNP/Pick Up Outlet' is visible		
9	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - PNP/Order Items"), 0)	0.517s	PASSED
	Element 'Object Repository/Productions/My Order/Order Detail - PNP/Order Items' is visible		
10	scrollToText("Tax", STOP_ON_FAILURE)	3.641s	PASSED
	Scrolling to text 'Tax' successfully		
11	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - HMD/Instant Reward"), 0)	0.520s	PASSED
	Element 'Object Repository/Productions/My Order/Order Detail - HMD/Instant Reward' is visible		
12	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - PNP/Order Summary"), 0)	0.509s	PASSED
	Element 'Object Repository/Productions/My Order/Order Detail - PNP/Order Summary' is visible		
13	closeApplication()	0.545s	PASSED
	Close app successfully		
14	Start listener action : sampleAfterTestCase	0.014s	PASSED

View All Status Order - My Order

Information

ID Test Cases/Production/My Order/View All Status Order - My Order

Description

Tag

Start 2023-06-13 11:58:28 End 2023-06-13 11:59:19

Elapsed 51.089s Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	22.254s	PASSED
2	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.009s	PASSED
3	tap(findTestObject("Productions/Menu/My Order"), 0) Tapped on element 'Object Repository/Productions/Menu/My Order'	3.304s	PASSED
4	verifyElementVisible(findTestObject("Productions/My Order/Title - MY ORDER"), 0) Element 'Object Repository/Productions/My Order/Title - MY ORDER' is visible	2.875s	PASSED
5	tap(findTestObject("Productions/My Order/Get List Status"), 0) Tapped on element 'Object Repository/Productions/My Order/Get List Status'	1.182s	PASSED
6	verifyElementVisible(findTestObject("Productions/My Order/Status Order List"), 0) Element 'Object Repository/Productions/My Order/Status Order List' is visible	1.461s	PASSED
7	tap(findTestObject("Productions/My Order/Awaiting Payment"), 0) Tapped on element 'Object Repository/Productions/My Order/Awaiting Payment'	0.706s	PASSED

View All Status Order - My Order

#	Description	Elapsed	Status
8	tap(findTestObject("Productions/My Order/Get List Status"), 0)	1.687s	PASSED
	Tapped on element 'Object Repository/Productions/My Order/Get List Status'		
9	tap(findTestObject("Productions/My Order/Cancelled"), 0)	1.470s	PASSED
	Tapped on element 'Object Repository/Productions/My Order/Cancelled'		
10	tap(findTestObject("Productions/My Order/Get List Status"), 0)	1.960s	PASSED
	Tapped on element 'Object Repository/Productions/My Order/Get List Status'		
11	tap(findTestObject("Productions/My Order/Completed"), 0)	1.415s	PASSED
	Tapped on element 'Object Repository/Productions/My Order/Completed'		
12	tap(findTestObject("Productions/My Order/Get List Status"), 0)	1.741s	PASSED
	Tapped on element 'Object Repository/Productions/My Order/Get List Status'		
13	tap(findTestObject("Productions/My Order/In Progress"), 0)	1.386s	PASSED
	Tapped on element 'Object Repository/Productions/My Order/In Progress'		
14	tap(findTestObject("Productions/My Order/Get List Status"), 0)	1.771s	PASSED
	Tapped on element 'Object Repository/Productions/My Order/Get List Status'		
15	tap(findTestObject("Productions/My Order/Rejected"), 0)	1.392s	PASSED
	Tapped on element 'Object Repository/Productions/My Order/Rejected'		
16	tap(findTestObject("Productions/My Order/Get List Status"), 0)	1.185s	PASSED
	Tapped on element 'Object Repository/Productions/My Order/Get List Status'		
17	tap(findTestObject("Productions/My Order/All"), 0)	1.350s	PASSED
	Tapped on element 'Object Repository/Productions/My Order/All'		

View All Status Order - My Order

#	Description	Elapsed	Status
18	closeApplication()	0.447s	PASSED
	Close app successfully		
19	Start listener action : sampleAfterTestCase	0.013s	PASSED

Information

ID Test Cases/Production/Create Order/PNP/Dine In/Dine In - Debit Card

Description

Tag

Start 2023-06-13 11:59:19 End 2023-06-13 12:00:57

Elapsed 1m - 37.322s

Status FAILED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	21.514s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.022s	PASSED
3	swipe(281, 500, 434, 170) Swiped from 281,500 to 434,170	1.293s	PASSED
4	tap(findTestObject("Productions/Create Order/PNP/Dine In/Menu - DINE-IN"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Menu - DINE-IN'	3.014s	PASSED
5	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/Search KFC Outlet"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/Search KFC Outlet' is visible	3.699s	PASSED
6	tap(findTestObject("Productions/Create Order/PNP/Dine In/Search KFC Outlet"), 0, STOP_ON_FAILURE) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Search KFC Outlet'	0.998s	PASSED

#	Description	Elapsed	Status
7	setText(findTestObject("Productions/Create Order/PNP/Dine In/EditText - Search KFC Outlet"), "Kemang", 5) Text 'Kemang' has been set to element 'Object Repository/Productions/Create Order/PNP/Dine In/EditText - Search KFC Outlet'	4.328s	PASSED
8	hideKeyboard() Keyboard is hidden	4.906s	PASSED
9	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.024s	PASSED
10	waitForElementPresent(findTestObject("Productions/Create Order/PNP/Dine In/Button - Select Outlet"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Select Outlet' is present	1.014s	PASSED
11	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Select Outlet"), 0) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Select Outlet'	0.805s	PASSED
12	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.024s	PASSED
13	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/List Menu Group"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/List Menu Group' is visible	0.775s	PASSED
14	tap(findTestObject("Productions/Create Order/PNP/Dine In/List Menu Group"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/List Menu Group'	1.409s	PASSED

#	Description	Elapsed	Status
15	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.017s	PASSED
16	tap(findTestObject("Productions/Create Order/PNP/Dine In/Breakfast"), 3) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Breakfast'	0.616s	PASSED
17	tap(findTestObject("Productions/Create Order/PNP/Dine In/List Menu Group"), 3) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/List Menu Group'	3.467s	PASSED
18	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.021s	PASSED
19	tap(findTestObject("Productions/Create Order/PNP/Dine In/Spesial"), 3) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Spesial'	0.595s	PASSED
20	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Add"), 3) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Add'	3.223s	PASSED
21	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.025s	PASSED
22	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/List Item Costum"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/List Item Costum' is visible	0.772s	PASSED
23	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Continue Custom"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Continue Custom'	1.305s	PASSED

#	Description	Elapsed	Status
24	tap(findTestObject("Productions/Create Order/PNP/Dine In/Next Button Order"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Next Button Order'	1.598s	PASSED
25	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/You Got Free GOCENG"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/You Got Free GOCENG' is visible	2.555s	PASSED
26	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/Continue Choose Reward"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/Continue Choose Reward' is visible	0.396s	PASSED
27	tap(findTestObject("Productions/Create Order/PNP/Dine In/Continue Choose Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Continue Choose Reward"	0.438s	PASSED
28	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.012s	PASSED
29	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Choose Now Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Choose Now Reward'	1.600s	PASSED
30	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Add Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Add Reward'	2.548s	PASSED
31	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Confirm Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Confirm Reward'	0.939s	PASSED


#	Description	Elapsed	Status
32	swipe(281, 500, 434, 161)	1.268s	PASSED
	Swiped from 281,500 to 434,161		

#	Description	Elapsed	Status
33	tap(findTestObject("Productions/Create Order/PNP/Dine In/Select Payment Method"), 5)	2.586s	FAILED
	Failed to tap on element 'Object Repository/Productions/Create Order/PNP/Dine In/Select Payment Method' (Root cause: org.openqa.selenium.StaleElementReferenceException: Cached elements 'By.xpath: //*[@class = 'android.widget.TextView' and (@text = 'Select Payment Method' or . = 'Select Payment Method')]' do not exist in DOM anymore For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/stale_element_reference.html		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'NKC-23', ip: '172.10.13.174', os.name: 'Windows 10', os.arch: 'amd64',		
	os.version: '10.0', java.version: '1.8.0_282' Driver info: com.kms.katalon.core.appium.driver.SwipeableAndroidDriver Capabilities {appActivity: com.kfc.mobile.presentation, appPackage: com.kfc.mobile,		
	autoGrantPermissions: true, automationName: uiautomator2, chromedriverPort: 56348, databaseEnabled: false, desired: {appActivity: com.kfc.mobile.presentation, appPackage: com.kfc.mobile, autoGrantPermissions: true, automationName: uiautomator2,		
	chromedriverPort: 56348, deviceld: cefdc881, deviceName: OPPO CPH1803 (Android 8.1.0), newCommandTimeout: 1800, noReset: true, platform: ANDROID, platformName: android, platformVersion: 8.1.0, systemPort: 8253, udid: cefdc881}, deviceApiLevel: 27,		
	deviceId: cefdc881, deviceManufacturer: OPPO, deviceModel: CPH1803, deviceName: cefdc881, deviceScreenDensity: 320, deviceScreenSize: 720x1520, deviceUDID: cefdc881,		
	javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 1800, noReset: true, pixelRatio: 2, platform: ANDROID, platformName: Android, platformVersion: 8.1.0, statBarHeight: 53, systemPort: 8253,		
	takesScreenshot: true, udid: cefdc881, viewportRect: {height: 1467, left: 0, top: 53, width: 720}, warnings: {}, webStorageEnabled: false} Session ID: d1f83301-6b4f-4d7e-9242-dd489e16d35c		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode		
	(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode		
	(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:239)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at io.appium.java_client.DefaultGenericMobileDriver.execute		
	(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)		
	at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1) at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.execute (SwipeableAndroidDriver.java:1)		
	at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)		
	at io.appium.java_client.DefaultGenericMobileElement.execute (DefaultGenericMobileElement.java:45) at io.appium.java_client.MobileElement.execute(MobileElement.java:1)		
	at io.appium.java_client.android.AndroidElement.execute(AndroidElement.java:1) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.		
	java:84) at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1. doCall(TapKeyword.groovy:82)		
	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1.call		

at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.

(TapKeyword.groovy)

```
Description
                                                                                                                                                                                                Elapsed
                                                                                                                                                                                                                                     Status
 runKeyword(MobileKeywordMain.groovy:21)
                     at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.tap(TapKeyword.
 groovy:84)
                     at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.execute
 (TapKeyword.groovy:68)
                     at com.kms.katalon.core.keyword.internal.KeywordExecutor.
 executeKeywordForPlatform(KeywordExecutor.groovy:74)
                     at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.tap
 (MobileBuiltInKeywords.groovy:1490)
                    at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords$tap$0.call
 (Unknown Source)
                    at Dine In - Debit Card.run(Dine In - Debit Card:85)
                    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                     java:448)
                     at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExe
java:439)
                    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
 (TestCaseExecutor.java:418)
                    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
 (TestCaseExecutor.java:410)
                    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
 java:285)
                    at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
 (CommonExecutor.java:65)
                    at\ com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
 (TestSuiteExecutor.java:151)
                    at\ com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
 106)
                     at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
 185)
                     at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
 Source)
                    at TempTestSuite1686631872767.run(TempTestSuite1686631872767.groovy:36)
```



#	Description	Elapsed	Status
34	Start listener action : sampleAfterTestCase	0.008s	PASSED

Take Away - Credit Card

Information

ID Test Cases/Production/Create Order/PNP/Take Away/Take Away - Credit Card

Description

Tag

Start 2023-06-13 12:00:57 End 2023-06-13 12:02:32

Elapsed 1m - 35.032s

Status FAILED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	16.961s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.019s	PASSED
3	swipe(281, 500, 434, 170) Swiped from 281,500 to 434,170	1.315s	PASSED
4	tap(findTestObject("Productions/Create Order/PNP/Dine In/Menu - DINE-IN"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Menu - DINE-IN'	2.909s	PASSED
5	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/Search KFC Outlet"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/Search KFC Outlet' is visible	2.561s	PASSED
6	tap(findTestObject("Productions/Create Order/PNP/Dine In/Search KFC Outlet"), 0, STOP_ON_FAILURE) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Search KFC Outlet'	1.092s	PASSED

Take Away - Credit Card

#	Description	Elapsed	Status
7	setText(findTestObject("Productions/Create Order/PNP/Dine In/EditText - Search KFC Outlet"), "Kemang", 5) Text 'Kemang' has been set to element 'Object Repository/Productions/Create Order/PNP/Dine In/EditText - Search KFC Outlet'	3.657s	PASSED
8	hideKeyboard() Keyboard is hidden	4.011s	PASSED
9	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.027s	PASSED
10	waitForElementPresent(findTestObject("Productions/Create Order/PNP/Dine In/Button - Select Outlet"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Select Outlet' is present	0.744s	PASSED
11	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Select Outlet"), 0) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Select Outlet'	0.803s	PASSED
12	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.015s	PASSED
13	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/List Menu Group"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/List Menu Group' is visible	0.857s	PASSED
14	tap(findTestObject("Productions/Create Order/PNP/Dine In/List Menu Group"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/List Menu Group'	0.808s	PASSED


#	Description	Elapsed	Status
15	delay(3, STOP_ON_FAILURE)	3.018s	PASSED
	Delayed 3 second(s)		
16	tap(findTestObject("Productions/Create Order/PNP/Dine In/Breakfast"), 3)	0.554s	PASSED
	Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Breakfast'		
17	tap(findTestObject("Productions/Create Order/PNP/Dine In/List Menu Group"), 3)	3.462s	PASSED
	Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/List Menu Group'		
18	delay(3, STOP_ON_FAILURE)	3.026s	PASSED
	Delayed 3 second(s)		
19	tap(findTestObject("Productions/Create Order/PNP/Dine In/Spesial"), 3)	0.611s	PASSED
	Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Spesial'		
20	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Add"), 3)	3.249s	PASSED
	Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Add'		
21	delay(3, STOP_ON_FAILURE)	3.027s	PASSED
	Delayed 3 second(s)		
22	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/List Item Costum"), 5)	0.813s	PASSED
	Element 'Object Repository/Productions/Create Order/PNP/Dine In/List Item Costum' is visible		
23	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Continue Custom"), 5)	0.665s	PASSED
	Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Continue Custom'		

#	Description	Elapsed	Status
24	tap(findTestObject("Productions/Create Order/PNP/Dine In/Next Button Order"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Next Button Order'	1.959s	PASSED
25	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/You Got Free GOCENG"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/You Got Free GOCENG' is visible	3.289s	PASSED
26	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/Continue Choose Reward"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/Continue Choose Reward' is visible	0.412s	PASSED
27	tap(findTestObject("Productions/Create Order/PNP/Dine In/Continue Choose Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Continue Choose Reward'	0.463s	PASSED
28	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.021s	PASSED
29	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Choose Now Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Choose Now Reward'	1.049s	PASSED
30	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Add Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Add Reward'	2.616s	PASSED
31	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Confirm Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Confirm Reward'	0.915s	PASSED

#	Description	Elapsed	Status
32	swipe(281, 500, 434, 161) Swiped from 281,500 to 434,161	1.283s	PASSED
33	tap(findTestObject("Productions/Create Order/PNP/Dine In/Select Payment Method"), 5)	0.644s	PASSED
	Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Select Payment Method'		
34	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/Group Payment Method"), 5)	1.375s	PASSED
	Element 'Object Repository/Productions/Create Order/PNP/Dine In/Group Payment Method' is visible		

#	Description	Elapsed	Status
35	tap(findTestObject("Productions/Create Order/Payment Method/Credit Card"), 5)	6.330s	FAILED
00	tap(intarostos)jost (roddottorio orodto ordotri dymont motriod/orodit odra), o/	0.0000	TAILLE
	Failed to tap on element 'Object Repository/Productions/Create Order/Payment		
	Method/Credit Card' (Root cause: com.kms.katalon.core.exception.StepFailedException:		
	Object Object Repository/Productions/Create Order/Payment Method/Credit Card not found		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy:50)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed		
	(MobileKeywordMain.groovy:40)		
	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1.		
	doCall(TapKeyword.groovy:79)		
	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1.call		
	(TapKeyword.groovy)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:21)		
	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.tap(TapKeyword.		
	groovy:84)		
	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.execute		
	(TapKeyword.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.tap (MobileBuiltInKeywords.groovy:1490)		
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$tap\$0.call		
	(Unknown Source)		
	at Take Away - Credit Card.run(Take Away - Credit Card:89)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	$at\ com. kms. katalon. core. main. Test Suite Executor. access Test Suite Main Phase$		
	(TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1686631872767.run(TempTestSuite1686631872767.groovy:36)		

Description Elapsed Status



SELECT PAYMENT METHOD

E-Wallet / E-Money

G gopay

Rp 9.648



Cancel Save

#	Description	Elapsed	Status
36	Start listener action : sampleAfterTestCase	0.008s	PASSED

Information

ID Test Cases/Production/Create Order/HMD/HMD - QR

Description

Tag

Start 2023-06-13 12:02:32 End 2023-06-13 12:04:49

Elapsed 2m - 17.584s

Status PASSED

Details

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	17.154s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.018s	PASSED
3	swipe(281, 500, 434, 170) Swiped from 281,500 to 434,170	1.242s	PASSED
4	tap(findTestObject("Productions/Create Order/HMD/Menu - DELIVERY"), 5) Tapped on element 'Object Repository/Productions/Create Order/HMD/Menu - DELIVERY'	2.888s	PASSED
5	verifyElementVisible(findTestObject("Productions/Create Order/HMD/Search Location - Search Bar"), 5) Element 'Object Repository/Productions/Create Order/HMD/Search Location - Search Bar' is visible	4.043s	PASSED
6	tap(findTestObject("Productions/Create Order/HMD/Search Location - Search Bar"), 0, STOP_ON_FAILURE) Tapped on element 'Object Repository/Productions/Create Order/HMD/Search Location - Search Bar'	1.065s	PASSED

#	Description	Elapsed	Status
7	setText(findTestObject("Productions/Create Order/HMD/Input Location - Search Bar"), "Kemang", 5) Text 'Kemang' has been set to element 'Object Repository/Productions/Create Order/HMD/Input Location - Search Bar'	3.068s	PASSED
8	hideKeyboard() Keyboard is hidden	4.084s	PASSED
9	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.023s	PASSED
10	waitForElementPresent(findTestObject("Productions/Create Order/HMD/Outlet - Kemang Village"), 5) Element 'Object Repository/Productions/Create Order/HMD/Outlet - Kemang Village' is present	1.232s	PASSED
11	tap(findTestObject("Productions/Create Order/HMD/Outlet - Kemang Village"), 0) Tapped on element 'Object Repository/Productions/Create Order/HMD/Outlet - Kemang Village'	0.740s	PASSED
12	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.020s	PASSED
13	tap(findTestObject("Productions/Create Order/HMD/KEMANG"), 0) Tapped on element 'Object Repository/Productions/Create Order/HMD/KEMANG'	2.008s	PASSED
14	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.022s	PASSED
15	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/List Menu Group"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/List Menu Group' is visible	0.756s	PASSED

#	Description	Elapsed	Status
16	tap(findTestObject("Productions/Create Order/PNP/Dine In/List Menu Group"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/List Menu Group'	0.732s	PASSED
17	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.024s	PASSED
18	tap(findTestObject("Productions/Create Order/PNP/Dine In/Breakfast"), 3) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Breakfast'	0.571s	PASSED
19	tap(findTestObject("Productions/Create Order/PNP/Dine In/List Menu Group"), 3) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/List Menu Group'	3.431s	PASSED
20	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.013s	PASSED
21	tap(findTestObject("Productions/Create Order/PNP/Dine In/Spesial"), 3) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Spesial'	0.589s	PASSED
22	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Add"), 3) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Add'	3.152s	PASSED
23	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.026s	PASSED
24	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/List Item Costum"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/List Item Costum' is visible	0.553s	PASSED

#	Description	Elapsed	Status
25	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Continue Custom"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Continue Custom'	0.575s	PASSED
26	tap(findTestObject("Productions/Create Order/PNP/Dine In/Next Button Order"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Next Button Order'	1.616s	PASSED
27	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/You Got Free GOCENG"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/You Got Free GOCENG' is visible	3.205s	PASSED
28	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/Continue Choose Reward"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/Continue Choose Reward' is visible	0.402s	PASSED
29	tap(findTestObject("Productions/Create Order/PNP/Dine In/Continue Choose Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Continue Choose Reward'	0.438s	PASSED
30	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.017s	PASSED
31	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Choose Now Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Choose Now Reward'	1.836s	PASSED
32	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Add Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Add Reward'	2.675s	PASSED

#	Description	Elapsed	Status
33	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Confirm Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Confirm Reward'	0.907s	PASSED
34	swipe(281, 500, 434, 161) Swiped from 281,500 to 434,161	1.245s	PASSED
35	scrollToText("TOTAL", STOP_ON_FAILURE) Scrolling to text 'TOTAL' successfully	5.939s	PASSED
36	setText(findTestObject("Productions/Create Order/HMD/Add notes for your driver"), "Rumah depan POS satpam", 0) Text 'Rumah depan POS satpam' has been set to element 'Object Repository/Productions/Create Order/HMD/Add notes for your driver'	1.093s	PASSED
37	tap(findTestObject("Productions/Create Order/HMD/Select Delivery Method"), 5) Tapped on element 'Object Repository/Productions/Create Order/HMD/Select Delivery Method'	0.819s	PASSED
38	tap(findTestObject("Productions/Create Order/HMD/GrabExpress"), 5) Tapped on element 'Object Repository/Productions/Create Order/HMD/GrabExpress'	5.434s	PASSED
39	tap(findTestObject("Productions/Create Order/HMD/Button - Select"), 5) Tapped on element 'Object Repository/Productions/Create Order/HMD/Button - Select'	0.753s	PASSED
40	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.009s	PASSED
41	tap(findTestObject("Productions/Create Order/PNP/Dine In/Select Payment Method"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Select Payment Method'	0.871s	PASSED

#	Description	Elapsed	Status
42	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.013s	PASSED
43	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/Group Payment Method"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/Group Payment Method' is visible	0.490s	PASSED
44	tap(findTestObject("Productions/Create Order/Payment Method/QRIS"), 5) Tapped on element 'Object Repository/Productions/Create Order/Payment Method/QRIS'	0.615s	PASSED
45	tap(findTestObject("Productions/Create Order/Payment Method/Button - Save Payment"), 5) Tapped on element 'Object Repository/Productions/Create Order/Payment Method/Button - Save Payment'	2.311s	PASSED
46	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.011s	PASSED
47	swipe(281, 500, 434, 161) Swiped from 281,500 to 434,161	1.294s	PASSED
48	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.014s	PASSED
49	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.004s	PASSED
50	Start listener action : sampleAfterTestCase	0.009s	PASSED

Information

ID Test Cases/Production/Create Order/Drive Thru/Drive Thru - Gopay

Description

Tag

Start 2023-06-13 12:04:49 End 2023-06-13 12:06:35

Elapsed 1m - 45.397s

Status FAILED

Details

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	17.259s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.016s	PASSED
3	swipe(281, 600, 434, 90) Swiped from 281,600 to 434,90	1.294s	PASSED
4	Get Device Height and Store in to device_height variable Current device physical height is 1520	0.235s	PASSED
5	Get Width Height and Store in to device_Width variable Current device physical width is 720	0.248s	PASSED
6	Storing the value in startY variable by dividing device height by 2 Because Y coordinates are constant	0.004s	PASSED

#	Description	Elapsed	Status
7	Here startY and endY values are equal for Horizontal Swiping for that assigning startX value to endX	0.008s	PASSED
8	Storing the value in startX variable	0.003s	PASSED
9	Storing the value in endX variable	0.004s	PASSED
10	Here Y constant for Swipe Horizontal Right to Left Swiped from 504,760 to 216,760	1.331s	PASSED
11	tap(findTestObject("Productions/Create Order/Drive Thru/android.widget.TextView - DRIVE-THRU"), 5) Tapped on element 'Object Repository/Productions/Create Order/Drive Thru/android.widget.TextView - DRIVE-THRU'	2.914s	PASSED
12	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/Search KFC Outlet"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/Search KFC Outlet' is visible	2.420s	PASSED
13	tap(findTestObject("Productions/Create Order/PNP/Dine In/Search KFC Outlet"), 0, STOP_ON_FAILURE) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Search KFC Outlet'	1.023s	PASSED
14	setText(findTestObject("Productions/Create Order/PNP/Dine In/EditText - Search KFC Outlet"), "Kemang", 5) Text 'Kemang' has been set to element 'Object Repository/Productions/Create Order/PNP/Dine In/EditText - Search KFC Outlet'	3.642s	PASSED

#	Description	Elapsed	Status
15	hideKeyboard()	3.968s	PASSED
	Keyboard is hidden		
16	delay(5, STOP_ON_FAILURE)	5.019s	PASSED
	Delayed 5 second(s)		
17	waitFor Element Present (find Test Object ("Productions/Create Order/PNP/Dine In/Button - Select Outlet"), 5)	0.743s	PASSED
	Element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Select Outlet' is present		
18	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Select Outlet"), 0)	0.824s	PASSED
	Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Select Outlet'		
19	delay(5, STOP_ON_FAILURE)	5.013s	PASSED
	Delayed 5 second(s)		
20	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/List Menu Group"), 5)	0.777s	PASSED
	Element 'Object Repository/Productions/Create Order/PNP/Dine In/List Menu Group' is visible		
21	tap(findTestObject("Productions/Create Order/PNP/Dine In/List Menu Group"), 5)	0.816s	PASSED
	Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/List Menu Group'		
22	delay(3, STOP_ON_FAILURE)	3.013s	PASSED
	Delayed 3 second(s)		
23	tap(findTestObject("Productions/Create Order/PNP/Dine In/Breakfast"), 3)	0.621s	PASSED
	Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Breakfast'		


#	Description	Elapsed	Status
24	tap(findTestObject("Productions/Create Order/PNP/Dine In/List Menu Group"), 3) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/List Menu Group'	3.573s	PASSED
25	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.014s	PASSED
26	tap(findTestObject("Productions/Create Order/PNP/Dine In/Spesial"), 3) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Spesial'	0.635s	PASSED
27	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Add"), 3) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Add'	3.279s	PASSED
28	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.023s	PASSED
29	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/List Item Costum"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/List Item Costum' is visible	0.903s	PASSED
30	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Continue Custom"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Continue Custom'	0.749s	PASSED
31	tap(findTestObject("Productions/Create Order/PNP/Dine In/Next Button Order"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Next Button Order'	2.406s	PASSED
32	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/You Got Free GOCENG"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/You Got Free GOCENG' is visible	1.950s	PASSED

#	Description	Elapsed	Status
33	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/Continue Choose Reward"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/Continue Choose Reward' is visible	0.388s	PASSED
34	tap(findTestObject("Productions/Create Order/PNP/Dine In/Continue Choose Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Continue Choose Reward'	0.468s	PASSED
35	setText(findTestObject("Productions/Create Order/Drive Thru/Plat Number"), "B 4020 VYO", 0) Text 'B 4020 VYO' has been set to element 'Object Repository/Productions/Create Order/Drive Thru/Plat Number'	8.100s	PASSED
36	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.007s	PASSED
37	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Choose Now Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Choose Now Reward'	0.583s	PASSED
38	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Add Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Add Reward'	3.750s	PASSED
39	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Confirm Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Confirm Reward'	0.952s	PASSED
40	swipe(281, 500, 434, 161) Swiped from 281,500 to 434,161	1.264s	PASSED

	Description Description	Elapsed	Status
41 ta	ap(findTestObject("Productions/Create Order/PNP/Dine In/Select Payment Method"), 5)	0.978s	PASSED
	Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Select Payment Method'		
	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/Group Payment Method"), 5)	1.360s	PASSED
	Element 'Object Repository/Productions/Create Order/PNP/Dine In/Group Payment Method's visible		


#	Description	Elapsed	Status
43	tap(findTestObject("Productions/Create Order/Payment Method/Debit Card"), 5)	6.335s	FAILED
	Failed to tap on element 'Object Repository/Productions/Create Order/Payment		
	Method/Debit Card' (Root cause: com.kms.katalon.core.exception.StepFailedException:		
	Object Object Repository/Productions/Create Order/Payment Method/Debit Card not found		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
	groovy:50)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed		
	(MobileKeywordMain.groovy:40)		
	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1.		
	doCall(TapKeyword.groovy:79)		
	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1.call		
	(TapKeyword.groovy)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		
	runKeyword(MobileKeywordMain.groovy:21)		
	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.tap(TapKeyword.		
	groovy:84)		
	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.execute		
	(TapKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.tap		
	(MobileBuiltInKeywords.groovy:1490)		
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$tap\$0.call		
	(Unknown Source)		
	at Drive Thru - Gopay.run(Drive Thru - Gopay:112)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1686631872767.run(TempTestSuite1686631872767.groovy:36)		

Description Elapsed Status



SELECT PAYMENT METHOD

E-Wallet / E-Money



#	Description	Elapsed	Status
44	Start listener action : sampleAfterTestCase	0.007s	PASSED

Information

ID Test Cases/Production/Re-Buy/Rebuy

Description

Tag

Start 2023-06-13 12:06:35 End 2023-06-13 12:08:03

Elapsed 1m - 27.857s

Status PASSED

Details

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	17.218s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.017s	PASSED
3	waitForElementPresent(findTestObject("Productions/Rebuy/Review Order"), 3) Element 'Object Repository/Productions/Rebuy/Review Order' is present	2.767s	PASSED
4	tap(findTestObject("Productions/Rebuy/Review Order"), 0) Tapped on element 'Object Repository/Productions/Rebuy/Review Order'	1.350s	PASSED
5	delay(10, STOP_ON_FAILURE) Delayed 10 second(s)	10.014s	PASSED
6	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Choose Now Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Choose Now Reward'	5.434s	PASSED

#	Description	Elapsed	Status
7	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Add Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Add Reward'	2.422s	PASSED
8	tap(findTestObject("Productions/Create Order/PNP/Dine In/Button - Confirm Reward"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Button - Confirm Reward'	1.044s	PASSED
9	swipe(281, 500, 434, 161) Swiped from 281,500 to 434,161	1.252s	PASSED
10	scrollToText("TOTAL", STOP_ON_FAILURE) Scrolling to text 'TOTAL' successfully	5.297s	PASSED
11	setText(findTestObject("Productions/Create Order/HMD/Add notes for your driver"), "Rumah depan POS satpam", 0) Text 'Rumah depan POS satpam' has been set to element 'Object Repository/Productions/Create Order/HMD/Add notes for your driver'	3.188s	PASSED
12	tap(findTestObject("Productions/Create Order/HMD/Select Delivery Method"), 5) Tapped on element 'Object Repository/Productions/Create Order/HMD/Select Delivery Method'	1.096s	PASSED
13	tap(findTestObject("Productions/Create Order/HMD/GrabExpress"), 5) Tapped on element 'Object Repository/Productions/Create Order/HMD/GrabExpress'	5.583s	PASSED
14	tap(findTestObject("Productions/Create Order/HMD/Button - Select"), 5) Tapped on element 'Object Repository/Productions/Create Order/HMD/Button - Select'	0.790s	PASSED
15	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.006s	PASSED

#	Description	Elapsed	Status
16	tap(findTestObject("Productions/Create Order/PNP/Dine In/Select Payment Method"), 5) Tapped on element 'Object Repository/Productions/Create Order/PNP/Dine In/Select Payment Method'	0.557s	PASSED
17	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.021s	PASSED
18	verifyElementVisible(findTestObject("Productions/Create Order/PNP/Dine In/Group Payment Method"), 5) Element 'Object Repository/Productions/Create Order/PNP/Dine In/Group Payment Method' is visible	0.464s	PASSED
19	tap(findTestObject("Productions/Create Order/Payment Method/QRIS"), 5) Tapped on element 'Object Repository/Productions/Create Order/Payment Method/QRIS'	1.037s	PASSED
20	tap(findTestObject("Productions/Create Order/Payment Method/Button - Save Payment"), 5) Tapped on element 'Object Repository/Productions/Create Order/Payment Method/Button - Save Payment'	1.195s	PASSED
21	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.008s	PASSED
22	swipe(281, 500, 434, 161) Swiped from 281,500 to 434,161	1.238s	PASSED
23	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.019s	PASSED
24	closeApplication() Close app successfully	0.357s	PASSED

#	Description	Elapsed	Status
25	Start listener action : sampleAfterTestCase	0.003s	PASSED

Information

ID Test Cases/Production/Profile/Personal Info/User Profile

Description

Tag


Start 2023-06-13 12:08:03 End 2023-06-13 12:08:34

Elapsed 31.715s
Status FAILED

Details

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE)	17.738s	PASSED
	Starting app with application ID: 'com.kfc.mobile'		
2	delay(5, STOP_ON_FAILURE)	5.010s	PASSED
	Delayed 5 second(s)		
3	tap(findTestObject("Productions/Menu/Profile"), 0)	2.753s	PASSED
	Tapped on element 'Object Repository/Productions/Menu/Profile'		
4	verifyElementVisible(findTestObject("Productions/Personal Info/Profile/Photo Profile"), 3)	1.586s	PASSED
	Element 'Object Repository/Productions/Personal Info/Profile/Photo Profile' is visible		

#	Description	Elapsed	Status
5	verifyElementVisible(findTestObject("Productions/Personal Info/Profile/Username"), 3)	4.329s	FAILED
	Failed to check for element 'Object Repository/Productions/Personal Info/Profile/Username' visible (Root cause: com.kms.katalon.core.exception.StepFailedException: Element 'Object Repository/Productions/Personal Info/Profile/Username' not found at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
	groovy:50) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed		
	(MobileKeywordMain.groovy:40) at com.kms.katalon.core.mobile.keyword.builtin.		
	VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.doCall (VerifyElementVisibleKeyword.groovy:82) at com.kms.katalon.core.mobile.keyword.builtin.		
	VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.call (VerifyElementVisibleKeyword.groovy)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21)		
	at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword.verifyElementVisible(VerifyElementVisibleKeyword.groovy:85) at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword.		
	execute(VerifyElementVisibleKeyword.groovy:64) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.verifyElementVisible(MobileBuiltInKeywords.groovy:2031)		
	at com.kms.katalon.core.mobile.keyword. MobileBuiltInKeywords\$verifyElementVisible\$7.call(Unknown Source) at User Profile.run(User Profile:28)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.ipva:410)		
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1686631872767.run(TempTestSuite1686631872767.groovy:36)		
)		



#	Description	Elapsed	Status
6	Start listener action : sampleAfterTestCase	0.005s	PASSED

Information

ID Test Cases/Production/Profile/Personal Info/Setting - Personal Info

Description

Tag

Start 2023-06-13 12:08:34 End 2023-06-13 12:09:33

Elapsed 58.474s
Status FAILED

Details

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE)	15.945s	PASSED
	Starting app with application ID: 'com.kfc.mobile'		
2	delay(5, STOP_ON_FAILURE)	5.011s	PASSED
	Delayed 5 second(s)		
3	tap(findTestObject("Productions/Menu/Profile"), 0)	2.691s	PASSED
	Tapped on element 'Object Repository/Productions/Menu/Profile'		
4	tap(findTestObject("Productions/Personal Info/Edit Profile"), 0)	2.668s	PASSED
	Tapped on element 'Object Repository/Productions/Personal Info/Edit Profile'		

Failed to set text into element (Root cause: com.kms.katalon.core.exception. StepFailedException: Object Object Repository/Productions/Personal Info/Edit-Profile/Edit Name not found at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy:50) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed (MobileKeywordMain.groovy:40) at com.kms.katalon.core.mobile.keyword.builtin. SetTextKeywords_setText_closure1.doCall(SetTextKeyword.groovy):76) at com.kms.katalon.core.mobile.keyword.builtin. SetTextKeywords_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.mobile.keyword.builtin. SetTextKeywords_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.setText (SetTextKeywords_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.setText (SetTextKeywords_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.setText (SetTextKeywords_groovy.130) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (SetTextKeywords_groovy.130) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.setText (MobileBuiltIntKeywords_groovy.1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltIntKeywords.setText (MobileBuiltIntKeywords_groovy.1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltIntKeywords.setText (MobileBuiltIntKeywords_groovy.1307) at com.kms.katalon.core.mobile.keyword.mobile.guiltIntKeywords_setText\$4.call (Unknown Source) at Setting - Personal Info.run(Setting - Personal Info.28) at com.kms.katalon.core.main.ScriptEngine.pun(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.pun(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.puncsesExecutor.puncseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.secesExecutor.puncsesExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestSuteExecutor.	#	Description	Elapsed	Status
Failed to set text into element (Root cause: com.kms.katalon.core.exception.) StepFailedException: Object Object Repository/Productions/Personal Info/Edit-Profile/Edit Name not found at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.groovy:50) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed (MobileKeywordMain.groovy:40) at com.kms.katalon.core.mobile.keyword.builtin. SetTextKeywordS.setText.closure1.doCalt(SetTextKeyword.groovy:76) at com.kms.katalon.core.mobile.keyword.builtin. SetTextKeywordS.setText.closure1.doCalt(SetTextKeyword.groovy:76) at com.kms.katalon.core.mobile.keyword.builtin. SetTextKeywordS.setText.closure1.calt(SetTextKeyword.groovy) at com.kms.katalon.core.mobile.keyword.hiternal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:83) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:65) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.setText (MobileBuiltinKeywords.groovy:1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltinKeywords.setTextS4.call (Unknown Source) at com.kms.katalon.core.mobile.keyword.MobileBuiltinKeywordsSetTextS4.call (Unknown Source) at setting - Personal Info.run(Setting - Personal Info:28) at com.kms.katalon.core.main.SeriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.SeriptEngine.runScriptAsRavText(ScriptEngine.java:448) at com.kms.katalon.core.main.TestCaseExecutor.nuScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.deXecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessTestQuiteMainPhase (CommonExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (CommonExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSui	5	setText(findTestObject("Productions/Personal Info/Edit-Profile/Edit Name"), "mike", 0)	31.890s	FAILED
StepFailedException: Object Object Repository/Productions/Personal Info/Edit-Profile/Edit Name not found at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.grooy:50) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed (MobileKeywordMain.grooy:40) at com.kms.katalon.core.mobile.keyword.builtin. SetTextKeywordS_setText_closure1.doCall(SetTextKeyword.grooy:76) at com.kms.katalon.core.mobile.keyword.prooy:76) at com.kms.katalon.core.mobile.keyword.prooy:00 at com.kms.katalon.core.mobile.keyword.prooy:00 at com.kms.katalon.core.mobile.keyword.prooy:01 at com.kms.katalon.core.mobile.keyword.prooy:74) at com.kms.katalon.core.mobile.keyword.hobileBuiltinKeywords.setText (MobileBuiltinKeywords.groov:1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltinKeywords\$setText\$4.call (Unknown Source) at com.kms.katalon.core.mobile.keyword.MobileBuiltinKeywords\$setText\$4.call (Unknown Source) at com.kms.katalon.core.mobile.keyword.prooy:01				
Name not found at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.groovy:50) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed (MobileKeywordMain.groovy:40) at com.kms.katalon.core.mobile.keyword.builtin. SetTextKeywordS.setText.closure1.coal(ISetTextKeyword.groovy:76) at com.kms.katalon.core.mobile.keyword.builtin. SetTextKeywordS.setText.closure1.cal(ISetTextKeyword.groovy) at com.kms.katalon.core.mobile.keyword.htternal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.htternal.MobileKeyword.setText (SetTextKeyword.groovy:83) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:83) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:66) at com.kms.katalon.core.mobile.keyword.MobileBuiltinKeywords.setText (MobileBuiltinKeywords.groovy:1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltinKeywords.setText (MobileBuiltinKeywords.groovy:1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltinKeywords\$setText\$4.call (Unknown Source) at Setting - Personal Info.run(Setting - Personal Info:28) at com.kms.katalon.core.main.SeriptEngine.run(SeriptEngine.java:194) at com.kms.katalon.core.main.SeriptEngine.runSeriptAsRawText(SeriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (CommonExecutor.java:151) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteExecutor.java:185)				
at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed (MobileKeywordMain groovy:40) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed (MobileKeywordMain groovy:40) at com.kms.katalon.core.mobile.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:76) at com.kms.katalon.core.mobile.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:83) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:67) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (MobileBuiltInKeywordSeyordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.setText (MobileBuiltInKeywords.groovy:1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$setText\$4.call (Unknown Source) at Setting - Personal Info.run(Setting - Personal Info:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:410) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMain.java:185)				
groovy:50) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed (MobileKeywordMain.groovy:40) at com.kms.katalon.core.mobile.keyword.builtin. SetTextKeywords_SetText_closure1.cdl([SetTextKeyword.groovy:76) at com.kms.katalon.core.mobile.keyword.builtin. SetTextKeywords_SetText_closure1.call([SetTextKeyword.groovy) at com.kms.katalon.core.mobile.keyword.mlobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:83) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:83) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:83) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:83) at com.kms.katalon.core.mobile.keyword.builtin.Keywords.setText (MobileBuiltin/Keywords.groovy:1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltin/Keywords.setText (MobileBuiltin/Keywords.groovy:1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltin/Keywords\$setText\$4.call (Unknown Source) at Setting - Personal Info.run(Setting - Personal Info:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScriptCrestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseExecutor.java:449) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:410) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestCaseExecutor.java:45) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestCaseMain.java:151) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)				
at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed (MobileKeywordMain.groovy;40) at com.kms.katalon.core.mobile.keyword.builtin. SetTextKeywordS_setText_closure1.doCall(SetTextKeyword.groovy;76) at com.kms.katalon.core.mobile.keyword.builtin. SetTextKeywordS_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.mobile.keyword.hultin.setTextKeywordMain. runKeyword(MobileKeywordMain.groovy;21) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:83) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:66) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:66) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (MobileBuiltInKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.setText (MobileBuiltInKeywords.groovy:1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.setText\$4.call (Unknown Source) at Setting - Personal Info.run(Setting - Personal Info:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutiorPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestCaseExecutor.java:416) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMain.java: 185)				
(MobileKeywordMain,groovy:40) at com.kms.katalon.core.mobile.keyword.builtin. SetTextKeywords_setText_closure1.doCall(SetTextKeyword.groovy;76) at com.kms.katalon.core.mobile.keyword.builtin. SetTextKeywords_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.mobile.keyword.hiternal.MobileKeywordMain, runKeyword(MobileKeywordMain.groov;21) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:83) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:68) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:69) at com.kms.katalon.core.mobile.keyword.hiternal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.setText (MobileBuiltInKeywords.groovy:1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywordsSetText\$4.call (Unknown Source) at Setting - Personal Info.run(Setting - Personal Info:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessErestSuiteMainPhase (TestCaseExecutor.java:416) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (CommonExecutor.java:45) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:				
at com.kms.katalon.core.mobile.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:76) at com.kms.katalon.core.mobile.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:83) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeywords.setText (MobileBuiltinKeywords.groovy:1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltinKeywordsSsetText\$4.call (Unknown Source) at Setting - Personal Info.run(Setting - Personal Info:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.unScriptTestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.groossExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:45) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (CommonExecutor.java:45) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (CommonExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:150)				
SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:76) at com.kms.katalon.core.mobile.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:83) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:66) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:66) at com.kms.katalon.core.mobile.keyword.MobileBuiltinKeywords.setText (MobileBuiltinKeyword.groovy:1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltinKeywords.setText (MobileBuiltinKeywords.groovy:1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltinKeywords\$setText\$4.call (Unknown Source) at Setting - Personal Info.run(Setting - Personal Info:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (CommonExecutor.java:451) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestCaseExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase				
at com.kms.katalon.core.mobile.keyword.groovy) at com.kms.katalon.core.mobile.keyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:63) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:63) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:63) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordFortPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltinKeywords.setText (MobileBuiltinKeywords.groovy:1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltinKeywords.setText (Unknown Source) at Setting - Personal Info.run(Setting - Personal Info:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.grocessExecutor.grocessExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (CommonExecutor.java:451) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:451) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:166) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:166)		·		
SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:83) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:66) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.setText (MobileBuiltInKeywords.groovy:1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$setText\$4.call (Unknown Source) at Setting - Personal Info.run(Setting - Personal Info:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScript(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)				
at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:83) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:66) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.setText (MobileBuiltInKeywords.groovy:1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.SeetText\$4.call (Unknown Source) at Setting - Personal Info.run(Setting - Personal Info:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutor.phase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:450) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (CommonExecutor.java:451) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:451) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:166) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:		·		
runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:68) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:66) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.setText (MobileBuiltInKeywords.groovy:1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$setText\$4.call (Unknown Source) at Setting - Personal Info.run(Setting - Personal Info:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java: 106)				
at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:63) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:66) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.setText (MobileBuiltInKeywords.groovy:1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$setText\$4.call (Unknown Source) at Setting - Personal Info.run(Setting - Personal Info:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:199) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (CommonExecutor.java:451) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)				
(SetTextKeyword.groovy:83) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:66) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.setText (MobileBuiltInKeywords.groovy:1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$setText\$4.call (Unknown Source) at Setting - Personal Info.run(Setting - Personal Info:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)				
at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:66) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.setText (MobileBuiltInKeywords.groovy:1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$setText\$4.call (Unknown Source) at Setting - Personal Info.run(Setting - Personal Info:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java: 185)				
(SetTextKeyword.groovy:66) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.setText (MobileBuiltInKeywords.groovy:1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$setText\$4.call (Unknown Source) at Setting - Personal Info.run(Setting - Personal Info:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:161) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:165) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:165)				
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.setText (MobileBuiltInKeywords.groovy:1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$setText\$4.call (Unknown Source) at Setting - Personal Info.run(Setting - Personal Info:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:166) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:166) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:166)				
executeKeywordForPlatform(KeywordExecutor.groovy:74)				
at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.setText (MobileBuiltInKeywords.groovy:1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$setText\$4.call (Unknown Source) at Setting - Personal Info.run(Setting - Personal Info:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 185)				
(MobileBuiltInKeywords.groovy:1307) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$setText\$4.call (Unknown Source) at Setting - Personal Info.run(Setting - Personal Info:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java: 185)				
(Unknown Source) at Setting - Personal Info.run(Setting - Personal Info:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:185)				
at Setting - Personal Info.run(Setting - Personal Info:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java: 185)		at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$setText\$4.call		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java: 185)		(Unknown Source)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 185)		at Setting - Personal Info.run(Setting - Personal Info:28)		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)				
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)				
java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)				
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)				
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)				
(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)				
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)				
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)				
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)				
java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)				
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)				
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)				
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)				
(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)				
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)				
106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)				
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)				
185)				
Source)				
at TempTestSuite1686631872767.run(TempTestSuite1686631872767.groovy:36)				





PERSONAL INFO

Full Name


A Maychelg

Email

 $\ \, \boxdot \ \, jecsanmaychel@gmail.com$

Date of Birth

🛱 08 July 1990



#	Description	Elapsed	Status
6	Start listener action : sampleAfterTestCase	0.003s	PASSED

Change Language

Information

ID Test Cases/Production/Profile/General/Change Language

Description

Tag

Start 2023-06-13 12:09:33 End 2023-06-13 12:10:23

Elapsed 50.453s Status PASSED

Details

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	15.623s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.010s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 0) Tapped on element 'Object Repository/Productions/Menu/Profile'	7.583s	PASSED
4	tap(findTestObject("Productions/General/Change Language/Menu - Language"), 3) Tapped on element 'Object Repository/Productions/General/Change Language/Menu - Language'	1.631s	PASSED
5	verifyElementVisible(findTestObject("Productions/General/Change Language/SELECT LANGUAGE"), 3) Element 'Object Repository/Productions/General/Change Language/SELECT LANGUAGE' is visible	1.390s	PASSED
6	verifyElementVisible(findTestObject("Productions/General/Change Language/Bahasa Indonesia"), 3) Element 'Object Repository/Productions/General/Change Language/Bahasa Indonesia' is visible	0.559s	PASSED

Change Language

#	Description	Elapsed	Status
7	verifyElementVisible(findTestObject("Productions/General/Change Language/English (United States)"), 3)	0.555s	PASSED
	Element 'Object Repository/Productions/General/Change Language/English (United States)' is visible		
8	tap(findTestObject("Productions/General/Change Language/Bahasa Indonesia"), 3)	0.520s	PASSED
	Tapped on element 'Object Repository/Productions/General/Change Language/Bahasa Indonesia'		
9	tap(findTestObject("Productions/General/Change Language/Save"), 3)	0.968s	PASSED
	Tapped on element 'Object Repository/Productions/General/Change Language/Save'		
10	delay(5, STOP_ON_FAILURE)	5.013s	PASSED
	Delayed 5 second(s)		
11	verifyElementText(findTestObject("Productions/General/Change Language/Manu - Bahasa"), "Bahasa")	0.679s	PASSED
	Actual text and expected text of test object 'Object Repository/Productions/General/Change Language/Manu - Bahasa' are matched.		
12	tap(findTestObject("Productions/General/Change Language/Manu - Bahasa"), 3)	0.700s	PASSED
	Tapped on element 'Object Repository/Productions/General/Change Language/Manu - Bahasa'		
13	verifyElementVisible(findTestObject("Productions/General/Change Language/PILIH BAHASA"), 3)	1.324s	PASSED
	Element 'Object Repository/Productions/General/Change Language/PILIH BAHASA' is visible		
14	verifyElementVisible(findTestObject("Productions/General/Change Language/Bahasa Indonesia"), 3)	0.392s	PASSED
	Element 'Object Repository/Productions/General/Change Language/Bahasa Indonesia' is visible		

Change Language

#	Description	Elapsed	Status
15	verifyElementVisible(findTestObject("Productions/General/Change Language/English (United States)"), 3) Element 'Object Repository/Productions/General/Change Language/English (United States)' is visible	0.984s	PASSED
16	tap(findTestObject("Productions/General/Change Language/English (United States)"), 3) Tapped on element 'Object Repository/Productions/General/Change Language/English (United States)'	0.403s	PASSED
17	tap(findTestObject("Productions/General/Change Language/Simpan"), 3) Tapped on element 'Object Repository/Productions/General/Change Language/Simpan'	0.904s	PASSED
18	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.008s	PASSED
19	verifyElementText(findTestObject("Productions/General/Change Language/Menu - Language"), "Language") Actual text and expected text of test object 'Object Repository/Productions/General/Change Language/Menu - Language' are matched.	0.577s	PASSED
20	closeApplication() Close app successfully	0.324s	PASSED
21	Start listener action : sampleAfterTestCase	0.010s	PASSED

Customer Service

Information

ID Test Cases/Production/Profile/General/Customer Service

Description

Tag

Start 2023-06-13 12:10:23 End 2023-06-13 12:11:01

Elapsed 37.844s
Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	17.908s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.015s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 0) Tapped on element 'Object Repository/Productions/Menu/Profile'	3.066s	PASSED
4	tap(findTestObject("Productions/General/Customer-Service/Menu-Customer Service"), 3) Tapped on element 'Object Repository/Productions/General/Customer-Service/Menu-Customer Service'	1.636s	PASSED
5	verifyElementVisible(findTestObject("Productions/General/Customer-Service/CUSTOMER SERVICE"), 3) Element 'Object Repository/Productions/General/Customer-Service/CUSTOMER SERVICE' is visible	1.805s	PASSED
6	verifyElementVisible(findTestObject("Productions/General/Customer-Service/Call"), 3) Element 'Object Repository/Productions/General/Customer-Service/Call' is visible	0.585s	PASSED

Customer Service

#	Description	Elapsed	Status
7	verifyElementVisible(findTestObject("Productions/General/Customer-Service/Whatsapp"), 3) Element 'Object Repository/Productions/General/Customer-Service/Whatsapp' is visible	0.526s	PASSED
8	verifyElementVisible(findTestObject("Productions/General/Customer-Service/Email"), 3) Element 'Object Repository/Productions/General/Customer-Service/Email' is visible	0.535s	PASSED
9	verifyElementVisible(findTestObject("Productions/General/Customer-Service/Image CS KFC"), 3) Element 'Object Repository/Productions/General/Customer-Service/Image CS KFC' is visible	0.504s	PASSED
10	tap(findTestObject("Productions/General/Customer-Service/Close Button"), 3) Tapped on element 'Object Repository/Productions/General/Customer-Service/Close Button'	0.592s	PASSED
11	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.012s	PASSED
12	closeApplication() Close app successfully	0.358s	PASSED
13	Start listener action : sampleAfterTestCase	0.009s	PASSED

Privacy Policy

Information

ID Test Cases/Production/Profile/General/Privacy Policy

Description

Tag

Start 2023-06-13 12:11:01 End 2023-06-13 12:11:39

Elapsed 37.678s
Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	17.791s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.007s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 0) Tapped on element 'Object Repository/Productions/Menu/Profile'	3.966s	PASSED
4	tap(findTestObject("Productions/General/Privacy-Policy/Menu - Privacy Policy"), 3) Tapped on element 'Object Repository/Productions/General/Privacy-Policy/Menu - Privacy Policy'	1.680s	PASSED
5	verifyElementVisible(findTestObject("Productions/General/Privacy-Policy/Title - PRIVACY POLICY"), 3) Element 'Object Repository/Productions/General/Privacy-Policy/Title - PRIVACY POLICY' is visible	2.444s	PASSED
6	verifyElementVisible(findTestObject("Productions/General/Privacy-Policy/Privacy Policy"), 3) Element 'Object Repository/Productions/General/Privacy-Policy/Privacy Policy' is visible	0.513s	PASSED

Privacy Policy

#	Description	Elapsed	Status
7	tap(findTestObject("Productions/General/Privacy-Policy/Close"), 3)	0.629s	PASSED
	Tapped on element 'Object Repository/Productions/General/Privacy-Policy/Close'		
8	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.021s	PASSED
9	closeApplication() Close app successfully	0.331s	PASSED
10	Start listener action : sampleAfterTestCase	0.009s	PASSED

Term and Condition

Information

ID Test Cases/Production/Profile/General/Term and Condition

Description

Tag

Start 2023-06-13 12:11:39 End 2023-06-13 12:12:16

Elapsed 37.375s Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	17.878s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.016s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 0) Tapped on element 'Object Repository/Productions/Menu/Profile'	2.658s	PASSED
4	tap(findTestObject("Productions/General/Term and Condition/Menu - TnC"), 3) Tapped on element 'Object Repository/Productions/General/Term and Condition/Menu - TnC'	1.717s	PASSED
5	verifyElementVisible(findTestObject("Productions/General/Term and Condition/Title - TERMS AND CONDITIONS"), 3) Element 'Object Repository/Productions/General/Term and Condition/Title - TERMS AND CONDITIONS' is visible	2.283s	PASSED
6	verifyElementVisible(findTestObject("Productions/General/Term and Condition/Term Of Use"), 3) Element 'Object Repository/Productions/General/Term and Condition/Term Of Use' is visible	1.573s	PASSED

Term and Condition

#	Description	Elapsed	Status
7	tap(findTestObject("Productions/General/Term and Condition/Close"), 3)	0.573s	PASSED
	Tapped on element 'Object Repository/Productions/General/Term and Condition/Close'		
8	delay(5, STOP_ON_FAILURE)	5.010s	PASSED
	Delayed 5 second(s)		
9	closeApplication()	0.374s	PASSED
	Close app successfully		
10	Start listener action : sampleAfterTestCase	0.006s	PASSED

Information

ID Test Cases/Production/Profile/Device/Linked Account

Description


Tag

Start 2023-06-13 12:12:16 End 2023-06-13 12:12:48

Elapsed 31.572s Status FAILED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	17.826s	PASSED
2	delay(5, STOP_ON_FAILURE)	5.007s	PASSED
	Delayed 5 second(s)		
3	tap(findTestObject("Productions/Menu/Profile"), 0) Tapped on element 'Object Repository/Productions/Menu/Profile'	2.690s	PASSED
4	tap(findTestObject("Productions/General/Linked Account/Menu - Linked Account"), 3) Tapped on element 'Object Repository/Productions/General/Linked Account/Menu - Linked Account'	1.624s	PASSED

Description	Elapsed	Status
verifyElementVisible(findTestObject("Productions/General/Linked Account/Payment Account"), 3)	4.118s	FAILED
Failed to check for element 'Object Repository/Productions/General/Linked Account/Payment Account' visible (Root cause: com.kms.katalon.core.exception. StepFailedException: Element 'Object Repository/Productions/General/Linked		
Account/Payment Account' not found at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:50)		
at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed (MobileKeywordMain.groovy:40)		
at com.kms.katalon.core.mobile.keyword.builtin.		
VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.doCall		
(VerifyElementVisibleKeyword.groovy:82)		
at com.kms.katalon.core.mobile.keyword.builtin.		
VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.call		
(VerifyElementVisibleKeyword.groovy)		
at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		
runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword.		
verifyElementVisible(VerifyElementVisibleKeyword.groovy:85)		
at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword.execute(VerifyElementVisibleKeyword.groovy:64)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.		
verifyElementVisible(MobileBuiltInKeywords.groovy:2031)		
at com.kms.katalon.core.mobile.keyword.		
MobileBuiltInKeywords\$verifyElementVisible\$7.call(Unknown Source)		
at Linked Account.run(Linked Account:28)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
$at\ com.kms.katalon.core.main. Test Suite Executor.access Test Suite Main Phase$		
(TestSuiteExecutor.java:151)		
$at\ com.kms.katalon.core.main. Test Suite Executor.execute (Test Suite Executor.java: the following statement of the following $		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
at TempTestSuite1686631872767.run(TempTestSuite1686631872767.groovy:36)		



#	Description	Elapsed	Status
6	Start listener action : sampleAfterTestCase	0.004s	PASSED

App Version

Information

ID Test Cases/Production/Profile/Device/App Version

Description

Tag

Start 2023-06-13 12:12:48 End 2023-06-13 12:13:19

Elapsed 31.352s Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	15.676s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.007s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 0) Tapped on element 'Object Repository/Productions/Menu/Profile'	3.397s	PASSED
4	verifyElementVisible(findTestObject("Productions/Device/Version Apps"), 3) Element 'Object Repository/Productions/Device/Version Apps' is visible	1.582s	PASSED
5	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.019s	PASSED
6	closeApplication() Close app successfully	0.360s	PASSED
7	Start listener action : sampleAfterTestCase	0.003s	PASSED

Logout

Information

ID Test Cases/Production/Profile/Device/Logout

Description

Tag

Start 2023-06-13 12:13:19 End 2023-06-13 12:13:54

Elapsed 34.938s Status PASSED

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	17.852s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.017s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 0) Tapped on element 'Object Repository/Productions/Menu/Profile'	2.782s	PASSED
4	tap(findTestObject("Productions/Device/Log Out"), 3) Tapped on element 'Object Repository/Productions/Device/Log Out'	1.665s	PASSED
5	verifyElementVisible(findTestObject("Productions/Login/Logout - Yes"), 3) Element 'Object Repository/Productions/Login/Logout - Yes' is visible	1.070s	PASSED
6	verifyElementVisible(findTestObject("Productions/Login/Logout - Cancel"), 3) Element 'Object Repository/Productions/Login/Logout - Cancel' is visible	0.461s	PASSED
7	tap(findTestObject("Productions/Login/Logout - Yes"), 3) Tapped on element 'Object Repository/Productions/Login/Logout - Yes'	0.489s	PASSED

Logout

#	Description	Elapsed	Status
8	delay(5, STOP_ON_FAILURE)	5.017s	PASSED
	Delayed 5 second(s)		
9	closeApplication()	0.287s	PASSED
	Close app successfully		
10	Start listener action : sampleAfterTestCase	0.009s	PASSED