### Login

#### **Execution Environment**

Host name Ahadian Rifky - NKC-23 Local OS Windows 10 64bit

Katalon version 8.5.5.208 Browser null

#### Summary

ID Test Suites/Auth/Login

Description

Total 5
Passed 1 Failed 4
Error 0 Incomplete 0

Skipped 0

Start 2023-02-17 13:45:38 End 2023-02-17 13:49:22

Elapsed 3m - 44.869s

#	ID	Description	Status
#	U	Description	Status
1	Test Cases/Login KFCKU Apps/Login Failed - Empty Phone Number and Password		PASSED
2	Test Cases/Login KFCKU Apps/Login Failed - Wrong Password		FAILED
3	Test Cases/Login KFCKU Apps/Login Failed - Phone Number Not Registered		FAILED
4	Test Cases/Login KFCKU Apps/Login Social Media		FAILED
5	Test Cases/Login KFCKU Apps/Login Phone Number		FAILED

### Login Failed - Empty Phone Number and Password

#### Information

ID Test Cases/Login KFCKU Apps/Login Failed - Empty Phone Number and Password

Description

Tag

Start 2023-02-17 13:45:38 End 2023-02-17 13:46:50

Elapsed 1m - 11.661s

Status PASSED

#### **Details**

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile.hkStaging", STOP_ON_FAILURE)  Starting app with application ID: 'com.kfc.mobile.hkStaging'	43.614s	PASSED
2	delay(5, STOP_ON_FAILURE)  Delayed 5 second(s)	5.074s	PASSED
3	tap(findTestObject("Profile/android.widget.TextView - Profil"), 5)  Tapped on element 'Object Repository/Profile/android.widget.TextView - Profil'	3.122s	PASSED
4	setText(findTestObject("Login/android.widget.EditText - Masukkan nomor handphone Anda"), "", 0)  Text " has been set to element 'Object Repository/Login/android.widget.EditText - Masukkan nomor handphone Anda'	3.957s	PASSED
5	hideKeyboard() Keyboard is hidden	1.393s	PASSED
6	setText(findTestObject("Login/android.widget.EditText - Ketik kata sandi Anda"), "", 0)  Text " has been set to element 'Object Repository/Login/android.widget.EditText - Ketik kata sandi Anda'	1.468s	PASSED

## Login Failed - Empty Phone Number and Password

#	Description	Elapsed	Status
7	hideKeyboard()	0.776s	PASSED
	Keyboard is hidden		
	Reyboard is filludeit		
8	tap(findTestObject("Login/android.widget.Button - Masuk"), 0)	0.603s	PASSED
Ū		0.0000	1710025
	Tapped on element 'Object Repository/Login/android.widget.Button - Masuk'		
9	delay(5, STOP_ON_FAILURE)	5.013s	PASSED
	Delayed 5 second(s)		
10	verifyElementVisible(findTestObject("Login/Login Failed/android.widget.TextView -	0.435s	PASSED
	nullPhone"), 3)		
	Element 'Object Repository/Login/Login Failed/android.widget.TextView - nullPhone' is visible		
	VISIDIE		
11	verifyElementText(findTestObject("Login/Login Failed/android.widget.TextView -	0.477s	PASSED
11	nullPhone"), "Mohon masukkan nomor handphone Anda")	0.4775	PASSED
	Actual text and expected text of test object 'Object Repository/Login/Login		
	Failed/android.widget.TextView - nullPhone' are matched.		
12	verifyElementVisible(findTestObject("Login/Login Failed/android.widget.TextView - nullPass"), 3)	0.525s	PASSED
	Element 'Object Repository/Login/Login Failed/android.widget.TextView - nullPass' is visible		
13	verifyElementText(findTestObject("Login/Login Failed/android.widget.TextView - nullPass"),	0.384s	PASSED
	"Masukkan kata sandi Anda yang benar")		
	Actual text and expected text of test object 'Object Repository/Login/Login Failed/android.widget.TextView - nullPass' are matched.		
	. and an analysis in a control of the control of th		
14	delay(3, STOP_ON_FAILURE)	3.020s	PASSED
	Delayed 3 second(s)		
15	closeApplication()	1.144s	PASSED
	Close app successfully		
	11 - 12 - 12 - 12 - 12 - 12 - 12 - 12 -		

# Login Failed - Empty Phone Number and Password

#	Description	Elapsed	Status
16	Start listener action : sampleAfterTestCase	0.042s	PASSED

#### Information

ID Test Cases/Login KFCKU Apps/Login Failed - Wrong Password

Description

Tag

Start 2023-02-17 13:46:50 End 2023-02-17 13:47:31

Elapsed 40.972s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile.hkStaging", STOP_ON_FAILURE)  Starting app with application ID: 'com.kfc.mobile.hkStaging'	19.844s	PASSED
2	delay(5, STOP_ON_FAILURE)  Delayed 5 second(s)	5.012s	PASSED
3	tap(findTestObject("Profile/android.widget.TextView - Profil"), 5)  Tapped on element 'Object Repository/Profile/android.widget.TextView - Profil'	2.618s	PASSED
4	setText(findTestObject("Login/android.widget.EditText - Masukkan nomor handphone Anda"), "081211287377", 0)  Text '081211287377' has been set to element 'Object Repository/Login/android.widget.EditText - Masukkan nomor handphone Anda'	3.116s	PASSED
5	hideKeyboard() Keyboard is hidden	0.508s	PASSED
6	setText(findTestObject("Login/android.widget.EditText - Ketik kata sandi Anda"), "qwerty123", 0)  Text 'qwerty123' has been set to element 'Object Repository/Login/android.widget.EditText - Ketik kata sandi Anda'	0.955s	PASSED

#	Description	Elapsed	Status
7	hideKeyboard()	0.584s	PASSED
	Keyboard is hidden		
8	tap(findTestObject("Login/android.widget.Button - Masuk"), 0)	0.452s	PASSED
	Tapped on element 'Object Repository/Login/android.widget.Button - Masuk'		
9	delay(3, STOP_ON_FAILURE)	3.007s	PASSED
	Delayed 3 second(s)		

Descript	ion	Elapsed	Status
	mentVisible(findTestObject("Login/android.widget.TextView - Kata sandi yang Anda an salah"), 3)	4.182s	FAILE
Failed to	check for element 'Object Repository/Login/android.widget.TextView - Kata sandi		
yang An	da masukkan salah' visible (Root cause: com.kms.katalon.core.exception.		
	edException: Element 'Object Repository/Login/android.widget.TextView - Kata		
	ng Anda masukkan salah' not found		
•	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:5			
g. 00 1 j 10	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed		
(Mobilek	(eywordMain.groovy:40)		
(IVIODIIOI	at com.kms.katalon.core.mobile.keyword.builtin.		
VerifyEle	ementVisibleKeyword\$_verifyElementVisible_closure1.doCall		
	ementVisibleKeyword.groovy:82)		
(VCIII)LI	at com.kms.katalon.core.mobile.keyword.builtin.		
\/orify⊑le	ementVisibleKeyword\$_verifyElementVisible_closure1.call		
	ementVisibleKeyword,groovy)		
(VerilyE	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		
rupKova	ord(MobileKeywordMain.groovy:21)		
Turineyw	at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword.		
vorifyElo	mentVisible(VerifyElementVisibleKeyword.groovy:85)		
verifyEle			
ovecute/	at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword.		
execute(	VerifyElementVisibleKeyword.groovy:64)		
ovecutel	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executer	KeywordForPlatform(KeywordExecutor.groovy:74)		
auth⊞la	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.		
verifyEle	mentVisible(MobileBuiltInKeywords.groovy:2031)		
M I I B	at com.kms.katalon.core.mobile.keyword.		
MobileB	uiltInKeywords\$verifyElementVisible\$3.call(Unknown Source)		
	at Login Failed - Wrong Password.run(Login Failed - Wrong Password:43)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448			
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439			
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCas	seExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCas	seExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285			
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Commo	nExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSui	teExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
185)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
	at TempTestSuite1676616323940.run(TempTestSuite1676616323940.groovy:36)		
1			

Elapsed

Status

Description **V**41 1:47 💽 🖰 💈 **MASUK** Untuk mengakses semua fitur Nomor Handphone 081211287377 Kata Sandi 0 Lupa Kata Sandi Tidak punya akun? Daftarkan di sini **ATAU MASUK DENGAN** Masuk dengan Google Dengan masuk atau mendaftar, Anda menyetujui Syarat & Ketentuan dan Kebijakan Privasi

#	Description	Elapsed	Status
11	Start listener action : sampleAfterTestCase	0.003s	PASSED

#### Information

ID Test Cases/Login KFCKU Apps/Login Failed - Phone Number Not Registered

Description

Tag

Start 2023-02-17 13:47:31 End 2023-02-17 13:48:11

Elapsed 40.074s
Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile.hkStaging", STOP_ON_FAILURE)  Starting app with application ID: 'com.kfc.mobile.hkStaging'	16.848s	PASSED
2	delay(5, STOP_ON_FAILURE)  Delayed 5 second(s)	5.006s	PASSED
3	tap(findTestObject("Profile/android.widget.TextView - Profil"), 5)  Tapped on element 'Object Repository/Profile/android.widget.TextView - Profil'	2.645s	PASSED
4	setText(findTestObject("Login/android.widget.EditText - Masukkan nomor handphone Anda"), "081211287388", 0)  Text '081211287388' has been set to element 'Object Repository/Login/android.widget.EditText - Masukkan nomor handphone Anda'	2.645s	PASSED
5	hideKeyboard() Keyboard is hidden	0.555s	PASSED
6	setText(findTestObject("Login/android.widget.EditText - Ketik kata sandi Anda"), "pass123", 0)  Text 'pass123' has been set to element 'Object Repository/Login/android.widget.EditText - Ketik kata sandi Anda'	1.433s	PASSED

#	Description	Elapsed	Status
7	hideKeyboard()	0.502s	PASSED
	Keyboard is hidden		
8	tap(findTestObject("Login/android.widget.Button - Masuk"), 0)	0.518s	PASSED
	Tapped on element 'Object Repository/Login/android.widget.Button - Masuk'		
9	delay(5, STOP_ON_FAILURE)	5.008s	PASSED
	Delayed 5 second(s)		

Descrip	tion	Elapsed	Status
	ementVisible(findTestObject("Login/android.widget.TextView - Nomor handphone elum terdaftar"), 3)	4.112s	FAILE
	o check for element 'Object Repository/Login/android.widget.TextView - Nomor		
	one Anda belum terdaftar' visible (Root cause: com.kms.katalon.core.exception.		
	ledException: Element 'Object Repository/Login/android.widget.TextView - Nomor		
handph	one Anda belum terdaftar' not found		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:			
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed		
(Mobile	KeywordMain.groovy:40)		
	at com.kms.katalon.core.mobile.keyword.builtin.		
	ementVisibleKeyword\$_verifyElementVisible_closure1.doCall		
(VerifyE	lementVisibleKeyword.groovy:82)		
	at com.kms.katalon.core.mobile.keyword.builtin.		
	ementVisibleKeyword\$_verifyElementVisible_closure1.call		
(VerifyE	lementVisibleKeyword.groovy)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		
runKey	vord(MobileKeywordMain.groovy:21)		
	at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword.		
verifyEl	ementVisible(VerifyElementVisibleKeyword.groovy:85)		
	at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword.		
execute	(VerifyElementVisibleKeyword.groovy:64)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
execute	KeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.		
verifyEl	ementVisible(MobileBuiltInKeywords.groovy:2031)		
	at com.kms.katalon.core.mobile.keyword.		
ModileE	BuiltInKeywords\$verifyElementVisible\$3.call(Unknown Source)		
Not Doc	at Login Failed - Phone Number Not Registered.run(Login Failed - Phone Number		
Not Keç	yistered:43) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:11			
java. i i	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448			
javairi	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:43			
,	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCa	seExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCa	seExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:28			
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Comm	onExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSu	iteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)			
40=1	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
185)	at any live hateles are valid Taylocally in the Carlo		
Course	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
\ \	at TempTestSuite1676616323940.run(TempTestSuite1676616323940.groovy:36)		
)			

Status

Description Elapsed 1:48 😢 🖰 💈 **71 MASUK** Untuk mengakses semua fitur Nomor Handphone 081211287388 Kata Sandi 0 Lupa Kata Sandi Tidak punya akun? Daftarkan di sini **ATAU MASUK DENGAN** Masuk dengan Google Dengan masuk atau mendaftar, Anda menyetujui Syarat & Ketentuan dan Kebijakan Privasi

#	Description	Elapsed	Status
11	Start listener action : sampleAfterTestCase	0.005s	PASSED

### Login Social Media

#### Information

ID Test Cases/Login KFCKU Apps/Login Social Media

Description

Tag

Start 2023-02-17 13:48:11 End 2023-02-17 13:48:30

Elapsed 19.661s Status FAILED

#### **Details**

# Description Elapsed Status

### Login Social Media

Des	cription	Elapsed	Status
Star	application on current selected android device	18.858s	FAILED
Hna	ole to start app with application ID: '{0}' (Root cause: org.openga.selenium.		
	lidArgumentException: Parameters were incorrect. We wanted {"required":[["appId"],		
	ndleId"]],"optional":["options","sessionId","id"]} and you sent []		
-	Info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	em info: host: 'NKC-23', ip: '172.10.9.156', os.name: 'Windows 10', os.arch: 'amd64', os.		
	ion: '10.0', java.version: '1.8.0_282'		
	er info: com.kms.katalon.core.appium.driver.SwipeableAndroidDriver		
	abilities {appActivity: com.kfc.mobile.presentation, appPackage: com.kfc.mobile.		
	aging, autoGrantPermissions: true, automationName: uiautomator2, chromedriverPort:		
	03, databaseEnabled: false, desired: {appActivity: com.kfc.mobile.presentation,		
	Package: com.kfc.mobile.hkStaging, autoGrantPermissions: true, automationName:		
	tomator2, chromedriverPort: 49903, deviceId: , deviceName: emulator-5554		
	_gphone64, newCommandTimeout: 1800, noReset: true, platform: ANDROID,		
	ormName: android, platformVersion: 12, systemPort: 8254, udid: emulator-5554},		
	ceApiLevel: 31, deviceId: , deviceManufacturer: Google, deviceModel:		
	gphone64_x86_64, deviceName: emulator-5554, deviceScreenDensity: 440,		
	ceScreenSize: 1080x2160, deviceUDID: emulator-5554, javascriptEnabled: true,		
	ionContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout:		
	), noReset: true, pixelRatio: 2.75, platform: ANDROID, platformName: Android,		
platt	ormVersion: 12, statBarHeight: 66, systemPort: 8254, takesScreenshot: true, udid:		
emu	lator-5554, viewportRect: {height: 1962, left: 0, top: 66, width: 1080}, warnings: {},		
web	StorageEnabled: false}		
Ses	sion ID: c8e4c3ec-6aae-42ed-82d6-073b9a3236ef		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException		
(W3	CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode		
(W3	CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode		
(W3	CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute		
(Http	CommandExecutor.java:158)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute		
(App	iumCommandExecutor.java:239)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		
java	552)		
•	at io.appium.java_client.DefaultGenericMobileDriver.execute		
(Def	aultGenericMobileDriver.java:42)		
•	at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)		
	at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)		
	at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.execute		
(Sw	peableAndroidDriver.java:1)		
(	at io.appium.java_client.CommandExecutionHelper.execute		
(Co	nmandExecutionHelper.java:27)		
(00.	at io.appium.java_client.InteractsWithApps.activateApp(InteractsWithApps.java:		
165			
.00	at io.appium.java_client.InteractsWithApps.activateApp(InteractsWithApps.java:		
149			
140	at io.appium.java_client.InteractsWithApps\$activateApp.call(Unknown Source)		
	at io.appium.java_client.InteractsWithApps\$activateApp.call(Unknown Source)		
	at to:applum.java_client.interactsvvimApps\$activateApp.caii(Onknown Source) at com.kms.katalon.core.mobile.keyword.builtin.		
Stor			
	ExistingApplicationKeyword\$_startApplication_closure1.doCall		
(Sta	rtExistingApplicationKeyword.groovy:41)		
Ct-	at com.kms.katalon.core.mobile.keyword.builtin.		
	ExistingApplicationKeyword\$_startApplication_closure1.doCall		
(Sta	rtExistingApplicationKeyword.groovy)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		

#### Login Social Media

```
Description
                                                                                                                                                                                                                                                                                       Elapsed
                                                                                                                                                                                                                                                                                                                                             Status
 runKeyword(MobileKeywordMain.groovy:21)
                              at com.kms.katalon.core.mobile.keyword.internal.
 MobileKeywordMain$runKeyword.call(Unknown Source)
                              at com.kms.katalon.core.mobile.keyword.builtin.StartExistingApplicationKeyword.
  startApplication(StartExistingApplicationKeyword.groovy:43)
                              at com.kms.katalon.core.mobile.keyword.builtin.StartExistingApplicationKeyword.
  execute(StartExistingApplicationKeyword.groovy:34)
                              at com.kms.katalon.core.keyword.internal.KeywordExecutor.
  executeKeywordForPlatform(KeywordExecutor.groovy:74)
                              at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.
 startExistingApplication(MobileBuiltInKeywords.groovy:113)
                              at com.kms.katalon.core.mobile.keyword.
 MobileBuiltInKeywords$startExistingApplication.call(Unknown Source)
                              at Login Social Media.run(Login Social Media:25)
                              at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                              at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
 java:119)
                               at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
 java:448)
                              at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.d
 java:439)
                              at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
 (TestCaseExecutor.java:418)
                              at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
  (TestCaseExecutor.java:410)
                              at\ com.kms.katalon.core.main.Test Case Executor.execute (Test Case Executor.execute) at\ com.kms.katalon.core.main.Execute (Test Case Execut
 java:285)
                              at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
  (CommonExecutor.java:65)
                              at\ com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
  (TestSuiteExecutor.java:151)
                              at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
  106)
                              at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
  185)
                              at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
  Source)
                              at TempTestSuite1676616323940.run(TempTestSuite1676616323940.groovy:36)
```

#### Information

ID Test Cases/Login KFCKU Apps/Login Phone Number

Description

Tag

Start 2023-02-17 13:48:30 End 2023-02-17 13:49:22

Elapsed 51.958s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile.hkStaging", STOP_ON_FAILURE)  Starting app with application ID: 'com.kfc.mobile.hkStaging'	20.883s	PASSED
2	delay(5, STOP_ON_FAILURE)  Delayed 5 second(s)	5.011s	PASSED
3	tap(findTestObject("Profile/android.widget.TextView - Profil"), 5)  Tapped on element 'Object Repository/Profile/android.widget.TextView - Profil'	4.654s	PASSED
4	setText(findTestObject("Login/android.widget.EditText - Masukkan nomor handphone Anda"), "081211287377", 0)  Text '081211287377' has been set to element 'Object Repository/Login/android.widget.EditText - Masukkan nomor handphone Anda'	4.133s	PASSED
5	hideKeyboard() Keyboard is hidden	0.707s	PASSED
6	setText(findTestObject("Login/android.widget.EditText - Ketik kata sandi Anda"), "pass111", 0)  Text 'pass111' has been set to element 'Object Repository/Login/android.widget.EditText - Ketik kata sandi Anda'	1.781s	PASSED

#	Description	Elapsed	Status
7	hideKeyboard()	1.186s	PASSED
	Keyboard is hidden		
8	tap(findTestObject("Login/android.widget.Button - Masuk"), 0)	0.770s	PASSED
	Tapped on element 'Object Repository/Login/android.widget.Button - Masuk'		
9	delay(5, STOP_ON_FAILURE)	5.010s	PASSED
	Delayed 5 second(s)		

Desc	ription	Elapsed	Statu
tap(fi	ndTestObject("Profile/android.widget.TextView - Profil"), 5)	6.780s	FAILE
Faile	d to tap on element 'Object Repository/Profile/android.widget.TextView - Profil' (Root		
	e: com.kms.katalon.core.exception.StepFailedException: Object Object		
	sitory/Profile/android.widget.TextView - Profil not found		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groov	y:50)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed		
(Mob	ileKeywordMain.groovy:40)		
	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1.		
doCa	II(TapKeyword.groovy:79)		
	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1.call		
(Tapl	Keyword.groovy)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		
runK	eyword(MobileKeywordMain.groovy:21)		
	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.tap(TapKeyword.		
groov	y:84)		
/Top!	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.execute		
(тарі	(eyword.groovy:68)		
0,400	at com.kms.katalon.core.keyword.internal.KeywordExecutor. uteKeywordForPlatform(KeywordExecutor.groovy:74)		
exec	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.tap		
(Moh	ileBuiltInKeywords.groovy:1490)		
(IVIOD	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$tap\$0.call		
(Unk	nown Source)		
(0	at Login Phone Number.run(Login Phone Number:44)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:	148)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:			
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(Test	CaseExecutor.java:418)		
<del>(=</del> .	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(Test	CaseExecutor.java:410)		
iovo	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Corr	monExecutor.java:65)		
(0011	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(Test	SuiteExecutor.java:151)		
(	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)			
,	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
185)			
Í	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Sour			
	at TempTestSuite1676616323940.run(TempTestSuite1676616323940.groovy:36)		
)			

Elapsed

Status

Description **V**41 1:49 🔃 🖰 💈  $\leftarrow$ **MASUK** Untuk mengakses semua fitur Nomor Handphone 081211287377 Kata Sandi 0 Lupa Kata Sandi Tidak punya akun? Daftarkan di sini **ATAU MASUK DENGAN** Masuk dengan Google Dengan masuk atau mendaftar, Anda menyetujui Syarat & Ketentuan dan Kebijakan Privasi

#	Description	Elapsed	Status
11	Start listener action : sampleAfterTestCase	0.001s	PASSED