Order PNP

Execution Environment

Host name	Ahadian Rifky - NKC-23
Local OS	Windows 10 64bit
Katalon version	8.5.5.208
Browser	null

Summary

ID	Test Suites/Create Order/Order PNP		
Description			
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	2023-02-08 13:44:39	End	2023-02-08 13:48:09
Elapsed	3m - 29.598s		

#	ID	Description	Status
1	Test Cases/Create Order/Dine In/Dine In - Dana		FAILED
2	Test Cases/Create Order/Dine In/Dine In - Gopay		FAILED

Dine In - Dana

Information

ID   Test Cases/Create Order/Dine In/Dine In - Dana

Description

Tag

|				
Start	2023-02-08 13:44:39	End	2023-02-08 13:46:24	
Elapsed	1m - 44.582s			
Status	FAILED			

Details

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile.hkStaging", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile.hkStaging'	23.474s	PASSED
2	waitForElementPresent(findTestObject("Order Dine In/android.widget.TextView - Beranda"), 5) Element 'Object Repository/Order Dine In/android.widget.TextView - Beranda' is present	1.237s	PASSED
3	tap(findTestObject("Object Repository/Order Dine In/android.widget.TextView - Beranda"), 5) Tapped on element 'Object Repository/Order Dine In/android.widget.TextView - Beranda'	1.733s	PASSED
4	swipe(281, 500, 434, 161) Swiped from 281,500 to 434,161	1.241s	PASSED
5	tap(findTestObject("Object Repository/Order Dine In/android.widget.TextView - DINE-IN"), 5) Tapped on element 'Object Repository/Order Dine In/android.widget.TextView - DINE-IN'	1.687s	PASSED
6	tap(findTestObject("Object Repository/Order Dine In/android.widget.TextView - Cari Gerai KFC"), 5) Tapped on element 'Object Repository/Order Dine In/android.widget.TextView - Cari Gerai KFC'	3.359s	PASSED

Dine In - Dana

#	Description	Elapsed	Status
7	setText(findTestObject("Object Repository/Order Dine In/android.widget.EditText - Cari Gerai KFC"), "MT Haryono", 5) Text 'MT Haryono' has been set to element 'Object Repository/Order Dine In/android.widget.EditText - Cari Gerai KFC'	5.396s	PASSED
8	hideKeyboard() Keyboard is hidden	3.115s	PASSED
9	waitForElementPresent(findTestObject("Object Repository/Order Dine In/android.widget.TextView - MT HARYONO JAKARTA"), 5) Object Object Repository/Order Dine In/android.widget.TextView - MT HARYONO JAKARTA not found	6.170s	PASSED
10	tap(findTestObject("Order Dine In/Order/android.widget.Button - Pilih Gerai"), 0) Tapped on element 'Object Repository/Order Dine In/Order/android.widget.Button - Pilih Gerai'	0.391s	PASSED
11	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.038s	PASSED
12	tap(findTestObject("Order Dine In/android.widget.FrameLayout"), 5) Tapped on element 'Object Repository/Order Dine In/android.widget.FrameLayout'	0.730s	PASSED
13	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.018s	PASSED
14	pressBack() Press back button successfully	0.426s	PASSED
15	waitForElementPresent(findTestObject("Order Dine In/android.widget.Button - Add"), 5) Element 'Object Repository/Order Dine In/android.widget.Button - Add' is present	0.731s	PASSED

Dine In - Dana

#	Description	Elapsed	Status
16	tap(findTestObject("Order Dine In/android.widget.Button - Add"), 5) Tapped on element 'Object Repository/Order Dine In/android.widget.Button - Add'	0.328s	PASSED
17	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.009s	PASSED
18	waitForElementPresent(findTestObject("Order Dine In/Order/android.widget.Button - Lanjut"), 5) Element 'Object Repository/Order Dine In/Order/android.widget.Button - Lanjut' is present	0.672s	PASSED
19	tap(findTestObject("Order Dine In/Order/android.widget.Button - Lanjut"), 5) Tapped on element 'Object Repository/Order Dine In/Order/android.widget.Button - Lanjut'	0.806s	PASSED
20	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.009s	PASSED
21	waitForElementPresent(findTestObject("Order Dine In/Order/android.widget.LinearLayout"), 5) Element 'Object Repository/Order Dine In/Order/android.widget.LinearLayout' is present	0.326s	PASSED
22	tap(findTestObject("Order Dine In/Order/android.widget.LinearLayout"), 5) Tapped on element 'Object Repository/Order Dine In/Order/android.widget.LinearLayout'	0.857s	PASSED
23	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.015s	PASSED
24	waitForElementPresent(findTestObject("Order Dine In/Order/android.widget.TextView - Pilih Menu Gratis"), 5) Element 'Object Repository/Order Dine In/Order/android.widget.TextView - Pilih Menu Gratis' is present	0.205s	PASSED

Dine In - Dana

#	Description	Elapsed	Status
25	tap(findTestObject("Order Dine In/Order/android.widget.TextView - Pilih Menu Gratis"), 5) Tapped on element 'Object Repository/Order Dine In/Order/android.widget.TextView - Pilih Menu Gratis'	0.283s	PASSED
26	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.009s	PASSED
27	waitForElementPresent(findTestObject("Order Dine In/Order/android.widget.Button - Pilih Sekarang"), 10) Object Object Repository/Order Dine In/Order/android.widget.Button - Pilih Sekarang not found	10.230s	PASSED

Dine In - Dana

#	Description	Elapsed	Status
28	tap(findTestObject("Order Dine In/Order/android.widget.Button - Pilih Sekarang"), 10)	10.618s	FAILED

Failed to tap on element 'Object Repository/Order Dine In/Order/android.widget.Button - Pilih Sekarang' (Root cause: com.kms.katalon.core.exception.StepFailedException: Object Object Repository/Order Dine In/Order/android.widget.Button - Pilih Sekarang not found
        at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.groovy:50)
        at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:40)
        at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword$_tap_closure1.doCall(TapKeyword.groovy:79)
        at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword$_tap_closure1.call(TapKeyword.groovy)
        at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:21)
        at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.tap(TapKeyword.groovy:84)
        at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.execute(TapKeyword.groovy:68)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.tap(MobileBuiltInKeywords.groovy:1490)
        at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywordstap1.call(Unknown Source)
        at Dine In - Dana.run(Dine In - Dana:81)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:151)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
        at TempTestSuite1675838668726.run(TempTestSuite1675838668726.groovy:36)
)

Dine In - Dana

4G TELKOMSEL 🛜   13.46   🔕 🔋

← **TINJAU PESANAN**

Tipe Pesanan

Makan di Tempat

Anda dapat mengambil pesanan di konter kasir

Pilihan Outlet Anda

KFC

MT HARYONO JAKARTA

Jl. MT. Haryono, Kav 7 Lt. 2 Gd Gelael, Jakarta Jl
Letjen Mt Haryono Kav 7 Tebet Barat, Jakarta 128...

Detail Pesanan

Working Lunch Dinner 1   **Rp143.182**

5 Combo SB 1 (5pc chicken +
5 Rice + 5 Coca-Cola Medium)

⊖   1   ⊕   📝 **Edit**

🪣 **Tambah Menu**

Hadiah Langsung   **Lihat Detail**

Selamat Anda mendapat hadiah langsung

Anda dapat memilih hingga 2 Free GOCENG

Dine In - Gopay

Information

ID	Test Cases/Create Order/Dine In/Dine In - Gopay			
Description				
Tag				
Start	2023-02-08 13:46:24	End	2023-02-08 13:48:09	
Elapsed	1m - 44.735s			
Status	FAILED			

Details

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile.hkStaging", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile.hkStaging'	14.131s	PASSED
2	waitForElementPresent(findTestObject("Order Dine In/android.widget.TextView - Beranda"), 5) Element 'Object Repository/Order Dine In/android.widget.TextView - Beranda' is present	1.878s	PASSED
3	tap(findTestObject("Object Repository/Order Dine In/android.widget.TextView - Beranda"), 5) Tapped on element 'Object Repository/Order Dine In/android.widget.TextView - Beranda'	0.523s	PASSED
4	swipe(281, 500, 434, 161) Swiped from 281,500 to 434,161	1.154s	PASSED
5	tap(findTestObject("Object Repository/Order Dine In/android.widget.TextView - DINE-IN"), 5) Tapped on element 'Object Repository/Order Dine In/android.widget.TextView - DINE-IN'	1.448s	PASSED
6	tap(findTestObject("Object Repository/Order Dine In/android.widget.TextView - Cari Gerai KFC"), 5) Tapped on element 'Object Repository/Order Dine In/android.widget.TextView - Cari Gerai KFC'	3.525s	PASSED

Dine In - Gopay

#	Description	Elapsed	Status
7	setText(findTestObject("Object Repository/Order Dine In/android.widget.EditText - Cari Gerai KFC"), "MT Haryono", 5) Text 'MT Haryono' has been set to element 'Object Repository/Order Dine In/android.widget.EditText - Cari Gerai KFC'	5.563s	PASSED
8	hideKeyboard() Keyboard is hidden	2.746s	PASSED
9	waitForElementPresent(findTestObject("Object Repository/Order Dine In/android.widget.TextView - MT HARYONO JAKARTA"), 5) Object Object Repository/Order Dine In/android.widget.TextView - MT HARYONO JAKARTA not found	5.183s	PASSED
10	tap(findTestObject("Order Dine In/Order/android.widget.Button - Pilih Gerai"), 5) Tapped on element 'Object Repository/Order Dine In/Order/android.widget.Button - Pilih Gerai'	1.332s	PASSED
11	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.010s	PASSED
12	tap(findTestObject("Order Dine In/android.widget.FrameLayout"), 5) Tapped on element 'Object Repository/Order Dine In/android.widget.FrameLayout'	1.158s	PASSED
13	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.010s	PASSED
14	pressBack() Press back button successfully	0.897s	PASSED
15	waitForElementPresent(findTestObject("Order Dine In/android.widget.Button - Add"), 5) Element 'Object Repository/Order Dine In/android.widget.Button - Add' is present	0.716s	PASSED

Dine In - Gopay

#	Description	Elapsed	Status
16	tap(findTestObject("Order Dine In/android.widget.Button - Add"), 5) Tapped on element 'Object Repository/Order Dine In/android.widget.Button - Add'	0.367s	PASSED
17	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.006s	PASSED
18	waitForElementPresent(findTestObject("Order Dine In/Order/android.widget.Button - Lanjut"), 5) Element 'Object Repository/Order Dine In/Order/android.widget.Button - Lanjut' is present	0.346s	PASSED
19	tap(findTestObject("Order Dine In/Order/android.widget.Button - Lanjut"), 5) Tapped on element 'Object Repository/Order Dine In/Order/android.widget.Button - Lanjut'	0.351s	PASSED
20	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.011s	PASSED
21	waitForElementPresent(findTestObject("Order Dine In/Order/android.widget.LinearLayout"), 5) Element 'Object Repository/Order Dine In/Order/android.widget.LinearLayout' is present	0.594s	PASSED
22	tap(findTestObject("Order Dine In/Order/android.widget.LinearLayout"), 5) Tapped on element 'Object Repository/Order Dine In/Order/android.widget.LinearLayout'	0.363s	PASSED
23	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.012s	PASSED
24	waitForElementPresent(findTestObject("Order Dine In/Order/android.widget.TextView - Pilih Menu Gratis"), 5) Element 'Object Repository/Order Dine In/Order/android.widget.TextView - Pilih Menu Gratis' is present	0.601s	PASSED

#	Description	Elapsed	Status
25	tap(findTestObject("Order Dine In/Order/android.widget.TextView - Pilih Menu Gratis"), 5) Tapped on element 'Object Repository/Order Dine In/Order/android.widget.TextView - Pilih Menu Gratis'	0.760s	PASSED
26	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.014s	PASSED
27	swipe(281, 500, 434, 161) Swiped from 281,500 to 434,161	1.177s	PASSED
28	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.006s	PASSED
29	waitForElementPresent(findTestObject("Order Dine In/Order/android.widget.Button - Pilih Sekarang"), 10) Object Object Repository/Order Dine In/Order/android.widget.Button - Pilih Sekarang not found	10.053s	PASSED

Dine In - Gopay

#	Description	Elapsed	Status
30	tap(findTestObject("Order Dine In/Order/android.widget.Button - Pilih Sekarang"), 10)	14.466s	FAILED

Failed to tap on element 'Object Repository/Order Dine In/Order/android.widget.Button - Pilih Sekarang' (Root cause: com.kms.katalon.core.exception.StepFailedException: Object Object Repository/Order Dine In/Order/android.widget.Button - Pilih Sekarang not found
       at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.groovy:50)
       at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:40)
       at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword$_tap_closure1.doCall(TapKeyword.groovy:79)
       at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword$_tap_closure1.call(TapKeyword.groovy)
       at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:21)
       at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.tap(TapKeyword.groovy:84)
       at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.execute(TapKeyword.groovy:68)
       at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)
       at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.tap(MobileBuiltInKeywords.groovy:1490)
       at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywordstap1.call(Unknown Source)
       at Dine In - Gopay.run(Dine In - Gopay:84)
       at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
       at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
       at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)
       at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)
       at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)
       at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)
       at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)
       at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)
       at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:151)
       at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)
       at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)
       at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
       at TempTestSuite1675838668726.run(TempTestSuite1675838668726.groovy:36)
)

Dine In - Gopay