

KFCKU Apps

Execution Environment

Host name	Ahadian Rifky - NKC-23
Local OS	Windows 10 64bit
Katalon version	8.5.5.208
Browser	null

Summary

ID	Test Suites/Production/KFCKU Apps		
Description			
Total	18		
Passed	8	Failed	10
Error	0	Incomplete	0
Skipped	0		
Start	2023-07-11 11:34:27	End	2023-07-11 11:42:59
Elapsed	8m - 32.259s		

#	ID	Description	Status
1	Test Cases/Production/Login KFCKU Apps/Login Failed - Empty Phone Number and Password		PASSED
2	Test Cases/Production/Login KFCKU Apps/Login Failed - Phone Number Not Registered		PASSED
3	Test Cases/Production/Login KFCKU Apps/Login Failed - Wrong Password		PASSED
4	Test Cases/Production/Login KFCKU Apps/Login Social Media		PASSED
5	Test Cases/Production/Login KFCKU Apps/Login Phone Number		PASSED
6	Test Cases/Production/Home Page/Promotion		PASSED
7	Test Cases/Production/My Order/Order Detail HMD - My Order		PASSED
8	Test Cases/Production/My Order/Order Detail PNP - My Order		FAILED
9	Test Cases/Production/My Order/View All Status Order - My Order		PASSED
10	Test Cases/Production/Profile/Personal Info/User Profile		FAILED
11	Test Cases/Production/Profile/Personal Info/Setting - Personal Info		FAILED
12	Test Cases/Production/Profile/General/Change Language		FAILED
13	Test Cases/Production/Profile/General/Customer Service		FAILED
14	Test Cases/Production/Profile/General/Privacy Policy		FAILED
15	Test Cases/Production/Profile/General/Term and Condition		FAILED

KFCKU Apps

#	ID	Description	Status
16	Test Cases/Production/Profile/Device/Linked Account		FAILED
17	Test Cases/Production/Profile/Device/App Version		FAILED
18	Test Cases/Production/Profile/Device/Logout		FAILED

Login Failed - Empty Phone Number and Password

Information

ID	Test Cases/Production/Login KFCKU Apps/Login Failed - Empty Phone Number and Password		
Description			
Tag			
Start	2023-07-11 11:34:27	End	2023-07-11 11:35:47
Elapsed	1m - 19.459s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	57.943s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.060s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 5) Tapped on element 'Object Repository/Productions/Menu/Profile'	2.863s	PASSED
4	tap(findTestObject("Productions/Login/Button - Sign In"), 0) Tapped on element 'Object Repository/Productions/Login/Button - Sign In'	2.544s	PASSED
5	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.005s	PASSED
6	waitForElementPresent(findTestObject("Productions/Login/Please enter your phone number"), 0, STOP_ON_FAILURE) Element 'Object Repository/Productions/Login/Please enter your phone number' is present	0.820s	PASSED

Login Failed - Empty Phone Number and Password

#	Description	Elapsed	Status
7	waitForElementPresent(findTestObject("Productions/Login/Please type your correct password"), 0) Element 'Object Repository/Productions/Login/Please type your correct password' is present	0.749s	PASSED
8	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.020s	PASSED
9	closeApplication() Close app successfully	0.510s	PASSED
10	Start listener action : sampleAfterTestCase	0.044s	PASSED

Login Failed - Phone Number Not Registered

Information

ID	Test Cases/Production/Login KFCUK Apps/Login Failed - Phone Number Not Registered		
Description			
Tag			
Start	2023-07-11 11:35:47	End	2023-07-11 11:36:33
Elapsed	45.884s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	20.497s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.013s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 5) Tapped on element 'Object Repository/Productions/Menu/Profile'	2.560s	PASSED
4	tap(findTestObject("Productions/Login/Enter your phone number"), 0) Tapped on element 'Object Repository/Productions/Login/Enter your phone number'	2.299s	PASSED
5	setText(findTestObject("Productions/Login/Enter your phone number"), "081211287366", 0) Text '081211287366' has been set to element 'Object Repository/Productions/Login/Enter your phone number'	2.576s	PASSED
6	pressBack() Press back button successfully	0.534s	PASSED

Login Failed - Phone Number Not Registered

#	Description	Elapsed	Status
7	setText(findTestObject("Productions/Login/Type your password"), "Pass123", 0) Text 'Pass123' has been set to element 'Object Repository/Productions/Login/Type your password'	1.713s	PASSED
8	tap(findTestObject("Productions/Login/Button - Sign In"), 0) Tapped on element 'Object Repository/Productions/Login/Button - Sign In'	0.999s	PASSED
9	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.008s	PASSED
10	waitForElementPresent(findTestObject("Productions/Login/Your phone number has not been registered"), 0, STOP_ON_FAILURE) Element 'Object Repository/Productions/Login/Your phone number has not been registered' is present	0.670s	PASSED
11	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.008s	PASSED
12	closeApplication() Close app successfully	0.320s	PASSED
13	Start listener action : sampleAfterTestCase	0.007s	PASSED

Login Failed - Wrong Password

Information

ID	Test Cases/Production/Login KFCUK Apps/Login Failed - Wrong Password		
Description			
Tag			
Start	2023-07-11 11:36:33	End	2023-07-11 11:37:19
Elapsed	46.417s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	20.404s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.016s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 5) Tapped on element 'Object Repository/Productions/Menu/Profile'	2.737s	PASSED
4	tap(findTestObject("Productions/Login/Enter your phone number"), 0) Tapped on element 'Object Repository/Productions/Login/Enter your phone number'	2.408s	PASSED
5	setText(findTestObject("Productions/Login/Enter your phone number"), "081211287377", 0) Text '081211287377' has been set to element 'Object Repository/Productions/Login/Enter your phone number'	2.761s	PASSED
6	pressBack() Press back button successfully	0.524s	PASSED

Login Failed - Wrong Password

#	Description	Elapsed	Status
7	setText(findTestObject("Productions/Login/Type your password"), "passk209", 0) Text 'passk209' has been set to element 'Object Repository/Productions/Login/Type your password'	1.965s	PASSED
8	tap(findTestObject("Productions/Login/Button - Sign In"), 0) Tapped on element 'Object Repository/Productions/Login/Button - Sign In'	1.014s	PASSED
9	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.021s	PASSED
10	waitForElementPresent(findTestObject("Productions/Login/The password you entered is incorrect"), 0, STOP_ON_FAILURE) Element 'Object Repository/Productions/Login/The password you entered is incorrect' is present	0.607s	PASSED
11	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.010s	PASSED
12	closeApplication() Close app successfully	0.436s	PASSED
13	Start listener action : sampleAfterTestCase	0.009s	PASSED

Login Social Media

Information

ID	Test Cases/Production/Login KFCKU Apps/Login Social Media		
Description			
Tag			
Start	2023-07-11 11:37:19	End	2023-07-11 11:38:13
Elapsed	54.316s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	20.591s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.007s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 5) Tapped on element 'Object Repository/Productions/Menu/Profile'	2.612s	PASSED
4	waitForElementPresent(findTestObject("Productions/Login/Button - Sign in with Google"), 0) Element 'Object Repository/Productions/Login/Button - Sign in with Google' is present	2.423s	PASSED
5	tap(findTestObject("Productions/Login/Button - Sign in with Google"), 0) Tapped on element 'Object Repository/Productions/Login/Button - Sign in with Google'	0.843s	PASSED
6	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.011s	PASSED
7	tap(findTestObject("Productions/Login/jecsanmaychelgmail.com"), 0, STOP_ON_FAILURE) Tapped on element 'Object Repository/Productions/Login/jecsanmaychelgmail.com'	0.679s	PASSED

Login Social Media

#	Description	Elapsed	Status
8	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.014s	PASSED
9	waitForElementPresent(findTestObject("Productions/Login/Profile Info"), 0) Element 'Object Repository/Productions/Login/Profile Info' is present	2.358s	PASSED
10	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.118s	PASSED
11	tap(findTestObject("Productions/Login/Log Out"), 0) Tapped on element 'Object Repository/Productions/Login/Log Out'	1.448s	PASSED
12	tap(findTestObject("Productions/Login/Logout - Yes"), 0) Tapped on element 'Object Repository/Productions/Login/Logout - Yes'	0.861s	PASSED
13	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.009s	PASSED
14	closeApplication() Close app successfully	0.319s	PASSED
15	Start listener action : sampleAfterTestCase	0.008s	PASSED

Login Phone Number

Information

ID	Test Cases/Production/Login KFCKU Apps/Login Phone Number		
Description			
Tag			
Start	2023-07-11 11:38:13	End	2023-07-11 11:38:59
Elapsed	45.645s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	20.060s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.011s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 5) Tapped on element 'Object Repository/Productions/Menu/Profile'	2.676s	PASSED
4	tap(findTestObject("Productions/Login/Enter your phone number"), 0) Tapped on element 'Object Repository/Productions/Login/Enter your phone number'	2.279s	PASSED
5	setText(findTestObject("Productions/Login/Enter your phone number"), "081211287377", 0) Text '081211287377' has been set to element 'Object Repository/Productions/Login/Enter your phone number'	2.339s	PASSED
6	pressBack() Press back button successfully	0.546s	PASSED

Login Phone Number

#	Description	Elapsed	Status
7	setText(findTestObject("Productions/Login/Type your password"), "pass123", 0) Text 'pass123' has been set to element 'Object Repository/Productions/Login/Type your password'	1.787s	PASSED
8	tap(findTestObject("Productions/Login/Button - Sign In"), 0) Tapped on element 'Object Repository/Productions/Login/Button - Sign In'	1.063s	PASSED
9	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.009s	PASSED
10	waitForElementPresent(findTestObject("Productions/Login/Profile Info"), 0, STOP_ON_FAILURE) Element 'Object Repository/Productions/Login/Profile Info' is present	0.781s	PASSED
11	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.016s	PASSED
12	closeApplication() Close app successfully	0.317s	PASSED
13	Start listener action : sampleAfterTestCase	0.006s	PASSED

Promotion

Information

ID	Test Cases/Production/Home Page/Promotion		
Description			
Tag			
Start	2023-07-11 11:38:59	End	2023-07-11 11:39:41
Elapsed	41.781s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	19.221s	PASSED
2	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.006s	PASSED
3	verifyElementVisible(findTestObject("Productions/Home Page/Promotion/Banner"), 0) Element 'Object Repository/Productions/Home Page/Promotion/Banner' is visible	2.757s	PASSED
4	swipe(281, 800, 434, 61) Swiped from 281,800 to 434,61	1.266s	PASSED
5	verifyElementVisible(findTestObject("Productions/Home Page/Promotion/Title - PROMOS AND REWARDS"), 0) Element 'Object Repository/Productions/Home Page/Promotion/Title - PROMOS AND REWARDS' is visible	1.180s	PASSED
6	Get Device Height and Store in to device_height variable Current device physical height is 1520	0.232s	PASSED

Promotion

#	Description	Elapsed	Status
7	Get Width Height and Store in to device_Width variable Current device physical width is 720	0.203s	PASSED
8	Storing the value in startY variable by dividing device height by 2 Because Y coordinates are constant	0.006s	PASSED
9	Here startY and endY values are equal for Horizontal Swiping for that assigning startX value to endX	0.004s	PASSED
10	Storing the value in startX variable	0.007s	PASSED
11	Storing the value in endX variable	0.004s	PASSED
12	Here Y constant for Swipe Horizontal Right to Left Swiped from 504,760 to 216,760	1.239s	PASSED
13	tap(findTestObject("Productions/Home Page/Promotion/View All"), 3) Tapped on element 'Object Repository/Productions/Home Page/Promotion/View All'	1.098s	PASSED
14	verifyElementVisible(findTestObject("Productions/Home Page/Promotion/Title - ONGOING PROMO"), 0) Element 'Object Repository/Productions/Home Page/Promotion/Title - ONGOING PROMO' is visible	1.957s	PASSED
15	verifyElementVisible(findTestObject("Productions/Home Page/Promotion/Promo List 1"), 0) Element 'Object Repository/Productions/Home Page/Promotion/Promo List 1' is visible	0.638s	PASSED

Promotion

#	Description	Elapsed	Status
16	verifyElementVisible(findTestObject("Productions/Home Page/Promotion/Promo List 2"), 0) Element 'Object Repository/Productions/Home Page/Promotion/Promo List 2' is visible	0.553s	PASSED
17	verifyElementVisible(findTestObject("Productions/Home Page/Promotion/Promo List 3"), 0) Element 'Object Repository/Productions/Home Page/Promotion/Promo List 3' is visible	0.544s	PASSED
18	tap(findTestObject("Productions/Home Page/Promotion/Promo List 1"), 3) Tapped on element 'Object Repository/Productions/Home Page/Promotion/Promo List 1'	0.531s	PASSED
19	tap(findTestObject("Productions/Home Page/Promotion/Button Back Promo Detail"), 3) Tapped on element 'Object Repository/Productions/Home Page/Promotion/Button Back Promo Detail'	3.012s	PASSED
20	tap(findTestObject("Productions/Home Page/Promotion/Button Back"), 3) Tapped on element 'Object Repository/Productions/Home Page/Promotion/Button Back'	0.522s	PASSED
21	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.009s	PASSED
22	closeApplication() Close app successfully	0.338s	PASSED
23	Start listener action : sampleAfterTestCase	0.006s	PASSED

Order Detail HMD - My Order

Information

ID	Test Cases/Production/My Order/Order Detail HMD - My Order		
Description			
Tag			
Start	2023-07-11 11:39:41	End	2023-07-11 11:40:24
Elapsed	43.437s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	19.165s	PASSED
2	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.010s	PASSED
3	tap(findTestObject("Productions/Menu/My Order"), 0) Tapped on element 'Object Repository/Productions/Menu/My Order'	3.753s	PASSED
4	verifyElementVisible(findTestObject("Productions/My Order/Title - MY ORDER"), 0) Element 'Object Repository/Productions/My Order/Title - MY ORDER' is visible	2.284s	PASSED
5	scrollToText("Delivery Order", STOP_ON_FAILURE) Scrolling to text 'Delivery Order' successfully	0.879s	PASSED
6	tap(findTestObject("Productions/My Order/Order Type - Delivery Order"), 0) Tapped on element 'Object Repository/Productions/My Order/Order Type - Delivery Order'	1.134s	PASSED
7	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.018s	PASSED

Order Detail HMD - My Order

#	Description	Elapsed	Status
8	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - HMD/Title - ORDER DETAIL"), 0) Element 'Object Repository/Productions/My Order/Order Detail - HMD/Title - ORDER DETAIL' is visible	1.423s	PASSED
9	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - HMD/Delivery Number"), 0) Element 'Object Repository/Productions/My Order/Order Detail - HMD/Delivery Number' is visible	0.694s	PASSED
10	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - HMD/Order Type"), 0) Element 'Object Repository/Productions/My Order/Order Detail - HMD/Order Type' is visible	0.761s	PASSED
11	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - HMD/Delivery Detail"), 0) Element 'Object Repository/Productions/My Order/Order Detail - HMD/Delivery Detail' is visible	0.659s	PASSED
12	scrollToText("Tax", STOP_ON_FAILURE) Scrolling to text 'Tax' successfully	3.893s	PASSED
13	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - HMD/Order Items"), 0) Element 'Object Repository/Productions/My Order/Order Detail - HMD/Order Items' is visible	1.312s	PASSED
14	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - HMD/Order Summary"), 0) Element 'Object Repository/Productions/My Order/Order Detail - HMD/Order Summary' is visible	0.612s	PASSED
15	closeApplication() Close app successfully	0.358s	PASSED

Order Detail HMD - My Order

#	Description	Elapsed	Status
16	Start listener action : sampleAfterTestCase	0.006s	PASSED

Order Detail PNP - My Order

Information

ID	Test Cases/Production/My Order/Order Detail PNP - My Order		
Description			
Tag			
Start	2023-07-11 11:40:24	End	2023-07-11 11:41:30
Elapsed	1m - 6.262s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	19.411s	PASSED
2	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.006s	PASSED
3	tap(findTestObject("Productions/Menu/My Order"), 0) Tapped on element 'Object Repository/Productions/Menu/My Order'	3.301s	PASSED
4	verifyElementVisible(findTestObject("Productions/My Order/Title - MY ORDER"), 0) Element 'Object Repository/Productions/My Order/Title - MY ORDER' is visible	2.177s	PASSED
5	scrollToText("Dine In", STOP_ON_FAILURE) Scrolling to text 'Dine In' successfully	0.852s	PASSED
6	tap(findTestObject("Productions/My Order/Order Type - Dine In"), 0) Tapped on element 'Object Repository/Productions/My Order/Order Type - Dine In'	0.903s	PASSED
7	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.018s	PASSED













Order Detail PNP - My Order

#	Description	Elapsed	Status
8	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - PNP/Pick Number"), 0) Element 'Object Repository/Productions/My Order/Order Detail - PNP/Pick Number' is visible	1.056s	PASSED
9	verifyElementVisible(findTestObject("Productions/My Order/Order Detail - PNP/Order Type"), 0) Element 'Object Repository/Productions/My Order/Order Detail - PNP/Order Type' is visible	0.819s	PASSED

Order Detail PNP - My Order

#	Description	Elapsed	Status
10	<p>verifyElementVisible(findTestObject("Productions/My Order/Order Detail - PNP/Pick Up Outlet"), 0)</p> <p>Failed to check for element 'Object Repository/Productions/My Order/Order Detail - PNP/Pick Up Outlet' visible (Root cause: com.kms.katalon.core.exception.StepFailedException: Element 'Object Repository/Productions/My Order/Order Detail - PNP/Pick Up Outlet' not found at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.groovy:50) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:40) at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.doCall(VerifyElementVisibleKeyword.groovy:82) at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.call(VerifyElementVisibleKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword.verifyElementVisible(VerifyElementVisibleKeyword.groovy:85) at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword.execute(VerifyElementVisibleKeyword.groovy:64) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.verifyElementVisible(MobileBuiltInKeywords.groovy:2031) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$verifyElementVisible\$7.call(Unknown Source) at Order Detail PNP - My Order.run(Order Detail PNP - My Order:38) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1689050052600.run(TempTestSuite1689050052600.groovy:36))</p>	31.201s	FAILED

Order Detail PNP - My Order

#	Description	Elapsed	Status
	<div><div>11:41  </div><div>  </div></div> <div><div></div><div>ORDER DETAIL</div></div> <div><div><div>EXPIRED 16 Jun 2023, 16:46 Show Detail</div><div>DELIVERY NUMBER S38</div></div></div> <div><div>Order Type</div><div><div></div><div>Delivery Order KFC Order ID 03370616S230038</div><div></div></div></div> <div><div>Delivery Detail</div><div><div></div><div>AYAM BULUNGAN JAKARTA Jl. Bulungan I / 6 A Jakarta Selatan</div></div><div><div></div><div>Jl. Anggrek Jl. Anggrek No.49, RT.3RW.1, Gandaria Utara, Kec. Kby. Baru, Kota Jakarta Selatan, Daerah Khusus Ibukota Jakarta 12140, Indonesia</div></div></div> <div><div>Order Item(s)</div><div><div></div><div>1x 9 Plus 7 9 pcs Chicken + 7 Rice Show Detail</div><div>Rp161.818</div></div><div><div></div><div>1x Super Besar 6 1 pc Chicken + 1 Rice + 2</div><div>Rp46.364</div></div></div>		

Order Detail PNP - My Order

#	Description	Elapsed	Status
11	Start listener action : sampleAfterTestCase	0.005s	PASSED

View All Status Order - My Order

Information

ID	Test Cases/Production/My Order/View All Status Order - My Order		
Description			
Tag			
Start	2023-07-11 11:41:30	End	2023-07-11 11:42:21
Elapsed	50.451s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	15.777s	PASSED
2	delay(3, STOP_ON_FAILURE) Delayed 3 second(s)	3.006s	PASSED
3	tap(findTestObject("Productions/Menu/My Order"), 0) Tapped on element 'Object Repository/Productions/Menu/My Order'	3.338s	PASSED
4	verifyElementVisible(findTestObject("Productions/My Order/Title - MY ORDER"), 0) Element 'Object Repository/Productions/My Order/Title - MY ORDER' is visible	2.964s	PASSED
5	tap(findTestObject("Productions/My Order/Get List Status"), 0) Tapped on element 'Object Repository/Productions/My Order/Get List Status'	1.066s	PASSED
6	verifyElementVisible(findTestObject("Productions/My Order/Status Order List"), 0) Element 'Object Repository/Productions/My Order/Status Order List' is visible	3.826s	PASSED
7	tap(findTestObject("Productions/My Order/Awaiting Payment"), 0) Tapped on element 'Object Repository/Productions/My Order/Awaiting Payment'	0.653s	PASSED

View All Status Order - My Order

#	Description	Elapsed	Status
8	tap(findTestObject("Productions/My Order/Get List Status"), 0) Tapped on element 'Object Repository/Productions/My Order/Get List Status'	1.774s	PASSED
9	tap(findTestObject("Productions/My Order/Cancelled"), 0) Tapped on element 'Object Repository/Productions/My Order/Cancelled'	1.299s	PASSED
10	tap(findTestObject("Productions/My Order/Get List Status"), 0) Tapped on element 'Object Repository/Productions/My Order/Get List Status'	2.182s	PASSED
11	tap(findTestObject("Productions/My Order/Completed"), 0) Tapped on element 'Object Repository/Productions/My Order/Completed'	3.991s	PASSED
12	tap(findTestObject("Productions/My Order/Get List Status"), 0) Tapped on element 'Object Repository/Productions/My Order/Get List Status'	2.186s	PASSED
13	tap(findTestObject("Productions/My Order/In Progress"), 0) Tapped on element 'Object Repository/Productions/My Order/In Progress'	1.318s	PASSED
14	tap(findTestObject("Productions/My Order/Get List Status"), 0) Tapped on element 'Object Repository/Productions/My Order/Get List Status'	1.852s	PASSED
15	tap(findTestObject("Productions/My Order/Rejected"), 0) Tapped on element 'Object Repository/Productions/My Order/Rejected'	1.283s	PASSED
16	tap(findTestObject("Productions/My Order/Get List Status"), 0) Tapped on element 'Object Repository/Productions/My Order/Get List Status'	2.439s	PASSED
17	tap(findTestObject("Productions/My Order/All"), 0) Tapped on element 'Object Repository/Productions/My Order/All'	0.517s	PASSED

View All Status Order - My Order

#	Description	Elapsed	Status
18	closeApplication() Close app successfully	0.317s	PASSED
19	Start listener action : sampleAfterTestCase	0.006s	PASSED

User Profile

Information

ID	Test Cases/Production/Profile/Personal Info/User Profile		
Description			
Tag			
Start	2023-07-11 11:42:21	End	2023-07-11 11:42:55
Elapsed	34.220s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE) Starting app with application ID: 'com.kfc.mobile'	19.882s	PASSED
2	delay(5, STOP_ON_FAILURE) Delayed 5 second(s)	5.011s	PASSED
3	tap(findTestObject("Productions/Menu/Profile"), 0) Tapped on element 'Object Repository/Productions/Menu/Profile'	2.656s	PASSED
4	verifyElementVisible(findTestObject("Productions/Personal Info/Profile/Photo Profile"), 3) Element 'Object Repository/Productions/Personal Info/Profile/Photo Profile' is visible	1.655s	PASSED

User Profile

#	Description	Elapsed	Status
5	<div>verifyElementVisible(findTestObject("Productions/Personal Info/Profile/Username"), 3)</div> <div>Failed to check for element 'Object Repository/Productions/Personal Info/Profile/Username' visible (Root cause: com.kms.katalon.core.exception.StepFailedException: Element 'Object Repository/Productions/Personal Info/Profile/Username' not found at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.groovy:50) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:40) at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.doCall(VerifyElementVisibleKeyword.groovy:82) at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.call(VerifyElementVisibleKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword.verifyElementVisible(VerifyElementVisibleKeyword.groovy:85) at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword.execute(VerifyElementVisibleKeyword.groovy:64) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.verifyElementVisible(MobileBuiltInKeywords.groovy:2031) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$verifyElementVisible\$7.call(Unknown Source) at User Profile.run(User Profile:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1689050052600.run(TempTestSuite1689050052600.groovy:36))</div>	4.533s	FAILED

User Profile

#	Description	Elapsed	Status
---	-------------	---------	--------

11:42  





MAYCHEL





081211287377

Registered since 07 July 2022



PERSONAL INFO

-  Edit Profile >
-  Change Password >

GENERAL

-  Language >
-  Terms and Conditions >
-  Privacy Policy >
-  Customer Service >

DEVICE

-  Linked Account >
-  Log Out



User Profile

#	Description	Elapsed	Status
6	Start listener action : sampleAfterTestCase	0.001s	PASSED

Setting - Personal Info

Information

ID	Test Cases/Production/Profile/Personal Info/Setting - Personal Info		
Description			
Tag			
Start	2023-07-11 11:42:55	End	2023-07-11 11:42:56
Elapsed	0.474s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Setting - Personal Info

#	Description	Elapsed	Status
1	<p>startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE)</p> <p>Unable to start app with application ID: 'com.kfc.mobile' (Root cause: java.io.IOException: GetExitCodeProcess error=6, The handle is invalid at com.kms.katalon.core.appium.driver.AppiumDriverManager. isAppiumServerStarted(AppiumDriverManager.java:194) at com.kms.katalon.core.appium.driver.AppiumDriverManager. startAppiumServerJS(AppiumDriverManager.java:258) at com.kms.katalon.core.appium.driver.AppiumDriverManager. startAppiumServerJS(AppiumDriverManager.java:412) at com.kms.katalon.core.appium.driver.AppiumDriverManager. ensureServicesStarted(AppiumDriverManager.java:244) at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver (AppiumDriverManager.java:478) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:417) at com.kms.katalon.core.mobile.keyword.internal. MobileDriverFactory\$startMobileDriver.call(Unknown Source) at com.kms.katalon.core.mobile.keyword.builtin. StartExistingApplicationKeyword\$_startApplication_closure1.doCall (StartExistingApplicationKeyword.groovy:40) at com.kms.katalon.core.mobile.keyword.builtin. StartExistingApplicationKeyword\$_startApplication_closure1.doCall (StartExistingApplicationKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.internal. MobileKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.mobile.keyword.builtin.StartExistingApplicationKeyword. startApplication(StartExistingApplicationKeyword.groovy:43) at com.kms.katalon.core.mobile.keyword.builtin.StartExistingApplicationKeyword. execute(StartExistingApplicationKeyword.groovy:34) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startExistingApplication(MobileBuiltInKeywords.groovy:113) at com.kms.katalon.core.mobile.keyword. MobileBuiltInKeywords\$startExistingApplication.call(Unknown Source) at Setting - Personal Info.run(Setting - Personal Info:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)</p>	0.015s	FAILED

Setting - Personal Info

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1689050052600.run(TempTestSuite1689050052600.groovy:36))		
2	Start listener action : sampleAfterTestCase	0.000s	PASSED

Change Language

Information

ID	Test Cases/Production/Profile/General/Change Language		
Description			
Tag			
Start	2023-07-11 11:42:56	End	2023-07-11 11:42:56
Elapsed	0.457s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Change Language

#	Description	Elapsed	Status
1	<p>startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE)</p> <p>Unable to start app with application ID: 'com.kfc.mobile' (Root cause: java.io.IOException: GetExitCodeProcess error=6, The handle is invalid at com.kms.katalon.core.appium.driver.AppiumDriverManager. isAppiumServerStarted(AppiumDriverManager.java:194) at com.kms.katalon.core.appium.driver.AppiumDriverManager. startAppiumServerJS(AppiumDriverManager.java:258) at com.kms.katalon.core.appium.driver.AppiumDriverManager. startAppiumServerJS(AppiumDriverManager.java:412) at com.kms.katalon.core.appium.driver.AppiumDriverManager. ensureServicesStarted(AppiumDriverManager.java:244) at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver (AppiumDriverManager.java:478) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:417) at com.kms.katalon.core.mobile.keyword.internal. MobileDriverFactory\$startMobileDriver.call(Unknown Source) at com.kms.katalon.core.mobile.keyword.builtin. StartExistingApplicationKeyword\$_startApplication_closure1.doCall (StartExistingApplicationKeyword.groovy:40) at com.kms.katalon.core.mobile.keyword.builtin. StartExistingApplicationKeyword\$_startApplication_closure1.doCall (StartExistingApplicationKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.internal. MobileKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.mobile.keyword.builtin.StartExistingApplicationKeyword. startApplication(StartExistingApplicationKeyword.groovy:43) at com.kms.katalon.core.mobile.keyword.builtin.StartExistingApplicationKeyword. execute(StartExistingApplicationKeyword.groovy:34) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startExistingApplication(MobileBuiltInKeywords.groovy:113) at com.kms.katalon.core.mobile.keyword. MobileBuiltInKeywords\$startExistingApplication.call(Unknown Source) at Change Language.run(Change Language:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)</p>	0.000s	FAILED

Change Language

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1689050052600.run(TempTestSuite1689050052600.groovy:36))		
2	Start listener action : sampleAfterTestCase	0.000s	PASSED

Customer Service

Information

ID	Test Cases/Production/Profile/General/Customer Service		
Description			
Tag			
Start	2023-07-11 11:42:56	End	2023-07-11 11:42:57
Elapsed	0.466s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Customer Service

#	Description	Elapsed	Status
1	<p>startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE)</p> <p>Unable to start app with application ID: 'com.kfc.mobile' (Root cause: java.io.IOException: GetExitCodeProcess error=6, The handle is invalid at com.kms.katalon.core.appium.driver.AppiumDriverManager. isAppiumServerStarted(AppiumDriverManager.java:194) at com.kms.katalon.core.appium.driver.AppiumDriverManager. startAppiumServerJS(AppiumDriverManager.java:258) at com.kms.katalon.core.appium.driver.AppiumDriverManager. startAppiumServerJS(AppiumDriverManager.java:412) at com.kms.katalon.core.appium.driver.AppiumDriverManager. ensureServicesStarted(AppiumDriverManager.java:244) at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver (AppiumDriverManager.java:478) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:417) at com.kms.katalon.core.mobile.keyword.internal. MobileDriverFactory\$startMobileDriver.call(Unknown Source) at com.kms.katalon.core.mobile.keyword.builtin. StartExistingApplicationKeyword\$_startApplication_closure1.doCall (StartExistingApplicationKeyword.groovy:40) at com.kms.katalon.core.mobile.keyword.builtin. StartExistingApplicationKeyword\$_startApplication_closure1.doCall (StartExistingApplicationKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.internal. MobileKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.mobile.keyword.builtin.StartExistingApplicationKeyword. startApplication(StartExistingApplicationKeyword.groovy:43) at com.kms.katalon.core.mobile.keyword.builtin.StartExistingApplicationKeyword. execute(StartExistingApplicationKeyword.groovy:34) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startExistingApplication(MobileBuiltInKeywords.groovy:113) at com.kms.katalon.core.mobile.keyword. MobileBuiltInKeywords\$startExistingApplication.call(Unknown Source) at Customer Service.run(Customer Service:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)</p>	0.011s	FAILED

Customer Service

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1689050052600.run(TempTestSuite1689050052600.groovy:36))		
2	Start listener action : sampleAfterTestCase	0.000s	PASSED

Privacy Policy

Information

ID	Test Cases/Production/Profile/General/Privacy Policy		
Description			
Tag			
Start	2023-07-11 11:42:57	End	2023-07-11 11:42:57
Elapsed	0.529s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Privacy Policy

#	Description	Elapsed	Status
1	<p>startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE)</p> <p>Unable to start app with application ID: 'com.kfc.mobile' (Root cause: java.io.IOException: GetExitCodeProcess error=6, The handle is invalid at com.kms.katalon.core.appium.driver.AppiumDriverManager. isAppiumServerStarted(AppiumDriverManager.java:194) at com.kms.katalon.core.appium.driver.AppiumDriverManager. startAppiumServerJS(AppiumDriverManager.java:258) at com.kms.katalon.core.appium.driver.AppiumDriverManager. startAppiumServerJS(AppiumDriverManager.java:412) at com.kms.katalon.core.appium.driver.AppiumDriverManager. ensureServicesStarted(AppiumDriverManager.java:244) at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver (AppiumDriverManager.java:478) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:417) at com.kms.katalon.core.mobile.keyword.internal. MobileDriverFactory\$startMobileDriver.call(Unknown Source) at com.kms.katalon.core.mobile.keyword.builtin. StartExistingApplicationKeyword\$_startApplication_closure1.doCall (StartExistingApplicationKeyword.groovy:40) at com.kms.katalon.core.mobile.keyword.builtin. StartExistingApplicationKeyword\$_startApplication_closure1.doCall (StartExistingApplicationKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.internal. MobileKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.mobile.keyword.builtin.StartExistingApplicationKeyword. startApplication(StartExistingApplicationKeyword.groovy:43) at com.kms.katalon.core.mobile.keyword.builtin.StartExistingApplicationKeyword. execute(StartExistingApplicationKeyword.groovy:34) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startExistingApplication(MobileBuiltInKeywords.groovy:113) at com.kms.katalon.core.mobile.keyword. MobileBuiltInKeywords\$startExistingApplication.call(Unknown Source) at Privacy Policy.run(Privacy Policy:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)</p>	0.010s	FAILED

Privacy Policy

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1689050052600.run(TempTestSuite1689050052600.groovy:36))		
2	Start listener action : sampleAfterTestCase	0.000s	PASSED

Term and Condition

Information

ID	Test Cases/Production/Profile/General/Term and Condition		
Description			
Tag			
Start	2023-07-11 11:42:57	End	2023-07-11 11:42:58
Elapsed	0.442s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Term and Condition

#	Description	Elapsed	Status
1	<p>startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE)</p> <p>Unable to start app with application ID: 'com.kfc.mobile' (Root cause: java.io.IOException: GetExitCodeProcess error=6, The handle is invalid at com.kms.katalon.core.appium.driver.AppiumDriverManager. isAppiumServerStarted(AppiumDriverManager.java:194) at com.kms.katalon.core.appium.driver.AppiumDriverManager. startAppiumServerJS(AppiumDriverManager.java:258) at com.kms.katalon.core.appium.driver.AppiumDriverManager. startAppiumServerJS(AppiumDriverManager.java:412) at com.kms.katalon.core.appium.driver.AppiumDriverManager. ensureServicesStarted(AppiumDriverManager.java:244) at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver (AppiumDriverManager.java:478) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:417) at com.kms.katalon.core.mobile.keyword.internal. MobileDriverFactory\$startMobileDriver.call(Unknown Source) at com.kms.katalon.core.mobile.keyword.builtin. StartExistingApplicationKeyword\$_startApplication_closure1.doCall (StartExistingApplicationKeyword.groovy:40) at com.kms.katalon.core.mobile.keyword.builtin. StartExistingApplicationKeyword\$_startApplication_closure1.doCall (StartExistingApplicationKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.internal. MobileKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.mobile.keyword.builtin.StartExistingApplicationKeyword. startApplication(StartExistingApplicationKeyword.groovy:43) at com.kms.katalon.core.mobile.keyword.builtin.StartExistingApplicationKeyword. execute(StartExistingApplicationKeyword.groovy:34) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startExistingApplication(MobileBuiltInKeywords.groovy:113) at com.kms.katalon.core.mobile.keyword. MobileBuiltInKeywords\$startExistingApplication.call(Unknown Source) at Term and Condition.run(Term and Condition:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)</p>	0.017s	FAILED

Term and Condition

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1689050052600.run(TempTestSuite1689050052600.groovy:36))		
2	Start listener action : sampleAfterTestCase	0.000s	PASSED

Linked Account

Information

ID	Test Cases/Production/Profile/Device/Linked Account		
Description			
Tag			
Start	2023-07-11 11:42:58	End	2023-07-11 11:42:58
Elapsed	0.471s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Linked Account

#	Description	Elapsed	Status
1	<p>startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE)</p> <p>Unable to start app with application ID: 'com.kfc.mobile' (Root cause: java.io.IOException: GetExitCodeProcess error=6, The handle is invalid at com.kms.katalon.core.appium.driver.AppiumDriverManager. isAppiumServerStarted(AppiumDriverManager.java:194) at com.kms.katalon.core.appium.driver.AppiumDriverManager. startAppiumServerJS(AppiumDriverManager.java:258) at com.kms.katalon.core.appium.driver.AppiumDriverManager. startAppiumServerJS(AppiumDriverManager.java:412) at com.kms.katalon.core.appium.driver.AppiumDriverManager. ensureServicesStarted(AppiumDriverManager.java:244) at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver (AppiumDriverManager.java:478) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:417) at com.kms.katalon.core.mobile.keyword.internal. MobileDriverFactory\$startMobileDriver.call(Unknown Source) at com.kms.katalon.core.mobile.keyword.builtin. StartExistingApplicationKeyword\$_startApplication_closure1.doCall (StartExistingApplicationKeyword.groovy:40) at com.kms.katalon.core.mobile.keyword.builtin. StartExistingApplicationKeyword\$_startApplication_closure1.doCall (StartExistingApplicationKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.internal. MobileKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.mobile.keyword.builtin.StartExistingApplicationKeyword. startApplication(StartExistingApplicationKeyword.groovy:43) at com.kms.katalon.core.mobile.keyword.builtin.StartExistingApplicationKeyword. execute(StartExistingApplicationKeyword.groovy:34) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startExistingApplication(MobileBuiltInKeywords.groovy:113) at com.kms.katalon.core.mobile.keyword. MobileBuiltInKeywords\$startExistingApplication.call(Unknown Source) at Linked Account.run(Linked Account:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)</p>	0.000s	FAILED

Linked Account

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1689050052600.run(TempTestSuite1689050052600.groovy:36))		
2	Start listener action : sampleAfterTestCase	0.016s	PASSED

App Version

Information

ID	Test Cases/Production/Profile/Device/App Version		
Description			
Tag			
Start	2023-07-11 11:42:58	End	2023-07-11 11:42:58
Elapsed	0.444s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

App Version

#	Description	Elapsed	Status
1	<p>startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE)</p> <p>Unable to start app with application ID: 'com.kfc.mobile' (Root cause: java.io.IOException: GetExitCodeProcess error=6, The handle is invalid at com.kms.katalon.core.appium.driver.AppiumDriverManager. isAppiumServerStarted(AppiumDriverManager.java:194) at com.kms.katalon.core.appium.driver.AppiumDriverManager. startAppiumServerJS(AppiumDriverManager.java:258) at com.kms.katalon.core.appium.driver.AppiumDriverManager. startAppiumServerJS(AppiumDriverManager.java:412) at com.kms.katalon.core.appium.driver.AppiumDriverManager. ensureServicesStarted(AppiumDriverManager.java:244) at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver (AppiumDriverManager.java:478) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:417) at com.kms.katalon.core.mobile.keyword.internal. MobileDriverFactory\$startMobileDriver.call(Unknown Source) at com.kms.katalon.core.mobile.keyword.builtin. StartExistingApplicationKeyword\$_startApplication_closure1.doCall (StartExistingApplicationKeyword.groovy:40) at com.kms.katalon.core.mobile.keyword.builtin. StartExistingApplicationKeyword\$_startApplication_closure1.doCall (StartExistingApplicationKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.internal. MobileKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.mobile.keyword.builtin.StartExistingApplicationKeyword. startApplication(StartExistingApplicationKeyword.groovy:43) at com.kms.katalon.core.mobile.keyword.builtin.StartExistingApplicationKeyword. execute(StartExistingApplicationKeyword.groovy:34) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startExistingApplication(MobileBuiltInKeywords.groovy:113) at com.kms.katalon.core.mobile.keyword. MobileBuiltInKeywords\$startExistingApplication.call(Unknown Source) at App Version.run(App Version:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)</p>	0.005s	FAILED

App Version

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1689050052600.run(TempTestSuite1689050052600.groovy:36))		
2	Start listener action : sampleAfterTestCase	0.000s	PASSED

Logout

Information

ID	Test Cases/Production/Profile/Device/Logout		
Description			
Tag			
Start	2023-07-11 11:42:58	End	2023-07-11 11:42:59
Elapsed	0.468s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Logout

#	Description	Elapsed	Status
1	<p>startExistingApplication("com.kfc.mobile", STOP_ON_FAILURE)</p> <p>Unable to start app with application ID: 'com.kfc.mobile' (Root cause: java.io.IOException: GetExitCodeProcess error=6, The handle is invalid at com.kms.katalon.core.appium.driver.AppiumDriverManager. isAppiumServerStarted(AppiumDriverManager.java:194) at com.kms.katalon.core.appium.driver.AppiumDriverManager. startAppiumServerJS(AppiumDriverManager.java:258) at com.kms.katalon.core.appium.driver.AppiumDriverManager. startAppiumServerJS(AppiumDriverManager.java:412) at com.kms.katalon.core.appium.driver.AppiumDriverManager. ensureServicesStarted(AppiumDriverManager.java:244) at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver (AppiumDriverManager.java:478) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:417) at com.kms.katalon.core.mobile.keyword.internal. MobileDriverFactory\$startMobileDriver.call(Unknown Source) at com.kms.katalon.core.mobile.keyword.builtin. StartExistingApplicationKeyword\$_startApplication_closure1.doCall (StartExistingApplicationKeyword.groovy:40) at com.kms.katalon.core.mobile.keyword.builtin. StartExistingApplicationKeyword\$_startApplication_closure1.doCall (StartExistingApplicationKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.internal. MobileKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.mobile.keyword.builtin.StartExistingApplicationKeyword. startApplication(StartExistingApplicationKeyword.groovy:43) at com.kms.katalon.core.mobile.keyword.builtin.StartExistingApplicationKeyword. execute(StartExistingApplicationKeyword.groovy:34) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startExistingApplication(MobileBuiltInKeywords.groovy:113) at com.kms.katalon.core.mobile.keyword. MobileBuiltInKeywords\$startExistingApplication.call(Unknown Source) at Logout.run(Logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)</p>	0.012s	FAILED

Logout

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1689050052600.run(TempTestSuite1689050052600.groovy:36))		
2	Start listener action : sampleAfterTestCase	0.000s	PASSED