

FACULDADE DE TECNOLOGIA DE SÃO PAULO
TECNOLOGIA EM ANÁLISE E DESENVOLVIMENTO DE SISTEMAS

LINGUAGEM DE PROGRAMAÇÃO IV - INTERNET

São Paulo – SP

2021

FACULDADE DE TECNOLOGIA DE SÃO PAULO
TECNOLOGIA EM ANÁLISE E DESENVOLVIMENTO DE SISTEMAS

Danilo Pastrolin Colonheze | RA: 17200624

Fabiano de Oliveira Preto Junior | RA: 20219495

Geraldo Moreira Gomes Filho | RA: 20200045

Stephanie Pimentel de Souza | RA: 20200457

Maycon Douglas Braga dos Santos | RA: 20200484

ATIVIDADE 04


Paulo Roberto Bernice

03/09/2021

São Paulo – SP

2021

Exercicio do power point Iframes



```
<!DOCTYPE html>
```

```
<html lang="pt-br">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <title>Atividade ILP-540</title>
```

```
</head>
```

```
<body>
```


```
  <a href="imagem1.png" target="quadro1"> link1 </a>
```

```
  <iframe name="quadro1" width="225" height="225"></iframe>
```

```
</body>
```

```
</html>
```

Exercicio do power point CSS



```
<!DOCTYPE html>
```

```
<html lang="pt-br">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <title>Atividade ILP-540</title>
```

```
  <style>
```

```
    * {padding:0; margin:0;}
```

```
    ul {list-style-type:none; margin:10px;}
```

```
    li {margin-bottom:2px;}
```

```
    li a:hover {background-color: #ff0000; margin-left:10px;}
```

```
    a {color:#ffffff; padding-left:10px; display:block; width:100px; background-color: #0000ff;}
```

```
    body { background: url("img_flor.gif");
```

```
      background-size: 300px 200px;
```

```
      background-repeat: no-repeat;
```

```
      padding-top: 40px;}
```

```
  </style>
```

```
</head>
```

```
<body>
```

```
  <ul>
```

```
<li><a href="pagina1.html">Link 1</a></li>

<li><a href="pagina2.html">Página 2</a></li>


<li><a href="pagina3.html">Aula 03</a></li>

</ul>

</body>

</html>
```

HTML Links



```
<!DOCTYPE html>

<html lang="pt-br">

<head>

  <meta charset="UTF-8">

  <title>Atividade ILP-540</title>

</head>
```

<body>

<p> Exercicio 1 </p>

Visit our HTML tutorial.

<hr>

<p> Exercicio 2 </p>

HTML Images

<hr>

<p> Exercicio 3 </p>

HTML Images

<hr>

<p> Exercicio 4 </p>

<hr>

<p> Exercicio 5 </p>

Back to Home

</body>

</html>

HTML Images

Completed 9 of 88 Exercises:

- HTML Attributes ✓
- HTML Headings ✓
- HTML Paragraphs
- HTML Styles
- HTML Formatting
- HTML Quotations
- HTML Comments
- HTML CSS
- HTML Links
- HTML Images
- ✓ Exercise 1
- Exercise 2

Exercise:

Use the HTML image attributes to set the size of the image to 250 pixels wide and 400 pixels tall.

```

```

[Submit Answer >](#) [Show Answer](#)

Completed 9 of 88 Exercises:

- HTML Attributes ✓
- HTML Headings ✓
- HTML Paragraphs
- HTML Styles
- HTML Formatting
- HTML Quotations
- HTML Comments
- HTML CSS
- HTML Links
- HTML Images
- ✓ Exercise 1
- Exercise 2

Exercise:

Use the HTML image attributes to set the size of the image to 250 pixels wide and 400 pixels tall.

Correct!

[Next >](#)

[Next Exercise >](#)



<!DOCTYPE html>

<html>

<body>

</body>

</html>





<!DOCTYPE html>

<html>

<body>

</body>

</html>



<!DOCTYPE html>

<html>

<body>

</body>

</html>

Completed 11 of 88 Exercises:

- HTML CSS
- HTML Links
- HTML Images
 - ✓ Exercise 1
 - ✓ Exercise 2
 - ✓ Exercise 3
 - Exercise 4**
 - Exercise 5
 - Exercise 6
 - [Go to HTML Images Tutorial](#)
- HTML Tables
- HTML Lists
- HTML Classes

Exercise:

Make the image below float to the right of the paragraph.

```
<p>  
  
This is a paragraph.  
This paragraph contains an image  
</p>
```

[Show Answer](#)

[Submit Answer >](#)

Completed 12 of 88 Exercises:

- HTML CSS
- HTML Links
- HTML Images
 - ✓ Exercise 1
 - ✓ Exercise 2
 - ✓ Exercise 3
 - ✓ Exercise 4**
 - Exercise 5
 - Exercise 6
 - [Go to HTML Images Tutorial](#)
- HTML Tables
- HTML Lists
- HTML Classes

Exercise:

Make the image below float to the right of the paragraph.

Correct!

[Next >](#)

[Next Exercise >](#)

<!DOCTYPE html>

<html>

<body>

<p>



This is a paragraph.

This paragraph contains an image

</p>

</body>

</html>



<!DOCTYPE html>

<html>

<body>

</body>

</html>

Completed 14 of 88 Exercises:

HTML Images

- Exercise 1
- Exercise 2
- Exercise 3
- Exercise 4
- Exercise 5
- Exercise 6

Go to HTML Images Tutorial

HTML Tables

HTML Lists

HTML Classes

HTML Id

HTML Iframes

Exercise:

Specify an alternate text for the image.

The alternate text should say "Smiley".

Alternate text is useful when the image cannot be displayed, like when the page is read by a screen reader.

```

```

Show Answer

Submit Answer >

Completed 14 of 88 Exercises:

HTML Images

- Exercise 1
- Exercise 2
- Exercise 3
- Exercise 4
- Exercise 5
- Exercise 6

Go to HTML Images Tutorial

HTML Tables

HTML Lists

HTML Classes

HTML Id

HTML Iframes

Exercise:

Specify an alternate text for the image.

The alternate text should say "Smiley".

Alternate text is useful when the image cannot be displayed, like when the page is read by a screen reader.

Correct!

Next >

Next Exercise >

<!DOCTYPE html>

<html>

<body>

</body>

</html>

CSS LINKS

1°

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<style>
```

```
a {
```

```
  color: green;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<h1>This is a Heading</h1>
```

```
<p>This is a paragraph.</p>
```

```
<p><a href="https://www.w3schools.com">W3Schools.com</a></p>
```

```
</body>
```

```
</html>
```

CSS Box Model

CSS Outline

Texto CSS

Fonte CSS

Links CSS

✓ Exercício 1

Exercício 2

Exercício 3

Exercício 4

Vá para o tutorial de links CSS

Listas CSS

Tabela CSS

Exercício:

Defina a cor dos links como "verde".

Dica

Edite este código:

```
<head>
<style>
a {
  color: green;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p><a href="https://www.w3schools.com">W3Schools.com</a>
</p>
...

```

Verifique o seu código

Resultado:

Mostre a resposta

Este é um título

Este é um parágrafo.

[W3Schools.com](https://www.w3schools.com)

Correto! ✕

2°

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<style>
```

```
a:link {
```

```
    color: red;
```

```
}
```

```
a:visited {
```

```
    color: blue;
```

```
}
```

```
a:hover {
```

```
    color: black;
```

```
}
```

```
a:active {
```

```
    color: green;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<h1>This is a Heading</h1>
```

```
<p>This is a paragraph.</p>
```

```
<p><a href="https://www.w3schools.com">W3Schools.com</a></p>
```

```
</body>
```

```
</html>
```

Completou 15 de 138 exercícios:

CSS Outline

Texto CSS

Fonte CSS

Links CSS

Exercício 1

Exercício 2

Exercício 3

Exercício 4

Vá para o tutorial de links CSS

Listas CSS

Tabelas CSS

Exercício:

Defina a cor dos links não visitados como "vermelho" e a cor dos links visitados como "azul".

Dica

Edite este código:Verifique o seu código

Resultado:Mostre a resposta

```
/* selected link */
a:active {
  color: green;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p><a href="https://www.w3schools.com">W3Schools.com</a>
</p>

</body>
</html>
```

Este é um título

Este é um parágrafo.

[W3Schools.com](https://www.w3schools.com)

3°

<!DOCTYPE html>

<html>

<head>

<style>

a:link {

text-decoration: none;

}

a:visited {

text-decoration: none;

}

a:hover {

text-decoration: underline;

}

a:active {

text-decoration: underline;

}

</style>

</head>

<body>

<h1>This is a Heading</h1>

<p>This is a paragraph.</p>

<p>W3Schools.com</p>

</body>

</html>

CSS Outline

Texto CSS

Fonte CSS

Links CSS

✓ Exercício 1

✓ Exercício 2

✓ Exercício 3

Exercício 4

[Vá para o tutorial de links CSS](#)

Listas CSS

Tabelas CSS

Exibição / visibilidade de CSS

Exercício:

Remova sublinhados para links visitados e não visitados e especifique "sublinhado" para os estados de foco e link ativo.

Dica

Edite este código:Verifique o seu códigoResultado:Mostre a resposta

```
/* selected link */
a:active {
  text-decoration: underline;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p><a href="https://www.w3schools.com">W3Schools.com</a>
</p>

</body>
</html>
```

Este é um título

Este é um parágrafo.

[W3Schools.com](#)

4°

<!DOCTYPE html>

<html>

<head>

<style>

a:link {

background-color: lightblue;

}

a:visited {

background-color: lightblue;

}

a:hover {

background-color: yellow;


```
}

a:active {

    background-color: yellow;

}

</style>

</head>

<body>

<h1>This is a Heading</h1>

<p>This is a paragraph.</p>

<p><a href="https://www.w3schools.com">W3Schools.com</a></p>

</body>

</html>
```

texto CSS

Fonte CSS

Links CSS ✓

✓ Exercício 1

✓ Exercício 2

✓ Exercício 3

✓ Exercício 4

[Vá para o tutorial de links CSS](#)

Listas CSS

Tabelas CSS

Exibição / visibilidade de CSS

Posicionamento CSS

Exercício:

Defina a cor de fundo para links visitados e não visitados como "azul claro" e a cor de fundo para os estados de foco e link ativo como "amarelo".

Dica

Edite este código:

Verifique o seu código

Resultado:

Mostre a resposta

```
a:active {
    background-color: yellow;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p><a href="https://www.w3schools.com">W3Schools.com</a>
</p>

</body>
</html>
```

Este é um título


Este é um parágrafo.

[W3Schools.com](https://www.w3schools.com)

Correto! ✕

HTML Iframes

```
Aula04 > Exercício_HTML_iframe.html > html > body > iframe
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta http-equiv="X-UA-Compatible" content="IE=edge">
6      <meta name="viewport" content="width=device-width, initial-scale=1.0">
7      <title>HTML - Iframe</title>
8  </head>
9  <body>
10     <!--Exercicio 1-->
11
12     <iframe src="https://www.w3schools.com"></iframe>
13
14     <!--Exercicio 2-->
15
16     <iframe src="https://www.w3schools.com" width="500"></iframe>
17
18     <!--Exercicio 3-->
19
20     <iframe src="https://www.w3schools.com" style="border:none;"></iframe>
21
22     <!--Exercicio 4-->
23
24     <iframe src="default.html"></iframe>
25 </body>
26 </html>
```



- Devido o W3School usar um bloqueador de cabeçalho https, não é possível exibi-lo com iframe

- HTML Links
- HTML Images
- HTML Tables
- HTML Lists
- HTML Classes
- HTML Id
- HTML Iframes
- Exercise 1
- Exercise 2
- Exercise 3
- Exercise 4

[Go to HTML Iframes Tutorial](#)

Exercise:

Create an iframe with a URL address that goes to <https://www.w3schools.com>.

```
<iframe src="https://www.w3schools.com"></iframe>
```

Submit Answer >

- HTML Tables
- HTML Lists
- HTML Classes
- HTML Id
- HTML Iframes

✓ Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to HTML Iframes Tutorial](#)


HTML Scripts


Exercise:


Use an `iframe` attribute to make the `iframe` 500 pixels wide.


```
<iframe src="https://www.w3schools.com" width="500"></iframe>
```


Submit Answer >

- HTML Tables
- HTML Lists
- HTML Classes
- HTML Id
- HTML Iframes 

 Exercise 1

 Exercise 2

 Exercise 3

 Exercise 4

[Go to HTML Iframes Tutorial](#)

HTML Scripts

Exercise:

Use CSS to display an iframe with no borders.

```
<iframe src="https://www.w3schools.com" style="border:none;"></iframe>
```

Submit Answer >

HTML Images

HTML Tables

HTML Lists

HTML Classes

HTML Id

HTML Iframes

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

Exercise 4

[Go to HTML Iframes Tutorial](#)

Exercise:

Create an iframe with a URL address that goes to "default.html".

```
<iframe src="default.html"></iframe>
```

Submit Answer >