



# Package Name

## Manual

Short description, no longer than two lines.

---

pkg-name

0.4.2

MIT

Author\*

## QUICK START

```
// Minimal initialization example, like:  
#import "@preview/module:0.4.2": feature  
#show: feature.with(  
  name: "Do Something",  
  when: datetime.today(),  
)
```

## DESCRIPTION

To create this manual, the `doc-comments.typ` file reads the `assets/module.typ` source code and gather documentation from special comments there; then *min-manual* handles everything and generates this document from those comments.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat voluptatem. Ut enim aequaleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguique possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

---

\*<https://www.github.com/author>

## OPTIONS

These are all the options available and its respective default values, if any:

```
#import "@preview/pkg-name:0.4.2": feature
#show: feature.with(
  name: none,
  text: none,
  when: datetime.today(),
  notify: true,
  body,
)
```

**#show:** `feature.with()` → `content`

Explanation of what is this structure, what it does, and how to set it.

**#set feature()**

Explanation of what is this structure, what it does, and how to set it.

**#feature()** → `content`

Explanation of what is this structure, what it does, and how to set it.

**name:** `none` `string` `content` `none` *(required)*

Explanation of what is this argument, what it does, and how to set it.

**text:** `none` `string` `content` `none`

Explanation of what is this argument, what it does, and how to set it.

**when:** `datetime.today()` `datetime`

Explanation of what is this argument, what it does, and how to set it.

**notify:** `true` `boolean`

Explanation of what is this argument, what it does, and how to set it.

**body** `content` `string`

## CODE EXPLANATION

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat voluptatem. Ut enim aequaleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si

aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut.

## DEPENDENCIES

Requires the *example*<sup>1</sup> Typst package. To setup the project you will need the *fictional*<sup>2</sup> Python module, or the *nonexistent*<sup>3</sup> crate. If this package does not work, just go back to LaTeX and use *alternative*<sup>4</sup> instead, or delve into Regex and one-liners with the *OG::Solution*<sup>5</sup> Perl module.

## COPYRIGHT

Copyright © 2025 MANUAL AUTHOR.

This manual is licensed under MIT.

The manual source code is free software: you are free to change and redistribute it. There is NO WARRANTY, to the extent permitted by law.

The logo was obtained from Flaticon website.

---

<sup>1</sup><https://typst.app/universe/package/example>

<sup>2</sup><https://pypi.org/project/fictional>

<sup>3</sup><https://crates.io/crates/nonexistent>

<sup>4</sup><https://ctan.org/pkg/alternative>

<sup>5</sup><https://metacpan.org/pod/OG::Solution>