



Minimal Writings

Manual

Quick and simple general-purpose notes with extended syntax

typst

min-writing*

0.1.0

MIT-0

Maycon F. Melo[†]

Contents

Quick Start	2
Description	2
Options	2
Additional commands	3
Figure	3
Boxed text	4
Mermaid diagrams	4
Extended syntax	4
Unnumbered headings	4
Quotations	5
Paragraph and page breaks	5
Inline formatting	5
Check lists	6
Dividers	6
Outline	6
Tables	6
Mermaid diagrams	7
Copyright	7

*<https://github.com/mayconfmelo/min-writing>

[†]<https://github.com/mayconfmelo>

Quick Start

```
#import "@preview/min-writing:0.1.0": writing

#set document(
  title: "Title",
  author: "Author",
  description: "Description",
)

#show: writing

// Write typst with expanded syntax (see manual)
```

Description

Create quick notes intuitively and rapidly, using syntactic sugar that extends the markup supported by Typst. By default, new documents are created in quick-note mode—which ignores page breaks and optimizes the layout for screens—though you can also select the classic paged mode.

This package was designed to make creating documents as easy as possible, without requiring extensive initial configuration—in fact, you simply need to import the package and apply the `#show` rule to access its features—yet it still offers various options for fine-tuning.

Options

```
#show: writing.with(
  syntax: true,
  paged: false,
  custom-styling: true,
  catppuccin-flavor: "mocha",
  accent-color: auto,
  help: false,
)
```

syntax: boolean

Enable additional syntactic sugar (extended syntax).

paged: boolean

Enable classical paged mode (disable for quick-note mode).

custom-styling: boolean

Enable custom styles and formatting.

catppuccin-flavor: stringSet catppuccin color flavor: mocha, frappe, latte.**accent-color:** auto color

Set accent color.

help: boolean

Enable quick help at the first page.

Additional commands

Figure

```
#figure(
  source: none,
  align: center,
  ..args,
  body
)
```

Adds the option to insert the figure source.

source: content string

Figure source.

align: alignment

Align the figure.

..args arguments

Any #figure options.

body content
Figure content.

Boxed text

```
#boxed(  
  stroke: auto,  
  body  
)
```

Inserts inline text boxes.

stroke: stroke
Set border stroke.

body content string
Text to be boxed.

Mermaid diagrams

```
#mermaid(..args)
```

Inserts Mermaid flowcharts and diagrams.

..args arguments
Any *merman*¹ options.

Extended syntax

This syntax is supported when `#writing(syntax)` is `true`. It is implemented in Typst itself, using some deep Typst wizardry, and consequently, there are some limitations to its use. Known limitations will be mentioned in this documentation.

Unnumbered headings

```
|= Level 1  
|== Level 2  
|=== Level 3
```

¹<https://typst.app/universe/package/merman>

```
|==== Level 4
|===== Level 5
|===== Level 6
```

Small circles above the titles indicate their levels. To insert text on the line immediately below the heading, you will need to insert a line break; otherwise, the text will be interpreted as part of the heading.

Quotations

```
Lorem ""ipsum"" dolor sit amet.
```

```
> Lorem ipsum.
> – Attribution
```

If the last line of the block quote begins with an em dash and contains no formatting, it will be parsed as an attribution.

Paragraph and page breaks

```
One paragraph. \\\ Another paragraph.
\\
Paragraph on a new page.
```

Inline formatting

```
=Highlight=
::Boxed::
:::Underline:::
~~Strikethrough~~
[^This is a footnote]
```

These markups have very limited support for parsing other markups internally: it is possible to have a strikethrough inside a highlighted text, for example, but nesting markups beyond that is not possible.

Check lists

- [] Item
- [X] Item
- [/] Item
- [-] Item
- [!] Item

Extended checklist support provided by *cheq*² package.

Dividers

Content

- - - -

Content

Outline

Content

[TOC]

Content

The word “*toc*” is case-insensitive.

Tables

	Header		*Header*		*Header*	
	: - - - - :		: - - - - -		- - - - - :	
	Cell		Cell		Cell	
	Cell		Cell		<	

This Markdown-inspired syntax is provided by *tablem*³ package.

²<https://typst.app/universe/package/cheq>
³<https://typst.app/universe/package/tablem>

Mermaid diagrams

```
```mermaid
graph TD
 A[Start] --> B[Finish]
```
```

This feature is provided by *merman*⁴ package. To actually highlight the Mermaid syntax instead of rendering the markup, use the `#raw` command.

Copyright

Copyright © 2026 Maycon F. Melo.

This manual is licensed under MIT.

The manual source code is free software: you are free to change and redistribute it.

There is NO WARRANTY, to the extent permitted by law.

⁴<https://typst.app/universe/package/merman>