St Brannoc Community Hospital

Riverside Wing, 12 Mill Lane, Ashcombe AC4 9RT
Switchboard 01632 960 112 · Acute Medical Unit 01632 960 175 · www.stbrannoc-hospital.example

Discharge Summary

Patient	Mrs Evelyn Marsh-Okafor	**Hospital no.**	7731 0428
Date of birth	3 February 1951	**Ward**	Lyndon Ward (Acute Medical Unit)
Admitted	27 September 2026	**Discharged**	6 October 2026
Consultant	Dr R. Saldanha	**GP**	Dr H. Lindqvist, Ashcombe Health Centre

Diagnosis

Primary: community-acquired pneumonia, right lower lobe.
Secondary: acute kidney injury, stage 1, resolved.

Reason for admission

Mrs Marsh-Okafor presented with four days of productive cough, fever and increasing breathlessness. On arrival she was hypoxic, with oxygen saturations of 88% on room air, and a chest radiograph showed right lower lobe consolidation.

Clinical course

She was treated with intravenous co-amoxiclav and oral clarithromycin, and the antibiotics were switched to tablets on day four. Her kidney function worsened on admission and recovered with intravenous fluids and the temporary withholding of ramipril. Supplementary oxygen was weaned off by day five, and she walked independently on the ward before discharge.

Investigations

Test	Admission		Discharge		Reference range
	Value	Flag	Value	Flag	
Haemoglobin (g/L)	102	L	114	L	120–160
White cell count (x10^9/L)	14.8	H	8.2		4.0–11.0
C-reactive protein (mg/L)	186	H	22	H	below 5
Sodium (mmol/L)	131	L	137		133–146
Creatinine (µmol/L)	128	H	94		45–90
eGFR (mL/min/1.73 m^2)	38	L	56	L	above 60

Medications on discharge

Medicine	Dose	Frequency	Duration	Status
Amoxicillin	500 mg	Three times a day	3 more days	New
Clarithromycin	500 mg	Twice a day	3 more days	New
Ramipril	5 mg	Once a day	Ongoing	Withheld – restart after blood test
Amlodipine	5 mg	Once a day	Ongoing	Unchanged
Paracetamol	1 g	Up to four times a day	As needed	Unchanged

Follow-up

1. Repeat kidney function blood test at the GP surgery within 7 days.
2. GP to restart ramipril if creatinine is below 100 µmol/L.
3. Chest X-ray in 6 weeks to confirm that the consolidation has resolved.

Advice given to the patient

- Complete the full course of antibiotics.
- Drink at least 1.5 litres of fluid a day unless advised otherwise.
- Return to hospital if breathlessness worsens or the fever comes back.

The patient and her daughter were given a copy of this summary and had the opportunity to ask questions.

Completed by: Dr A. Ferreira-Lund, Specialty Registrar, Acute Medicine
Date: 6 October 2026
Copy to: GP (electronic), patient