Tallyhook 4.2 Release Notes

Tallyhook 4.2 is a feature release. It adds scheduled exports, replaces the legacy queue driver and drops support for PostgreSQL 12. Read the breaking changes before you upgrade a production installation.

1 Highlights

- Scheduled exports can now be defined per workspace.
  - Exports run in the background worker and never block the web process.
  - Failed runs are retried three times with exponential back-off.
- The new queue driver uses Redis streams instead of lists, which removes the duplicate-delivery problem reported in 4.1.
- The audit log now records the user agent of every API call.

2 Breaking changes

2.1 Configuration keys renamed

Four keys in `tallyhook.yml` have new names. The old names are rejected at start-up with an explicit error message.

Old key	New key	Notes
`queue.backend`	`queue.driver`	The value redis-list is no longer accepted.
`export.dir`	`exports.path`	Relative paths resolve against the data directory.
`mail.from`	`notifications.sender`	Format unchanged.
`api.rate`	`api.rate_limit.per_minute`	Default raised from 60 to 120.

2.2 Database requirements

PostgreSQL 13 or later is required. Run the built-in check before upgrading:

```
$ tallyhook doctor --check database
Checking database version ...... 15.4 (ok)
Checking pending migrations .... 3 pending
Checking free disk space ....... 41.2 GB (ok)
```

If the check reports an older server, upgrade PostgreSQL first and keep Tallyhook on 4.1 until that is done.

3 Upgrade procedure

1. Stop the web and worker processes.
2. Back up the database and the data directory.
   2.1 Use pg_dump with the custom format so that tables can be restored one by one.
   2.2 Copy the data directory to a separate disk.
3. Update the configuration file as shown below.
4. Run the migrations and start the services again.

© 2026 The Tallyhook Project · Licensed under CC BY 4.0

```
queue:
  driver: redis-stream
  url: redis://cache.internal:6379/2
exports:
  path: exports/
  schedule:
    - name: nightly-ledger
      cron: "30 2 * * *"
      format: csv
api:
  rate_limit:
    per_minute: 120
```

After the restart, open the status page and confirm that the queue driver is reported as redis-stream.

4 Fixed issues

Issue	Summary	Component
#2291	CSV exports dropped the last row when the file ended without a newline.	Exports
#2304	Timezone offsets were ignored in scheduled reports.	Scheduler
#2310	The login page showed the username in the browser title.	Web
#2318	Webhook retries ignored the configured timeout.	Integrations

5 Known limitations

Scheduled exports cannot yet write to object storage. Support is planned for release 4.3.

Supported platforms

- Ubuntu 22.04 and 24.04
- Debian 12
- Container image on any OCI runtime

Deprecated in this release

- The XML export format
- API tokens without an expiry date
- The tallyhook-legacy command

© 2026 The Tallyhook Project · Licensed under CC BY 4.0