API Documentation

Overview

The EM Interview Prep API provides RESTful endpoints for managing companies, questions, stories, interviews, and user data.

Authentication

All API endpoints require authentication except for public company and question listings.

Headers

```
Authorization: Bearer <token>
Content-Type: application/json
```

Endpoints

Companies

GET /api/companies List all companies with optional filtering.

Query Parameters: - industry - Filter by industry - size - Filter by company size - limit - Number of results (default: 50) - offset - Pagination offset

Response:

GET /api/companies/[id] Get detailed company information.

Response:

```
"id": 1,
```

```
"name": "Google",
  "industry": "Technology",
  "size": "Large",
  "description": "Search and advertising company",
  "questions": [
    {
      "id": 1,
      "text": "Tell me about a time you led a team",
      "category": "Leadership",
      "difficulty": "Medium"
    }
 ],
  "createdAt": "2023-01-01T00:00:00Z",
  "updatedAt": "2023-01-01T00:00:00Z"
}
Questions
GET /api/questions List questions with filtering options.
Query Parameters: - category - Filter by question category - difficulty -
Filter by difficulty level - companyId - Filter by company - limit - Number of
results - offset - Pagination offset
POST /api/questions Create a new question.
Request Body:
{
  "text": "Describe a challenging project you managed",
  "category": "Project Management",
  "difficulty": "Hard",
  "companyId": 1
}
Stories
GET /api/stories List user's STAR stories.
POST /api/stories Create a new STAR story.
Request Body:
{
  "title": "Led team through crisis",
  "situation": "Our main server went down during peak hours",
  "task": "Restore service and prevent future outages",
```

"action": "Coordinated with team, implemented backup plan",

```
"result": "Service restored in 30 minutes, 99.9% uptime achieved",
   "tags": ["leadership", "crisis management"]
}
```

Interviews

GET /api/interviews List interview sessions.

POST /api/interviews Create new interview session.

Request Body:

```
{
  "companyId": 1,
  "position": "Engineering Manager",
  "date": "2023-12-01T10:00:00Z",
  "type": "behavioral",
  "status": "scheduled"
}
```

Error Handling

All endpoints return consistent error responses:

```
{
   "error": {
      "code": "VALIDATION_ERROR",
      "message": "Invalid input data",
      "details": {
        "field": "email",
        "message": "Invalid email format"
      }
   }
}
```

Rate Limiting

- 100 requests per minute per user
- 1000 requests per hour per user
- Rate limit headers included in responses

Webhooks

Configure webhooks for real-time updates:

- interview.created
- interview.updated
- story.created

• question.answered