KPI'S

1.Total revenue:

select SUM(total_price) AS total_revenue from pizza_sales

	total_revenue
1	817860.05083847

2.avg order value:

select SUM(total_price) / COUNT(distinct order_id) AS AVG_order_value from pizza_sales

	AVG_order_value
1	38.3072623343546

3.Total pizza sold

select sum(quantity) as total_pizza_sold from pizza_sales

	total_pizza_sold
1	49574

4.Total orders

select COUNT(DISTINCT order_id) AS total_orders from pizza_sales

	total_orders
1	21350

5.avg pizza per order

select CAST (CAST (SUM(quantity) AS decimal(10,2)) / CAST (COUNT(DISTINCT order_id) AS decimal(10,2))AS decimal(10,2)) AS avg_pizza_per_order from pizza_sales

	avg_pizza_per_order
1	2.32

Daily Trends for Total Orders

select DATENAME (DW,order_date) AS order_date ,COUNT(DISTINCT order_id) AS total_orders from pizza_sales

GROUP BY DATENAME (DW,order_date)

	order_date	total_orders
1	Saturday	3158
2	Wednesday	3024
3	Monday	2794
4	Sunday	2624
5	Friday	3538
6	Thursday	3239
7	Tuesday	2973

Hourly Trends for Total Orders

select DATEPART (HOUR,order_time) AS order_hours ,COUNT(DISTINCT order_id) AS total_orders from pizza_sales

GROUP BY DATEPART (HOUR,order_time)

ORDER BY DATEPART (HOUR,order_time)

	order_hours	total_orders
1	9	1
2	10	8
3	11	1231
4	12	2520
5	13	2455
6	14	1472
7	15	1468
8	16	1920
9	17	2336
10	18	2399
11	19	2009
12	20	1642
13	21	1198
14	22	663
15	23	28

% of Sales By Pizza Category

```
select  pizza_category ,SUM (total_price) as total_sales,SUM (total_price) *100 / (select SUM (total_price) from pizza_sales WHERE MONTH(order_date) = 1) as precent

from pizza_sales

WHERE MONTH(order_date) = 1

GROUP BY  pizza_category

ORDER BY  pizza_category
```

	pizza_category	total_sales	precent
1	Chicken	16188.75	23.1952780348435
2	Classic	18619.4000015259	26.6779189176038
3	Supreme	17929.7499866486	25.6897867985821
4	Veggie	17055.4000778198	24.4370162489706

% of Sales By Pizza Size

```
select pizza_size ,CAST(SUM (total_price) as decimal(10,2)) as total_sales, CAST( SUM (total_price) *100 / (select sum(total_price) from pizza_sales) as decimal(10,2)) as precent

from pizza_sales

GROUP BY pizza_size

ORDER BY precent DESC
```

	pizza_size	total_sales	precent
1	L	375318.70	45.89
2	M	249382.25	30.49
3	S	178076.50	21.77
4	XL	14076.00	1.72
5	XXL	1006.60	0.12

Total Pizzas Sold By Pizza Category

```
Select pizza_category , SUM(quantity) as total_quantity_sold

from pizza_sales

GROUP BY pizza_category

ORDER BY total_quantity_sold DESC
```

	pizza_category	total_quantity_sold
1	Classic	14888
2	Supreme	11987
3	Veggie	11649
4	Chicken	11050

top5 best sellers by total pizzas sold

```
select TOP 5 pizza_name , SUM(quantity) as total_pizzas_sold

from pizza_sales

GROUP BY pizza_name

ORDER BY total_pizzas_sold DESC
```

	pizza_name	total_pizzas_sold
1	The Classic Deluxe Pizza	2453
2	The Barbecue Chicken Pizza	2432
3	The Hawaiian Pizza	2422
4	The Pepperoni Pizza	2418
5	The Thai Chicken Pizza	2371

BOTTOM 5 WORST sellers by total pizzas sold

```
select TOP 5 pizza_name , SUM(quantity) as total_pizzas_sold
from pizza_sales
GROUP BY pizza_name
ORDER BY total_pizzas_sold ASC
```

	pizza_name	total_pizzas_sold
1	The Brie Carre Pizza	490
2	The Mediterranean Pizza	934
3	The Calabrese Pizza	937
4	The Spinach Supreme Pizza	950
5	The Soppressata Pizza	961