I'm working on my blackjack final project and I want to add a Double Down feature. I want the player to be able to double down only when their first two cards have a total of 11 or less. How should I make this work in my program?

I think the easiest way to do this is to check the player's first two cards before allowing them to double down. You will need to make sure the player hasn't already taken another card and that their total is 11 or less. When they choose Double Down, the game should give them exactly one more card and then automatically end their turn so the dealer can play.

How would I make sure the player can't keep hitting after they double down?

You should use a variable in your State dataclass to keep track of whether the player has already doubled down. When the player selects Double Down, change that variable to true. You can then use an if statement to prevent the player from doubling down again or taking another action during that round.

I also want the points gained or lost to be doubled when the player uses Double Down. How should I organize that?

I would recommend having a multiplier that normally starts at 1 for every round. When the player doubles down, change the multiplier to 2. Then, when the round ends and you calculate whether the player won or lost, use that multiplier when updating their credits. This way, you don't have to create a completely separate scoring system for Double Down.

What happens if the player gets a card that makes them go over 21 after doubling down?

The player should automatically lose the round. You should still use the doubled multiplier when calculating the points they lose. The dealer does not need to draw any more cards if the player has already gone over 21.

Is there anything else I should watch out for when adding this feature?

Yes. Make sure the Double Down button only appears when the player has exactly two cards and their total is 11 or less. Also, reset the multiplier and the doubled-down variable whenever a new round starts. Finally, test different situations, such as a total of 9, exactly 11, and a total of 12, to make sure the rules work correctly.

—----------

I ran the type checker on my blackjack project and got an error saying that Argument 1 to append of list has incompatible type Text; expected Header. It showed two errors on lines 349 and 352. What does this mean and how do I fix it?

This means Python thinks your list is only supposed to contain Header objects, but you are trying to add Text objects to it. This happens because your list starts with `content = [Header("Game History")]`, so the type checker assumes everything added to it should be a Header.

How do I fix this without changing the rest of my code?

You only need to change one line. Find this line:

```
content = [Header("Game History")]
```

Change it to:

```
content: list = [Header("Game History")]
```

This tells Python that the list can contain different types of objects, including Headers and Text elements.

What line is that on?

In your file, it should be around line 348. Replace that one line and run the type checker again. This should fix both errors because the list will no longer be restricted to Header objects.

I changed it and ran the type checker again. Is that all I needed to do?

Yes, that change addresses the two errors shown in your screenshot. You should still run your website and check the Game History page to make sure everything displays correctly.