

Tables (12)

Name	Type	Schema
build		<pre> CREATE TABLE "build" ("id" INTEGER, "name" TEXT NOT NULL, "gen_id" INTEGER, "cpu_id" INTEGER, "cooler_id" INTEGER, "mb_id" INTEGER, "ram1_id" INTEGER, "ram2_id" INTEGER, "ram3_id" INTEGER, "ram4_id" INTEGER, "gpu_id" INTEGER, "exp_card1_id" INTEGER, "exp_card2_id" INTEGER, "psu_id" INTEGER, "case_id" INTEGER, "storage1_id" INTEGER, "storage2_id" INTEGER, "storage3_id" INTEGER, "storage4_id" INTEGER, "storage5_id" INTEGER, "storage6_id" INTEGER, "fan1_id" INTEGER, "fan2_id" INTEGER, "fan3_id" INTEGER, "fan4_id" INTEGER, FOREIGN KEY("cpu_id") REFERENCES "inv"("id"), FOREIGN KEY("storage4_id") REFERENCES "inv"("id"), FOREIGN KEY("ram2_id") REFERENCES "inv"("id"), FOREIGN KEY("fan1_id") REFERENCES "inv"("id"), FOREIGN KEY("ram4_id") REFERENCES "inv"("id"), FOREIGN KEY("psu_id") REFERENCES "inv"("id"), FOREIGN KEY("fan4_id") REFERENCES "inv"("id"), FOREIGN KEY("fan2_id") REFERENCES "inv"("id"), FOREIGN KEY("ram1_id") REFERENCES "inv"("id"), FOREIGN KEY("cooler_id") REFERENCES "inv"("id"), CONSTRAINT "uniq_build_name" UNIQUE("name"), FOREIGN KEY("storage1_id") REFERENCES "inv"("id"), FOREIGN KEY("gpu_id") REFERENCES "inv"("id"), FOREIGN KEY("gen_id") REFERENCES "gen"("id"), FOREIGN KEY("ram3_id") REFERENCES "inv"("id"), FOREIGN KEY("storage5_id") REFERENCES "inv"("id"), PRIMARY KEY("id" AUTOINCREMENT), FOREIGN KEY("storage6_id") REFERENCES "inv"("id"), FOREIGN KEY("exp_card2_id") REFERENCES "inv"("id"), FOREIGN KEY("mb_id") REFERENCES "inv"("id"), FOREIGN KEY("storage2_id") REFERENCES "inv"("id"), FOREIGN KEY("exp_card1_id") REFERENCES "inv"("id"), FOREIGN KEY("case_id") REFERENCES "inv"("id"), FOREIGN KEY("fan3_id") REFERENCES "inv"("id"), FOREIGN KEY("storage3_id") REFERENCES "inv"("id")) </pre>

Name	Type	Schema
id	INTEGER	"id" INTEGER
name	TEXT	"name" TEXT NOT NULL
gen_id	INTEGER	"gen_id" INTEGER
cpu_id	INTEGER	"cpu_id" INTEGER
cooler_id	INTEGER	"cooler_id" INTEGER
mb_id	INTEGER	"mb_id" INTEGER
ram1_id	INTEGER	"ram1_id" INTEGER
ram2_id	INTEGER	"ram2_id" INTEGER
ram3_id	INTEGER	"ram3_id" INTEGER
ram4_id	INTEGER	"ram4_id" INTEGER
gpu_id	INTEGER	"gpu_id" INTEGER
exp_card1_id	INTEGER	"exp_card1_id" INTEGER
exp_card2_id	INTEGER	"exp_card2_id" INTEGER
psu_id	INTEGER	"psu_id" INTEGER
case_id	INTEGER	"case_id" INTEGER
storage1_id	INTEGER	"storage1_id" INTEGER
storage2_id	INTEGER	"storage2_id" INTEGER
storage3_id	INTEGER	"storage3_id" INTEGER
storage4_id	INTEGER	"storage4_id" INTEGER
storage5_id	INTEGER	"storage5_id" INTEGER
storage6_id	INTEGER	"storage6_id" INTEGER
fan1_id	INTEGER	"fan1_id" INTEGER
fan2_id	INTEGER	"fan2_id" INTEGER
fan3_id	INTEGER	"fan3_id" INTEGER
fan4_id	INTEGER	"fan4_id" INTEGER
gen		CREATE TABLE "gen" ("id" INTEGER, "name" TEXT NOT NULL UNIQUE, PRIMARY KEY("id" AUTOINCREMENT))
id	INTEGER	"id" INTEGER
name	TEXT	"name" TEXT NOT NULL UNIQUE
inv		CREATE TABLE "inv" ("id" INTEGER, "desc" TEXT NOT NULL, "inv_type_id" INTEGER NOT NULL, "price" NUMERIC, "discount" NUMERIC DEFAULT 0, "qty" INTEGER NOT NULL DEFAULT 1, "net_price"

Name	Type	Schema
		NUMERIC NOT NULL, "seller" TEXT, "date" TEXT NOT NULL, "notes" TEXT, "price_notes" TEXT, "price_usd" NUMERIC, "usd_inr_xr" NUMERIC, "usd_delta" NUMERIC, "status" INTEGER NOT NULL DEFAULT 1, "last_upd" TEXT NOT NULL DEFAULT current_date, FOREIGN KEY("inv_type_id") REFERENCES "inv_type"("id"), FOREIGN KEY("status") REFERENCES "inv_status"("id"), PRIMARY KEY("id" AUTOINCREMENT))
id	INTEGER	"id" INTEGER
desc	TEXT	"desc" TEXT NOT NULL
inv_type_id	INTEGER	"inv_type_id" INTEGER NOT NULL
price	NUMERIC	"price" NUMERIC
discount	NUMERIC	"discount" NUMERIC DEFAULT 0
qty	INTEGER	"qty" INTEGER NOT NULL DEFAULT 1
net_price	NUMERIC	"net_price" NUMERIC NOT NULL
seller	TEXT	"seller" TEXT
date	TEXT	"date" TEXT NOT NULL
notes	TEXT	"notes" TEXT
price_notes	TEXT	"price_notes" TEXT
price_usd	NUMERIC	"price_usd" NUMERIC
usd_inr_xr	NUMERIC	"usd_inr_xr" NUMERIC
usd_delta	NUMERIC	"usd_delta" NUMERIC
status	INTEGER	"status" INTEGER NOT NULL DEFAULT 1
last_upd	TEXT	"last_upd" TEXT NOT NULL DEFAULT current_date
inv_status		CREATE TABLE "inv_status" ("id" INTEGER, "name" TEXT NOT NULL UNIQUE, PRIMARY KEY("id" AUTOINCREMENT))
id	INTEGER	"id" INTEGER
name	TEXT	"name" TEXT NOT NULL UNIQUE
inv_type		CREATE TABLE "inv_type" ("id" INTEGER, "name" TEXT UNIQUE, "price_cat_id" INTEGER, PRIMARY KEY("id" AUTOINCREMENT), FOREIGN KEY("price_cat_id") REFERENCES "price_cat"("id"))
id	INTEGER	"id" INTEGER

Name	Type	Schema
name	TEXT	"name" TEXT UNIQUE
price_cat_id	INTEGER	"price_cat_id" INTEGER
platform		CREATE TABLE "platform" ("id" INTEGER, "name" TEXT NOT NULL UNIQUE, PRIMARY KEY("id" AUTOINCREMENT))
id	INTEGER	"id" INTEGER
name	TEXT	"name" TEXT NOT NULL UNIQUE
play		CREATE TABLE "play" ("id" INTEGER, "build_id" INTEGER NOT NULL, "vg_id" INTEGER, "gpu_id" INTEGER NOT NULL, "gpad_id" INTEGER NOT NULL, "last_upd" TEXT NOT NULL DEFAULT current_date, "hours" NUMERIC NOT NULL DEFAULT 0.5, "completion" NUMERIC NOT NULL DEFAULT 0.0, FOREIGN KEY("build_id") REFERENCES "build"("id"), PRIMARY KEY("id" AUTOINCREMENT), FOREIGN KEY("gpad_id") REFERENCES "inv"("id"), FOREIGN KEY("gpu_id") REFERENCES "inv"("id"), FOREIGN KEY("vg_id") REFERENCES "vg"("id"))
id	INTEGER	"id" INTEGER
build_id	INTEGER	"build_id" INTEGER NOT NULL
vg_id	INTEGER	"vg_id" INTEGER
gpu_id	INTEGER	"gpu_id" INTEGER NOT NULL
gpad_id	INTEGER	"gpad_id" INTEGER NOT NULL
last_upd	TEXT	"last_upd" TEXT NOT NULL DEFAULT current_date
hours	NUMERIC	"hours" NUMERIC NOT NULL DEFAULT 0.5
completion	NUMERIC	"completion" NUMERIC NOT NULL DEFAULT 0.0
price_cat		CREATE TABLE "price_cat" ("id" INTEGER, "category" TEXT NOT NULL UNIQUE, PRIMARY KEY("id" AUTOINCREMENT))
id	INTEGER	"id" INTEGER
category	TEXT	"category" TEXT NOT NULL UNIQUE
sqlite_sequence		CREATE TABLE sqlite_sequence(name,seq)
name		"name"
seq		"seq"
tag		CREATE TABLE "tag" ("id" INTEGER, "name" TEXT NOT NULL UNIQUE, PRIMARY

Name	Type	Schema
		KEY("id" AUTOINCREMENT))
id	INTEGER	"id" INTEGER
name	TEXT	"name" TEXT NOT NULL UNIQUE
vg		CREATE TABLE "vg" ("id" INTEGER, "name" TEXT NOT NULL UNIQUE, "released_yr" INTEGER NOT NULL, "vg_lib_id" INTEGER NOT NULL, "date" TEXT NOT NULL, "completed" NUMERIC NOT NULL DEFAULT 0.0, "hours_min" NUMERIC, "hours_max" NUMERIC, "price" NUMERIC NOT NULL DEFAULT 0.0, "discount" NUMERIC, "last_upd" TEXT NOT NULL DEFAULT current_timestamp, "price_usd" NUMERIC, "usd_inr_xr" NUMERIC, "usd_delta" NUMERIC, PRIMARY KEY("id" AUTOINCREMENT), FOREIGN KEY("vg_lib_id") REFERENCES "vg_lib"("id"))
id	INTEGER	"id" INTEGER
name	TEXT	"name" TEXT NOT NULL UNIQUE
released_yr	INTEGER	"released_yr" INTEGER NOT NULL
vg_lib_id	INTEGER	"vg_lib_id" INTEGER NOT NULL
date	TEXT	"date" TEXT NOT NULL
completed	NUMERIC	"completed" NUMERIC NOT NULL DEFAULT 0.0
hours_min	NUMERIC	"hours_min" NUMERIC
hours_max	NUMERIC	"hours_max" NUMERIC
price	NUMERIC	"price" NUMERIC NOT NULL DEFAULT 0.0
discount	NUMERIC	"discount" NUMERIC
last_upd	TEXT	"last_upd" TEXT NOT NULL DEFAULT current_timestamp
price_usd	NUMERIC	"price_usd" NUMERIC
usd_inr_xr	NUMERIC	"usd_inr_xr" NUMERIC
usd_delta	NUMERIC	"usd_delta" NUMERIC
vg_lib		CREATE TABLE "vg_lib" ("id" INTEGER, "name" TEXT NOT NULL UNIQUE, "platform_id" INTEGER, UNIQUE("name"), FOREIGN KEY("platform_id") REFERENCES "platform"("id"), PRIMARY KEY("id" AUTOINCREMENT))
id	INTEGER	"id" INTEGER

Name	Type	Schema
name	TEXT	"name" TEXT NOT NULL UNIQUE
platform_id	INTEGER	"platform_id" INTEGER

Indices (0)

Name	Type	Schema
------	------	--------

Views (0)

Name	Type	Schema
------	------	--------

Triggers (0)

Name	Type	Schema
------	------	--------