

Octave	C	C#D \flat	D	D#E \flat	E	F	F#G \flat	G	G#A \flat	A	A#B \flat	B
0	0	1	2	3	4	5	6	7	8	9	10	11
1	12	13	14	15	16	17	18	19	20	21	22	23
2	24	25	26	27	28	29	30	31	32	33	34	35
3	36	37	38	39	40	41	42	43	44	45	46	47
4	48	49	50	51	52	53	54	55	56	57	58	59
5	60	61	62	63	64	65	66	67	68	69	70	70
6	72	73	74	75	76	77	78	79	80	81	82	83
7	84	85	86	87	88	89	90	91	92	93	94	95
8	96	97	98	99	100	101	102	103	104	105	106	107
9	108	109	110	111	112	113	114	115	116	117	118	119
10	120	121	122	123	124	125	126	127				

Figure 2.1 Numeric note values

Sharps, Flats, and Naturals

You can indicate that a note is sharp or flat by using the **#** character to represent a sharp, and the **b** character to represent a flat. Place the **#** or **b** character immediately after the note name; for example, a B-flat would be represented as **Bb**. JFugue also supports double-sharps or double-flats, which are indicated by using **##** and **bb**, respectively.

If you use Key Signatures (explained below), you can indicate a natural note by using the **n** character after the note. For example, a B-natural would be represented as **Bn**. If you hadn't indicated the B as a natural, JFugue would automatically change the note value based on the key signature (so, if your key signature was F-major, that B would be converted into a B-flat automatically). Key Signatures are explained in more detail below.

Octave

Default: 5 for notes, 3 for chords

You may optionally specify an octave for the note, which is represented by a number from 0 through 10; for example, **C6** plays a C note in the sixth octave. If no octave is specified, the default for a note will be the fifth octave, and the default for a chord will be the third octave.




Figure 2.2 Octaves 0 through 10 span the various clefs; pictured above are Octaves 3 through 6.

Chords

If the given note is to be the root of a chord, the chord is specified next. JFugue supports a variety of chords, each of which is described in the table below.

Intervals in the table indicate the notes of the chord. For example, a major chord contains three notes, with intervals 0, 4, and 7. This means that the chord is comprised of the root (0), the root plus four half-steps (4), and the root plus seven half-steps (7). Therefore, a C-major chord is comprised of the notes C, E, and G.

Common Name	JFugue Name	Intervals (0 = root)
major	maj	0, 4, 7
minor	min	0, 3, 7
augmented	aug	0, 4, 8
diminished	dim	0, 3, 6
7 th (dominant)	dom7	0, 4, 7, 10
major 7 th	maj7	0, 4, 7, 11
minor 7 th	min7	0, 3, 7, 10
suspended 4 th	sus4	0, 5, 7
suspended 2 nd	sus2	0, 2, 7
6 th (major)	maj6	0, 4, 7, 9
minor 6 th	min6	0, 3, 7, 9
9 th (dominant)	dom9	0, 4, 7, 10, 14
major 9 th	maj9	0, 4, 7, 11, 14
minor 9 th	min9	0, 3, 7, 10, 14
diminished 7 th	dim7	0, 3, 6, 9
add9	add9	0, 4, 7, 14
minor 11 th	min11	0, 7, 10, 14, 15, 17
11 th (dominant)	dom11	0, 7, 10, 14, 17
13 th (dominant)	dom13	0, 7, 10, 14, 16, 21
minor 13 th	min13	0, 7, 10, 14, 15, 21
major 13 th	maj13	0, 7, 11, 14, 16, 21
7-5 (dominant)	dom7<5	0, 4, 6, 10
7+5 (dominant)	dom7>5	0, 4, 8, 10
major 7-5	maj7<5	0, 4, 6, 11
major 7+5	maj7>5	0, 4, 8, 11
minor major 7	minmaj7	0, 3, 7, 11
7-5-9 (dominant)	dom7<5<9	0, 4, 6, 10, 13
7-5+9 (dominant)	dom7<5>9	0, 4, 6, 10, 15
7+5-9 (dominant)	dom7>5<9	0, 4, 8, 10, 13
7+5+9 (dominant)	dom7>5>9	0, 4, 8, 10, 15

Figure 2.3 Chords supported by JFugue

To specify chords in a MusicString, provide the root's chord followed by the "JFugue Name" from the table above. For example, to play a C-major chord in the default octave, use the MusicString `Cmaj`. This is equivalent to saying `C+E+G`, but JFugue will automatically fill in the other notes based on the chord specified. Recall that the default octave for chords is the third octave, which is lower than the default fifth octave for individual notes.

To specify an octave with a chord, follow the chord root with the octave number. For example, an E-flat, 6th octave, major chord would be `Eb6maj`. An easy way to remember where to place the octave is that the octave describes the root note in more detail, so it should be next to the root. If a number follows the chord name, then the number is associated with the chord itself: for example, `Cmaj7` describes a C-major seventh chord, not a C-major chord in the seventh octave.

Chord Inversions

A chord inversion indicates another way to play the notes of a chord by changing which note in the chord serves as the root note. This is sometimes called the *voicing* of a chord.

A first inversion means the chord's regular root note should be moved up an octave, making the second note in the chord become the new bass note. A second inversion means the chord's root note and second note should be played an octave higher, making the chord's third note become the new bass note. Chords with more than three members can have third inversions, chords with more than four members can have four inversions, and so on. See Figure 2.4 for examples of chord inversions.

Chord inversions may also be described by explicitly indicating the note that is to become the new bass note. You may see this in sheet music when you're asked to play a C/E chord. This indicates that a C-Major chord should be played with the E note as the bass note.

There are two ways to specify chord inversions in JFugue. The first is consistent with indicating the first, second, third, etc. inversion of the chord. State your chord as indicated in the section above (for example, `Cmaj` for a C-Major), then use a caret character, `^`, for each inversion. As shown in Figure 2.4, a first inversion becomes `Cmaj^`, and a second inversion becomes `Cmaj^^`. Additional inversions are possible with chords that have more member notes.

The second way is consistent with indicating the new bass note for the chord. Again, state the chord as indicated in the section above (`Cmaj` for a C-Major), then use the caret character, `^`, followed by the new bass note. For example, the C-Major inversion with E as the new bass note would be `Cmaj^E`; the C-Major inversion with G as the new bass note would be `Cmaj^G`.



Figure 2.4 Chord inversions of C-Major: no inversion - `Cmaj`; first inversion - `Cmaj^` or `Cmaj^E`; second inversion - `Cmaj^^` or `Cmaj^G`

Duration

Default: Quarter duration ("q")

Duration indicates how long a note should be played. It is placed after the octave (or after the chord, if a chord is specified), or immediately after the note itself if the octave is omitted or if the note is specified as a value. Duration is indicated by one of the letters in the table below. If duration is not specified, the default duration of a quarter-note will be used.

Duration	Character
whole	w
half	h
quarter	q
eighth	i
sixteenth	s
thirty-second	t
sixty-fourth	x
one-twenty-eighth	o

Figure 2.5 Durations that can be specified for a note

For example, a C6 note, half duration would be `C6h`, and a D-flat major chord, whole duration would be `DbmajW`.

Dotted duration may be specified by using the period character after the duration. For example, a dotted half note would be specified using `h` followed by a period (`h.`). A dotted duration is equal to the original duration plus half of the original duration. So, a dotted half note is equal to the duration of a half note plus a quarter note.

Durations may be appended to each other to create notes of longer durations. This is similar to a tie in musical parlance. For example, to play a `D6` note for three measures, the MusicString `D6www` would be used. (You could alternatively use ties and measure symbols to indicate ties in the MusicString, as described below.)

The duration may also be specified numerically. In this case, provide a decimal value equal to the part of a whole note. To indicate a numeric duration, use the slash character, followed by a decimal value. For example, to play an `A4` note for a quarter duration, provide the MusicString `A4/0.25`. A value of 1.0 represents whole duration. Decimal values greater than 1.0 indicate a note that spans multiple measures. For example, the `D6www` MusicString given above is equivalent to `D6/3.0`. Numeric durations may be useful for algorithmic music generators. They are also created when MusicStrings are generated when JFugue parses MIDI files, as explained more fully in Chapter 5.

Here are some examples of durations:

```
player.play("Aw");           // A5 whole note
player.play("E7h");           // E7 half note
player.play("[60]wq");        // Middle-C (C5) whole+quarter note
player.play("G8i.");          // G8 dotted-eighth note
player.play("Bb6/0.5");       // B-flat, 6th octave, half note

// C-major chord, second inversion, 7th octave, quarter note
player.play("C7maj^^q");
```

Triplets and Other Tuplets

Tuplets are groups of notes in which the duration of the notes is adjusted such that the duration of the group of notes is consistent with the duration of the next larger note duration. Figure 2.6 makes this a bit more clear.



Figure 2.6 Two triplets (also known as 3-tuplets) of quarter notes. Notice how each triplet has the same duration of the half note in the bass staff.

Triplets are a special case of tuplets in which there are three notes in the group. Triplets are the most common tuplet, although other tuplets are possible (in both music theory and JFugue).

For a triplet, three notes are played with the same duration of the next greater duration; this is a 3:2 tuplet. For a triplet made up of quarter notes, as shown in Figure 2.6, this means the group of notes will be played in the duration of a half note, so each note in the triplet will be played at two-thirds ($2/3$) of its regular duration.

Consider tuplets of more notes – for example, a quintuplet, which consists of five notes. Five quarter notes may be played in the same duration as a whole note if they're part of a 5:4 tuplet, in which each note is played at $4/5$ of its regular quarter duration.

To specify a tuplet in JFugue, use the asterisk, *, after the duration of a note that is part of a tuplet. For triplets, that's all you need to do. For other tuplets, the

asterisk must be followed by the ratio that describes the tuplet, such as 5:4 in the example above. Each note in the tuplet must have the tuplet notation, and the ratio must be the same for each note in the tuplet (if it's not, nothing catastrophic will happen, but your music won't sound right).

Here are some examples:

```
player.play("Eq* Fq* Gq*");           // These two lines create
player.play("Eq*3:2 Fq*3:2 Gq*3:2"); // equivalent music
```

Each of these lines will play three quarter notes as a triplet. The group of three quarter notes will have the duration of a two quarter notes (identical to one half note).

```
player.play("Ci*5:4 Ei*5:4 Gi*5:4 Ei*5:4 Gi*5:4");
```

These five eighth notes (a quintuplet) will be played in the duration of a four eighth notes (identical one half note).

Ties

In sheet music, a tie connects two notes of the same pitch¹, and indicates that the two notes are to be played as one note, with the total duration equal to the sum of the durations of the tied notes. Ties are often used in sheet music to depict a note that has a duration which stretches across the bar line between two measures (Figure 2.7). Ties may also be used to connect notes to create a combined duration that cannot otherwise be indicated by note symbols, such as a half note plus an eighth note (Figure 2.8).



Figure 2.7 Tying two notes across a measure




Figure 2.8 Tying two notes to achieve a combined duration

In JFugue, the dash symbol, `-`, is used to indicate ties. For a note that is at the beginning of a tie, append the dash to the end of the duration. For a note that is at the end of a tie, prepend the dash to the beginning of the duration. If a note is

¹ A line or curve connecting notes of different pitches is a slur, which indicates that the transitions between notes are to be played fluidly. Slurs are not currently supported by JFugue.

in the middle of a series of notes that are all tied together, two dashes are used: one before the duration, and one after. In each case, think of the dash as indicating whether the tie “follows” the duration of a note, whether it “continues” the duration of a note, or whether the note is in the middle of a tie, in which case the tie both “follows” and “continues” the duration. Each of these cases is shown in Figure 2.9, which uses the Measure symbol (the vertical line or pipe character, |), which will be introduced soon.



Figure 2.9 Examples of ties in a MusicString.

The MusicString for this sequence of notes is

`"G5q B5q G5q C6q- | C6-w- | C6-q B5q A5q G5q"`

Attack and Decay Velocities

Default: 64 for attack velocity, 64 for decay velocity

Notes may be played with a specified attack and decay velocity. These velocities indicate how long it takes for a note to “warm up” to its full volume, and “dissipate” from its peak volume. For example, a note with a long attack and a quick decay sounds like it build over a period of time, then turns off quickly. Notes with long attacks sound somewhat ethereal. Notes with a long decay sound like they continue to resonate after the note has been struck, like a bell or a guitar string.

Attack and decay for notes may be specified using the letters `a` and `d`, respectively. Each letter is followed by a value of 0 through 127; the default is 0. Low values indicate quicker attack or decay; high values indicate a long attack or decay. Either attack or decay may be used independently (but if they appear together, the attack must be specified first).

For example, the following are value notes with attack and decay velocities set:

```
player.play("C5qa0d127"); // Sharp attack, long decay
player.play("E3wwd0");    // Default attack, sharp decay
player.play("C7maja30");   // C7, E7, and G7 (components of
                           // C7maj) will all play with an
                           // of attack 30
```

Notes played in Melody and Harmony

Notes that are to be played in melody – that is, one after another – are indicated by individual tokens separated by spaces, as shown in Figure 2.10. So far, all of the MusicStrings examples have shown notes played in melody.



Figure 2.10 A melody; the MusicString is “C5q E5q G5q”

Notes may also be played in harmony – together with other notes. This can be indicated by combining the tokens with a plus symbol, `+`, instead of a space, as shown in Figure 2.11. Of course, notes in a chord are played in harmony automatically, but the `+` token lets you play *any* notes in harmony.



Figure 2.11 A harmony; the MusicString is “C5q+E5q+G5q”

You may also find some occasions when a note is to be played in harmony while two or more notes are played in melody. To indicate notes that should be played together while played in harmony with other notes, use the underscore character, `_`, to connect the notes that should be played together. This is much clearer in a picture than in words, so look at Figure 2.12. In this example, the `C5` note is played continuously while the `E5` and `G5` notes are played in sequence.



Figure 2.12 A harmony and a melody played together;
the MusicString is “C5h+E5q_G5q”

Chords and rests may also be played in harmony or in combined harmony/melody using the plus and underscore characters as connectors. Only notes, chords, and rests can take advantage of the `+` and `_` characters.

Measure

JFugue MusicStrings were created with the intention of making music creation easy; they were not developed to provide a fully complete syntax for representing sheet music. Indicating a bar line in a MusicString does not affect the musical output of the MusicString. Nevertheless, it is often useful to indicate the break between measures in a MusicString. To indicate a bar line, use the vertical line (or pipe) character, `|`, which must be separated from other tokens in the MusicString with spaces.

Key Signature

Default: C-major

A key signature may be indicated, which instructs JFugue to play the MusicString in a particular key or scale. To indicate a key signature, use the letter **K**, followed by the root of the key, then **maj** or **min** to indicate major or minor scale. For example, **KCbma j** will set the key to C-flat major.

JFugue will automatically adjust the note values for the notes that are affected by the key signature. For example, if you set the key signature to F-major, then play a B note in your MusicString, JFugue will automatically convert that B to a B-flat. If you want the B to remain natural, you must indicate that by using the natural symbol, **n**, which is placed after the note. In this case, playing the B as a natural note would require the token **Bn**.

Instrument

Default: Piano

The music produced by JFugue uses MIDI to render audio that is played with instruments from the Java Sound soundbank. The MIDI specification describes 128 different instruments, and more may be supported with additional sound banks. Most MIDI devices use the same definitions for the first 128 instruments, although the quality of the sound varies by device and by soundbank. For example, MIDI instrument #0 often represents a piano, but the piano sound rendered by various MIDI devices may differ.

To select these instruments in JFugue's MusicString, use the instrument token, which is the **I** character followed by the instrument number from 0 to 127. For example, to specify a piano, you would enter the MusicString **I0**. Alternatively, JFugue defines *constants* that you can use to specify the instrument using the name of the instrument. This tends to be easier to read and remember. For example, the constant for a piano is **PIANO**, so the MusicString to specify a piano could also appear as **I[Piano]**. You can define your own constants as well; constants are described in more detail later in this chapter.

Figure 2.13 contains a list of instrument numbers and JFugue constants. You'll notice that some instruments contain more than one constant. In these cases, you can use either constant; they will both resolve to the same instrument number. Recall that the MusicString is not case-sensitive.

Piano		Chromatic Percussion	
0	PIANO <i>or</i> ACOUSTIC_GRAND	8	CELESTA
1	BRIGHT_ACOUSTIC	9	GLOCKENSPIEL
2	ELECTRIC_GRAND	10	MUSIC_BOX
3	HONKEY_TONK	11	VIBRAPHONE
4	ELECTRIC_PIANO <i>or</i> ELECTRIC_PIANO1	12	MARIMBA
5	ELECTRIC_PIANO2	13	XYLOPHONE
6	HARPISCHORD	14	TUBULAR_BELLS
7	CLAVINET	15	DULCIMER
Organ		Guitar	
16	DRAWBAR_ORGAN	24	GUITAR <i>or</i> NYLON_STRING_GUITAR
17	PERCUSSIVE_ORGAN	25	STEEL_STRING_GUITAR
18	ROCK_ORGAN	26	ELECTRIC_JAZZ_GUITAR
19	CHURCH_ORGAN	27	ELECTRIC_CLEAN_GUITAR
20	REED_ORGAN	28	ELECTRIC_MUTED_GUITAR
21	ACCORDIAN	29	OVERDRIVEN_GUITAR
22	HARMONICA	30	DISTORTION_GUITAR
23	TANGO_ACCORDIAN	31	GUITAR_HARMONICS
Bass		Strings	
32	ACOUSTIC_BASS	40	VIOLIN
33	ELECTRIC_BASS_FINGER	41	VIOLA
34	ELECTRIC_BASS_PICK	42	CELLO
35	FRETLESS_BASS	43	CONTRABASS
36	SLAP_BASS_1	44	TREMOLO_STRINGS
37	SLAP_BASS_2	45	PIZZICATO_STRINGS
38	SYNTH_BASS_1	46	ORCHESTRAL_STRINGS
39	SYNTH_BASS_2	47	TIMPANI
Ensemble		Brass	
48	STRING_ENSEMBLE_1	56	TRUMPET
49	STRING_ENSEMBLE_2	57	TROMBONE
50	SYNTH_STRINGS_1	58	TUBA
51	SYNTH_STRINGS_2	59	MUTED_TRUMPET
52	CHOIR_AAHS	60	FRENCH_HORN
53	VOICE_OOHS	61	BRASS_SECTION
54	SYNTH_VOICE	62	SYNTHBRASS_1
55	ORCHESTRA_HIT	63	SYNTHBRASS_2

Figure 2.13 Instrument Values (continued on next page)

Reed		Pipe	
64	SOPRANO_SAX	72	PICCOLO
65	ALTO_SAX	73	FLUTE
66	TENOR_SAX	74	RECORDER
67	BARITONE_SAX	75	PAN_FLUTE
68	OBOE	76	BLOWN_BOTTLE
69	ENGLISH_HORN	77	SKAKUHACHI
70	BASSOON	78	WHISTLE
71	CLARINET	79	OCARINA
Synth Lead		Synth Pad	
80	LEAD_SQUARE <i>or</i> SQUARE	88	PAD_NEW_AGE <i>or</i> NEW_AGE
81	LEAD_SAWTOOTH <i>or</i> SAWTOOTH	89	PAD_WARM <i>or</i> WARM
82	LEAD_CALLIOPE <i>or</i> CALLIOPE	90	PAD_POLYSYNTH <i>or</i> POLYSYNTH
83	LEAD_CHIFF <i>or</i> CHIFF	91	PAD_CHOIR <i>or</i> CHOIR
84	LEAD_CHARANG <i>or</i> CHARANG	92	PAD_BOWED <i>or</i> BOWED
85	LEAD_VOICE <i>or</i> VOICE	93	PAD_METALLIC <i>or</i> METALLIC
86	LEAD_FIFTHS <i>or</i> FIFTHS	94	PAD_HALO <i>or</i> HALO
87	LEAD_BASSLEAD <i>or</i> BASSLEAD	95	PAD_SWEEP <i>or</i> SWEEP
Synth Effects		Ethnic	
96	FX_RAIN <i>OR</i> RAIN	104	SITAR
97	FX_SOUNDTRACK <i>or</i> SOUNDTRACK	105	BANJO
98	FX_CRYSTAL <i>or</i> CRYSTAL	106	SHAMISEN
99	FX_ATMOSPHERE <i>or</i> ATMOSPHERE	107	KOTO
100	FX_BRIGHTNESS <i>or</i> BRIGHTNESS	108	KALIMBA
101	FX_GOBLINS <i>or</i> GOBLINS	109	BAGPIPE
102	FX_ECHOES <i>or</i> ECHOES	110	FIDDLE
103	FX_SCI-FI <i>or</i> SCI-FI	111	SHANAI
Percussive		Sound Effects	
112	TINKLE_BELL	120	GUITAR_FRET_NOISE
113	AGOGO	121	BREATH_NOISE
114	STEEL_DRUMS	122	SEASHORE
115	WOODBLOCK	123	BIRD_TWEET
116	TAIKO_DRUM	124	TELEPHONE_RING
117	MELODIC_TOM	125	HELICOPTER
118	SYNTH_DRUM	126	APPLAUSE
119	REVERSE_CYMBAL	127	GUNSHOT

Figure 2.13 Instrument values (continued)

Voice

Default: 0

Music is often broken down into multiple *voices*, also known as *channels* or *tracks*. Each voice contains a melody, often played with a specific instrument. For example, in a jazz song, you may have separate voices for the drums, the saxophone, the bass, and the piano. Or, in solo piano music, you can use one voice for treble clef, and one for the bass clef.

MIDI supports 16 simultaneous channels, which JFugue exposes through the Voice command. The Voice command is a **v**, followed by a number from 0 to 15.

MIDI editors often allow a song to be played with various channels turned on or off, so you can focus on one part of a song, or hear what a song would sound like without a certain voice.

MIDI Percussion Track

The tenth MIDI channel (i.e., **v9**) is special: it is the only channel that is capable of producing sounds for non-chromatic percussion instruments², typically drums. In the tenth channel, each note is assigned to a different percussion instrument. For example, if the tenth channel is given an A5 note (A note, 5th octave), it won't play an A5, but will instead play a bongo drum.

To make it easy to specify drum sounds for the tenth MIDI channel, JFugue provides a different way to specify notes in V9. Instead of entering **v9 A5q** and hoping for a bongo drum, you can use a *constant* to express the instrument more directly; in this case, you would enter **v9 [Hi_Bongo]q**. A list of constants representing percussion sounds is shown in Figure 2.14.

You can create “chords” of percussion instruments, just like you can with regular notes. For example, **v9 [Hand_Clap]q+[Crash_Cymbal_1]q** will play a hand clap and a cymbal crash at the same time, both for a quarter duration.

² A percussion instrument is one that makes sound as a result of hitting or shaking things together. Examples include drums, tambourines, woodblocks, and cymbals. Chromatic percussion instruments are percussion instruments that can play notes, such as a steel drum. Non-chromatic percussion instruments can only make one sound, such as a snare drum, triangle, or cow bell.

Note Value	JFugue Constant
35	ACOUSTIC_BASE_DRUM
36	BASS_DRUM
37	SIDE_KICK
38	ACOUSTIC_SNARE
39	HAND_CLAP
40	ELECTRIC_SNARE
41	LOW_FLOOR_TOM
42	CLOSED_HI_HAT
43	HIGH_FLOOR_TOM
44	PEDAL_HI_TOM
45	LOW_TOM
46	OPEN_HI_HAT
47	LOW_MID_TOM
48	HI_MID_TOM
49	CRASH_CYMBAL_1
50	HIGH_TOM
51	RIDE_CYMBAL_1
52	CHINESE_CYMBAL
53	RIDE_BELL
54	TAMBOURINE
55	SPLASH_CYMBAL
56	COWBELL
57	CRASH_CYMBAL_2
58	VIBRASLAP

Note Value	JFugue Constant
59	RIDE_CYMBAL_2
60	HI_BONGO
61	LOW_BONGO
62	MUTE_HI_CONGA
63	OPEN_HI_CONGA
64	LOW_CONGO
65	HIGH_TIMBALE
66	LOW_TIMBALE
67	HIGH_AGOGO
68	LOW_AGOGO
69	CABASA
70	MARACAS
71	SHORT_WHISTLE
72	LONG_WHISTLE
73	SHORT_GUIRO
74	LONG_GUIRO
75	CLAVES
76	HI_WOOD_BLOCK
77	LOW_WOOD_BLOCK
78	MUTE_CUICA
79	OPEN_CUICA
80	MUTE_TRIANGLE
81	OPEN_TRIANGLE

(Working with tables in Microsoft Word is difficult. This table is properly spaced in the actual Complete Guide to JFugue)

Figure 2.14 Constants that represent percussion instruments, to be used in place of notes in V9.

Layer

A layer provides a way to specify separate melodies that are intended to be played in the same voice. Layers are specific to JFugue – they are not part of the MIDI specification. Layers were introduced to overcome a difficulty in programming music for the tenth MIDI channel – the one that plays percussion instruments. Specifically, if you had numerous melodies that each had their own rhythm, it would be difficult to combine these as “chords” in that voice. Using layers, you can easily combine a melody of, say, hand claps, snare drums, and cow bells.

In addition, layers can be used in other voices, too. They could be leveraged as a way to simulate getting more than 16 simultaneous melodies out of a MIDI system. They can also be used to send multiple events in the same track – for example, to change the pitch wheel while a note is playing, to produce a modulation of the playing note.

Like the voice token, a layer token is specified by using `L`, followed by a number from 0 to 15.

Tempo

Default: 120 beats per minute (roughly Allegro)

The tempo indicates how quickly a song should be played. It is often one of the first things set in a MusicString, since it applies to all musical events that follow the tempo command.

Tempo represents beats per minute (BPM). In older versions of JFugue, tempo represented “pulses per quarter” (PPQ), which indicates how many clock cycles to give a quarter note. PPQ is inversely proportional to BPM. Of course, PPQ is not intuitive, so JFugue now supports expressing tempo using BPM. Fortunately, the most common tempo setting, 120, happens to be an equivalent value for PPQ and BPM (120 PPQ = 120 BPM)³.

The tempo token is a `T`, followed by an integer, or by one of the tempo constants in brackets, such as `T[Adagio]`. Figure 2.15 lists the tempo constants that you can use in your MusicStrings.

³ To convert BPM to PPQ, and back, divide 60,000,000 by the opposite (PPQ or BPM) value. In other words, $BPM = 60,000,000 / PPQ$, and $PPQ = 60,000,000 / BPM$.

JFugue Constant	Beats Per Minute (BPM)
Grave	40
Largo	45
Larghetto	50
Lento	55
Adagio	60
Adagietto	65
Andante	70
Andantino	80
Moderato	95
Allegretto	110
Allegro (default)	120
Vivace	145
Presto	180
Pretissimo	220

Figure 2.15 Tempo constants that can be used with the `T[]` command

Pitch Wheel

The pitch wheel is used to change the pitch of a note by hundredths of a half-step, or cents. The pitch wheel can be used to change the frequency of an individual note 8192 cents in either the downward or upward direction.

The pitch wheel can be used to create Theremin-like effects in your music. JFugue also uses the Pitch Wheel to make microtonal adjustments for notes, enabling some Eastern styles of music to be played easily.

The token to adjust the pitch of following notes is an ampersand, `&`, followed by an integer value from 0 through 16383. Values from 0 through 8191 make the pitch of the following notes lower; values from 8193 through 16383 make the pitch of the following notes higher. To reset the pitch wheel so it makes no changes to the notes, use `&8192`.

Channel Pressure

Many MIDI devices are capable of applying pressure to all of the notes that are playing on a given channel.

The MusicString token for channel pressure is a plus symbol, `+`, followed by a value from 0 to 127. It applies to the channel indicated by the most recent voice token used in the MusicString.

Don't confuse this token with the use of a plus symbol to connect notes within a harmony – in the channel pressure case, the token *begins* with a plus, so it is parsed differently.

Polyphonic Pressure

Polyphonic Pressure, also known as Key Pressure, is pressure applied to an individual note. This is a more advanced feature than Channel Pressure, and not all MIDI devices support it.

The MusicString token for Polyphonic Pressure is an asterisk symbol, `*`, followed by the key value (i.e., the note value), specified as a value from 0 to 127, followed by a comma, and finally by the pressure value, from 0 to 127.

For example, the following MusicString applies a pressure of 75 to Middle-C (note 60): `*60,75`. Note that this command does not accept note values, so using `C5` in this case would not work.

The difference between channel pressure and polyphonic pressure is that channel pressure applies equally to all of the notes played within a given channel, whereas polyphonic pressure is applied individually to each note within a channel. One way to remember the difference between the JFugue tokens for channel pressure versus polyphonic pressure is that plus character, `+`, representing channel pressure, represents a concept slightly simpler than the asterisk character, `*`, which represents polyphonic pressure.

Controller Events

The MIDI specification defines about 100 controller events, which are used to specify a wide variety of settings that control the sound of the music. These include foot pedals, left-to-right balance, portamento (notes sliding into each other), tremolo, and lots more. For a complete list, refer to a MIDI specification document.

The Controller command, `X`, tells JFugue to set the given controller:

```
xcontroller_number=value  
X37=18  
X[Chorus_Level]=64
```

If you're familiar with MIDI Controllers, you may know that there are 14 controllers that have both "coarse" and "fine" settings. These controllers essentially have 16 bits of data, instead of the typical 8 bits (one byte) for most of the others. There are two ways that you can specify coarse and fine settings.

The first way is quite uninspired:

```
X[Foot_Pedal_Coarse]=10  
X[Foot_Pedal_Fine]=65
```


Surely, JFugue can be smarter than this! Indeed it is: For any of those 14 controller events that have coarse and fine components, you can specify both values at the same time:

```
X[Foot_Pedal]=1345
```

There you have it. Want to set the volume to 10200, out of a possible 16383? There's no need to figure out the high byte and low byte of 10200. Just use `X[Volume]=10200`. JFugue will split the values into high and low bytes for you.

Some controller events have two settings: ON and OFF. Normally, ON means 127 and OFF means 0. JFugue has defined two constants, ON and OFF, that you can use instead of the numbers: `X[Local_Keyboard]=ON`. JFugue has also defined DEFAULT, which is set to 64.

Controller	JFugue Constant		
0	BANK_SELECT_COARSE	96	DATA_BUTTON_INCREMENT
1	MOD_WHEEL_COARSE	97	DATA_BUTTON_DECREMENT
2	BREATH_COARSE	98	NON_REGISTERED_COARSE
4	FOOT_PEDAL_COARSE	99	NON_REGISTERED_FINE
5	PORTAMENTO_TIME_COARSE	100	REGISTERED_COARSE
6	DATA_ENTRY_COARSE	101	REGISTERED_FINE
7	VOLUME_COARSE	120	ALL_SOUND_OFF
8	BALANCE_COARSE	121	ALL_CONTROLLERS_OFF
10	PAN_POSITION_COARSE	122	LOCAL_KEYBOARD
11	EXPRESSION_COARSE	123	ALL_NOTES_OFF
12	EFFECT_CONTROL_1_COARSE	124	OMNI_MODE_OFF
13	EFFECT_CONTROL_2_COARSE	125	OMNI_MODE_ON
16	SLIDER_1	126	MONO_OPERATION
17	SLIDER_2	127	POLY_OPERATION
18	SLIDER_3		
19	SLIDER_4		
32	BANK_SELECT_FINE		
33	MOD_WHEEL_FINE		
34	BREATH_FINE		
36	FOOT_PEDAL_FINE		
37	PORTAMENTO_TIME_FINE		
38	DATA_ENTRY_FINE		
39	VOLUME_FINE		
40	BALANCE_FINE		
42	PAN_POSITION_FINE		
43	EXPRESSION_FINE		
44	EFFECT_CONTROL_1_FINE		
45	EFFECT_CONTROL_2_FINE		
64	HOLD_PEDAL or HOLD		
65	PORTAMENTO		
66	SUSTENUTO_PEDAL or SUSTENUTO		
67	SOFT_PEDAL or SOFT		
68	LEGATO_PEDAL or LEGATO		
69	HOLD_2_PEDAL or HOLD_2		
70	SOUND_VARIATION		
71	SOUND_TIMBRE		
72	SOUND_RELEASE_TIME		
73	SOUND_ATTACK_TIME		
74	SOUND_BRIGHTNESS		
75	SOUND_CONTROL_6		
76	SOUND_CONTROL_7		
77	SOUND_CONTROL_8		
78	SOUND_CONTROL_9		
79	SOUND_CONTROL_10		
80	GENERAL_BUTTON_1		
81	GENERAL_BUTTON_2		
82	GENERAL_BUTTON_3		
83	GENERAL_BUTTON_4		
91	EFFECTS_LEVEL		
92	TREMULO_LEVEL		
93	CHORUS_LEVEL		
94	CELESTE_LEVEL		
95	PHASER_LEVEL		

(Working with tables in Microsoft Word is difficult. This table is properly spaced in the actual Complete Guide to JFugue)

Figure 2.16 Controller constants that can be used with the `x[]` command

Combined Contoller	JFugue Constant
16383	BANK_SELECT
161	MOD_WHEEL
290	BREATH
548	FOOT_PEDAL
677	PORTAMENTO_TIME
806	DATA_ENTRY
935	VOLUME
1074	BALANCE
1322	PAN_POSITION
1451	EXPRESSION
1580	EFFECT_CONTROL_1
1709	EFFECT_CONTROL_2
12770	NON_REGISTERED
13028	REGISTERED

Figure 2.17 Combined controller constants. Integers can be assigned to these, and JFugue will figure out the high and low bytes.

Constants

When you're programming music, your main task is to make beautiful sounds, not to be inundated with random and meaningless numbers. You should be able to set the VOLUME and use the FLUTE, without having to remember that VOLUME is controller number 935 (or, worse, that VOLUME is comprised of a coarse and fine value) and FLUTE is instrument number 73. To enable you to sit back, relax, and focus on concepts instead of numbers, JFugue has introduced *constants* that you can use in your MusicStrings, and that get resolved as the music is playing.

The command to set a constant is as follows:

```
$WORD=DEFINITION
```

Here's an example: `$ELEC_GRAND=2`. Of course, JFugue has already defined ELECTRIC_GRAND to be 2. But maybe you'd like to use a shorter name, or maybe you have a more memorable name for this instrument, like simply ELEC. You could then use your shorter name in the MusicString when you want to refer to this particular instrument.

JFugue defines a bunch of constants - around 375 - for things like instrument names, percussion instruments, tempo, and controller events. Creating these definitions is the job of the JFugueDefinitions class.

Constants are also useful in cases where you have settings that you may want to change some day. Suppose you want to play some music with your favorite

instrument, the piano. You could define FAV_INST to be 0, and then you can say `I[Fav_Inst]` whenever you want to use it. If your favorite instrument changes, all you have to change in your music string is the definition of FAV_INST; you do not have to change every place where you refer to your favorite instrument.

You can use a constant anywhere where a number would be expected, with the exception of the Octave value (but that's okay, because you can just specify the note itself, with the octave, as a single number), and if you're using a constant for a duration, you have to use decimal duration values (and precede the duration with a slash, `/`).

When using a constant in the MusicString, always place the word in square brackets.

Timing Information

When transcribing notes from sheet music, you will find that through a combination of rests and note durations, you can successfully create music that has the proper time delays between notes. However, when reading music from a MIDI file, notes are not guaranteed to follow each other in such a formal way. For this reason, JFugue uses the Time token to indicate the number of milliseconds into the sequence to play notes and other tokens. You will hardly ever need to use this when creating your own music, but you'll see it if you convert music from MIDI to a MusicString (which is discussed in more detail in Chapter 5).

The Time token is an ampersand, `@`, followed by a time in milliseconds. The time indicates when the following tokens should be played.

It is not necessary for the times to be sequential. The full JFugue MusicString is parsed before music is rendered, and timing information that represents any time will be played at the right time during playback.

MusicString Style

The following guidelines are recommended to help you create MusicStrings that are easy to read and easy to share. MusicStrings are not case-sensitive, so the use of upper- and lowercase characters can be used to maximize the MusicString's readability.

1. Use a capital letter for a character representing an instruction: `I`, `V`, `L`, `T`, `X`, and `K` (for Instrument, Voice, Layer, Tempo, Controller, and Key Signature, respectively)

Excerpt from The Complete Guide to JFugue

<http://www.jfugue.org/book.html>

2. Use a capital letter for notes. C, D, E, F, G, A, B, and the rest character, R.
3. Use lowercase characters when specifying chords: maj, min, aug, and so on.
4. Use a lowercase letter for note durations: w, h, q, i, s, t, x, o. However, if you are consistently using durations after chords, it may be more legible to use uppercase letters for note durations.
5. Use mixed case (also known as camel case) to represent instrument names, percussion names, tempo names, or controller names: I[Piano], [Hand_Clap], T[Adagio], X[Hold_Petal].
6. Use all capital letters when defining and referring to a constant: \$MY_WORD=10.
7. Keep one space between each token, but if writing music for multiple voices, it's useful to put each voice on its own line, and use spaces to make the notes line up, as shown below.
8. Use the vertical bar character (also known as pipe), |, to indicate measures in a MusicString.

Below are a couple of sample MusicStrings that employ some of these guidelines.

```
Player player = new Player();

// First two measures of "Für Elise", by Ludwig van Beethoven
player.play("V0 E5s D#5s | E5s D#5s E5s B4s D5s C5s " +
            "V1 Ri      | Riii                      ");

// First a few simple chords
player.play("T[Vivace] I[Rock_Organ] Db4minH C5majW C4maj^^");
```