



Work Order



WO No. -2

WO Date 23/03/2026

WO Valid Date 8/31/2027

To, LEAKSEAL WATERPROOFING S NO. 14/1A, SHOP NO. 11, DNYANESHWAR HOUSING SOCIETY, PUNE, SATARA ROAD, PUNE- 411043 Contact No : 9673390500 Email: leakseal.waterproofing3@gmail. PAN :No: AAIFL9695E GST No: 27AAIFL9695E1ZQ	Company Name : ABHINAV LIFESPACES LLP. CTC No. 927/302,3 RD, FLOOR, SANAS MEMORIES, F. C. ROAD, PUNE- 411005. PAN : ACCFA0005H GST No : 27ACCFA0005H1Z3 Site Name : PEBBLES BUSINESS BAY Site Address : SR NO 132(P) NEXT TO MY CAR, SERVICE ROAD , KARPE NAGAR, BHUMKAR NAGAR, WAKAD, PIMPRI CHINCHWAD PUNE 411057
---	--

Subject : WATERPROOFING WORK - BELOW SUB-STRUCTURE

Site Contact Person : ANANTRAO NAGAVI +919970457196 - MR.ASHISH SALUNKHE +91 9665281794

Dear Sir,

This has reference to your offer submitted to us for PEBBLES BUSINESS BAY project and our subsequent negotiation meetings, we are immensely pleased to confirm our intention of awarding the captioned subject work to your esteemed organization on the techno-commercial terms & conditions cum stipulations-broadly depicted hereunder in the succeeding paragraphs.

Sr.No.	Item Description	Qty	Unit	Rate Rs.	GST %	Ret. Amt	Amount
1	CONSTRUCTION JOINT WATERBAR TREATMENT Specification : Providing and fixing Idrostop 10 Waterstop bar, a pre-formed rubber profile with an acrylic polymer base, specially designed to create watertight construction joints in concrete structures. The waterstop bar shall be mechanically fixed using screws or nails placed in a continuous row along the strip, spaced not more than 300 mm (30 cm) apart. Once the installation is complete, concrete may be poured immediately if the strip has been secured mechanically. 12.2 WATERPROOFING WATERPROOFING WORK	1,840.00	RMT	310.00	18	28,520.00	5,70,400.00
2	INTEGRAL CRYSTALLINE ADMIX FOR CONCRETE Specification :	1.00	KG	75.00	18	3.75	75.00

"Supply only of Idrocrete XT is a powder admixture made from special hydrophilic components which, when added to a concrete mix, reduces the permeability of hardened concrete.
Bulk Density (g/cm):1.1
Chlorides soluble in water according to EN 480-10 (%):< 0.1 (absent according to EN 934-2
Alkali content (equivalent Na O) according to EN 480-12 (%):< 1.5
Recommended dosage rate of 0.8 % by weight of cement content"

12.2 WATERPROOFING WATERPROOFING WORK

3	PRESSURE RELEASE PIPE/RACK ANCHOR TREATMENT	1.00	NOS	500.00	18	25.00	500.00
----------	--	-------------	------------	---------------	-----------	--------------	---------------

Specification :

Providing & Applying Rock Anchoring treatment to be done by making Collar of Mapeproof AL SW HDPE membrane then Mapeproof AL S D10 Tape is fixed at internal side of HDPE Collar profile & seal the Collar periphery. After filled with Mapefill GP IN grout and let it cure. After the curing time of Mapefill GP IN has been completed, Flushing of Plastimul PU W/Mapelastic Smart should be done. (Need two coats)

12.2 WATERPROOFING WATERPROOFING WORK

4	PROTECTION TO MEMBRANE	1.00	SQMT	200.00	18	10.00	200.00
----------	-------------------------------	-------------	-------------	---------------	-----------	--------------	---------------

Specification :

Supply and installation of 20 mm thick EPE foam sheet (Size - 1.4 Mtr X 2 Mtr) as a protection layer over Mapelastic Smart waterproofing membrane on retaining wall, including cutting to size, placing, and fixing with suitable adhesive by spot bonding method, complete with all labour, materials, tools, tackles and incidental works as per drawings and site instructions.

12.2 WATERPROOFING WATERPROOFING WORK

5	TERMINATION TREATMENT AT EVERY ZONE OF HDPE	460.00	RMT	635.00	18	14,605.00	2,92,100.00
----------	--	---------------	------------	---------------	-----------	------------------	--------------------

Specification :

Termination treatment - Providing & laying Mapeproof AL S AP termination treatment into vertical retaining wall at raft top level by sticking into retaining wall, Nailing the joint with termination plate & sealing the joint with Mapeband H120 using suitable adhesive- Adesilex G19 or equivalent along the length of termination at retaining wall periphery.

12.2 WATERPROOFING WATERPROOFING WORK

6	WATERPROOFING AT BELOW RAFT & CONFINED AREA	10,150.00	SQMT	635.00	18	322,262.50	64,45,250.00
	Specification : "Treatment to Horizontal Surface below Raft slab :- Supplying and installing waterproofing treatment for Raft slab by using MAPEI MAPEPROOF AL SW AP "" 1.5 mm thick Pre-Applied fully bonded weldable HDPE membrane. Membrane shall be applied in strict accordance with the manufacturers instructions and shall provide an intimate bond to resist water migration. The fully bonded HDPE membrane shall consist of a multi-layer composite film comprising of self-adhesive polymer layer, UV coating and a PE protection layer. The fully bonded membrane shall exhibit the following properties 1. Tensile strength at break ASTM D412 295 MPa 2. Elongation at break ASTM D 412 (%) 500 3. Puncture resistance ASTM E 154 (N) 1000 4. Peel Adhesion to concrete (ASTM D 903) (N/m) 880 5. Hydrostatic resistance ASTM D 5385 70 m 6. Joint strength at overlaps :ASTM D6392 152 N/mm Mapeproof AL SW AP membranes must be installed with the adhesive side upwards and positioned so that it will be in direct contact with the structural concrete when it is poured. Membrane overlap joints and other detailing connections of side laps & End laps are sealed using welded connections using suitable HDPE welding machines. MAPEPROOF AL S AP shall be installed with standard 80 mm side laps, and 100 mm end laps. The membrane shall be laid over the entire p.c.c area and returned on to a vertical side upto the termination location. All systems to be installed as per manufacturers recommendations. Dewatering of water from pcc,live sources, making of concrete bunds at periphery of treatment area During & after installation of HDPE will be in civil contractor/client scope."						
	12.2 WATERPROOFING WATERPROOFING WORK						
7	WATERPROOFING OF UNCONFINED RETAINING WALL AREAS	6,387.00	SQMT	635.00	18	202,787.25	40,55,745.00

Specification :**"SURFACE PREPARATION:**

The cleaning and preparation of the substrate to which the Mapelastic Smart is applied must be carried out thoroughly to leave a sound base for the application.

Remove dust, laitance, oil, grease, friable matter and general curing compounds if present (Wax based only) on the surface must be removed mechanically.

Grinding the entire surface to which treatment is to be installed.

Crack filling , honeycomb treatment :

Opening & Treating surface cracks filling it with using Stabilcem (cementitious grout) using grouting pump as mentioned in the TDS . Treating & repairing honey combings area using Mapegrout T40 ready Made Patch Repair mortar or MapeGrout GP IN Shrinkage compensative cement grout ,complete as per attached TDS.

Construction joint Treatment at retaining wall from External side-

Opening the Construction joint in V groove cleaning the same, providing and filling the opened joint with Mapegrout T 40/Mapefill GP IN or polymer modified mortar. after completion of joint filling again providing & treating the construction joint using 100 mm width Mapetex sel by Embedded on the concrete surface using sandwich coats of Mapelastic smart.

Tie rod filling - filling the tie rods holes using MapeGrout GP IN/Mapegrout T40 Shrinkage compensative grout, complete as per attached TDS."

12.2 WATERPROOFING WATERPROOFING WORK

	Contract Amount (A)	1,13,64,270.00
	CGST 9 % I	10,22,784.30
	SGST 9 % I	10,22,784.30
	Total GST (B)	20,45,568.60
	Total (A + B)	1,34,09,839.00

AMOUNT IN WORDS:

RUPEES ONE CRORE THIRTY-FOUR LAC NINE THOUSAND EIGHT HUNDRED THIRTY-NINE ONLY.

1 Safety Terms

1.1 Safety and Security: Contractor is completely responsible for entire safety of his workers, supervisors, and surrounding areas of the work site. Contractor shall be responsible to procure and use safety items such as safety shoes, safety belts, safety gloves, helmets, mask, goggles and other protective equipment's, Safety net . The Contractor shall also ensure that the adequate first aid facilities are immediately available to all the workers employed by him at work sites. All gadgets shall conform to applicable IS specifications and other applicable standards. In case of noncompliance of PPE policy, of non-compliance as penalty will be levied to Contractor as per table mentioned in clause 4.4 Annexure 1

Contractor shall,

1. Follow all HSE norms in letter & spirit.
2. Maintain acceptable hygiene condition at site, comply with all statutory health regulations and requirement.
3. Follow all safety rules and regulation at site and in labour camp.
4. Information on fines applicable for the safety violations shall be shared by company's safety department before execution of work begins.

1.2 Labour Hutment: The company shall provide only the space for labour huts and one point of electricity in the camp. Contractor is responsible to arrange the materials and construction of the labour huts. The number of labour huts shall be decided by mutual understanding between Contractor & EIC.

2 Statutory Responsibilities

2.1 Registration and Labour License: The contractor shall have registration with labour Commissioner in the area and shall have required labour license validated for the present contract period. He shall comply with all the related laws, rules and regulations applicable to execute the work. In case of failure to comply in this regard, contractor is responsible for all the costs and consequences under labour laws. In this case the company is not responsible for any such failure of the contractor.

2.2 Insurance: Contractor shall have necessary insurance policies for the entire contract period which has a sufficient liability coverage to cover his personnel's, labour, staff etc., as well as his materials and machinery's. All the policy documents shall be submitted to the company for record. Contractor is deemed to have indemnified the company from any loss of life injuries to contractor's personnel, damage to property etc. so that the company is not liable to bear any expenditure, in case of any such situation arises. In case contractor fails to ensure his labour under W.C.A., it shall be considered breach of this contract and he is liable for termination.

2.3 ESIC & PF Responsibilities: The Contractor shall be responsible for the ESIC & PF benefits of his staff as per the prevailing rules and shall be required to submit necessary documents in this regard as and when required by company.

2.4 Adequate & Proper Labour Force at Site: The contractor is responsible to ensure that sufficiently skilled labour force in adequate numbers is employed on site at all the time. Any worker found to be inefficient, found misbehaving, causing nuisance or creating problems at site, shall be removed forthwith.

2.5 Child Labour: The Contractor (or his subcontractor) shall not in any case employ directly or indirectly any Child Labour (below 18 years) on the said site for any work. In case of contravention of the Statue, law or rules on part of the contractor in this regard, he alone shall be responsible for all the cost and consequences without involving the company in any manner whatsoever.

2.6

Medical Fitness:

The contractor shall not engage any worker who is having a contagious disease or is under the influence of drugs, liquor and such objectionable things. The EIC reserves his right to expel him from the site forthwith.

3. Key Basic Requirement - Contractor liability: -

Contractor following the bellow point.

1. Medical fitness certificates of workers- Before start the work.
2. Workers adhar card bank passbook Xerox- Before start the work.
3. Inventory of Equipment list- Before start the work.
4. Laminated Photo ID card for all labours must be- Maintain the regular
5. Presence of Contractors along with site team is mandatory in every weekly Safety meeting.
6. The vehicles playing inside construction premises shall comply by the requirements of "Central Motor Vehicles Rules" & Site safety rules and to be confirmed prior to deploy on site.
7. Child labour (below 18 years' age) and elderly are prohibited at site.
8. The contractor is fully responsible and for any incident at construction.

4 Work Permit System: The work permits system to be followed for following activities:

1. Hot work (welding, open burning of bitumen, grinding).
2. Confined space entry.
3. Working at heights/ fragile roofs.

4. Earth excavation.
5. Shifting / Hoisting / Lifting.
6. Electrical installation, commissioning & testing work
7. Work at height.
8. Material Loading/Unloading
9. General Work Permit.
10. Shaft work permit.

5 Safety Rules to be implemented at Site:

1. Smoking within the Construction premises is strictly prohibited. Bringing matchbox or lighter inside the Construction premises is restricted.
2. Fall Protection guard / safety net to be used as a protection measure when person is working at height.
3. Roof and floor openings to be guarded.
4. No one to come underneath suspended load.
5. Drug and Alcohol is strictly prohibited at site.
6. All personals to have food only at designated places.
7. Contractor must be aware of the hazards associated with the job.
8. Always walk; never run at work site unless specifically instructed during emergency.
9. All tools and tackles shall be in safe working condition and the tampered instruments /equipment shall not be used.

Sr No	Nature of Offence	Amount to be levied against each breach of Rules & Regulations (Indian Rs)
1	Smoking in an Unauthorized area and/or consumption of alcohol and/or use of illegal substances	Rs 1000.00
2	Failure to attend a notified site safety meeting	Rs 5000.00
3	Using any defective or unsafe equipment.	Rs 2000.00
4	Not using any Safety PPES	Rs 500.00
5	Working at height without full body safety belt	Rs 1000.00
6	Electrical connection Without pin top and cable joint without insulation tape.	Rs 500.00
7	Threatening safety/personnel misbehaviour, fighting or intentional causing hurt to others	Rs 10,000.00 & to be blacklisted and Worker to be banned from the site and a report will be made to the police as per Act.

7 Company's Responsibilities

7.1 Water: Water connection shall be given at suitable point on each floor of the building free of charge by company. It shall be contractor's responsibility to carry the water from this point to where required with allied piping, storage etc. all at his cost, this includes water required for curing work.

7.2 Electricity: Electricity shall be provided at suitable point on each floor of the building free of charge by company. It shall be contractor's responsibility to carry the electricity from this point to where required by installing necessary DB, switches, cable and halogen etc., with due care of safety and MSEB/ Indian Electricity Rules at his own cost.

7.3 Storage Space: Company shall provide suitable storage space for contractor to store his materials, equipment, machinery, tools and tackles etc. Contractor shall be responsible for the security of this storage space. Company is not responsible for any losses, theft, pilferages and damages that may occur, the company is totally absolved from any type of losses or consequences whatsoever under any circumstances.

7.4 Payment: The Company shall make timely payment as per agreed payment schedule. The contractor shall submit his bills in required format and get these checked from EIC for accuracy of quantity, reasonable quality and appropriate rates. The payment shall be released after 30 days from the receipt of bill at Head Office subject to fulfillment of above-mentioned requirement.

8 Termination:

8.1 This agreement shall automatically stand determined once the Authorized Engineer has issued '**Completion Certificate**' in respect of the work and all the accounts/claims are settled between the company and the contractor whichever is later.

8.2 In case the Company is unable to proceed with the construction of this project for reasons such as prohibitory order of court, non-availability of permissions and sanctions from concerned authorities or any other reason, the company shall be at liberty to terminate this agreement, by giving 15 days' notice without any liability to pay any cost of overheads to contractor.

8.3 The company shall be entitled to terminate the agreement on account of

- i) Breach of any of the terms and conditions of contract.
- ii) Unsatisfactory quality of the work & Schedule of completion.
- iii) Misbehavior, anti-social activities by contractor's labour and or persons etc.

8.4 In case the contractor is unable to perform the work according to schedule or with reasonable quality or both, company has the right to limit/alter/change contractors' scope of work, not limiting to the right to terminate the work order.

8.5 After termination of the agreement, the contractor shall vacate the site immediately within 3 days. The company shall review the quantum of work carried out by the contractor and settle the account of contractor within 30 days.

8.6 **Force Majeure Conditions:** Neither party shall be liable to each other for default in performance of any of the agreement clauses for causes beyond their reasonable control including but not limited to war, invasion, acts of enemies, hostilities, riots, civil commotion, labour disturbance, strikes, lockouts, layoffs, mutiny, insurrection, rebellion, revolution, epidemics, major fire, earthquake, floods, Government orders and restrictions, legal enactments.

8.7 **Arbitration:** In the event of any dispute or difference of opinion between the company and the contractor arising out of or in connection with the agreement, the parties here to shall use the best efforts to settle the disputes between themselves amicably, failing which, such disputes and differences shall be referred to the Architect or Consultant of the Company who shall act as a sole arbitrator as per Indian Arbitration Act 1996 along with the rules there under or any statutory modifications amendments thereof. The language of the arbitration shall be in either Marathi or English and venue of arbitration shall be at Pune. The award of the arbitrator shall be final and binding on both the parties.

8.8 **Idle Charges:** In case the contractor's work get delayed on the account of sanctioned approved drawings, or any other reason, only extension of time shall be granted. No other compensation whatsoever can be claimed by contractor.

9 Safety

The Contractor shall ensure that all their staff and workers including their sub-contractors have been issued & wear appropriate PPE like safety helmet, safety shoes, full body harness, protective goggles, reflective jackets gloves etc. All gadgets shall confirm to applicable IS specification other applicable international standards. In case of noncompliance of PPE policy impose INR 1000/- per observation of non-compliance as penalty. Contractor shall ensure that proper safety net system is installed where the hazard of fall from height is present. The safety nets shall be installed not more than 6 meters below the working area. It shall have a sufficient extension to arrest possible falls and ensure safety of that person. Safety net shall be provided & installed by contractor. Lifeline shall be provided & installed by contractor.

9.1 Reporting of accident

Contractor shall intimate in proper format giving all relevant details, any incidence of accident, major or minor. He shall also keep first aid kit at site and keep the address and phone numbers of nearby Doctors, hospitals in emergency cases.

Workers Safety Special Note - In the event of any accident resulting in minor, major injury or death of the worker, operator etc. involving hospitalization or resulting in Police case or any other liability, resulting in any legal implications of government / local body or any other issues wherein the contractor or his workers are involved or due

to negligence of the contractors workers causing similar damages to worker of any other agency while working, the contractor shall be considered solely be responsible and responsible for handling such situation independently at his own cost for all such matters till its logical conclusion. Company shall be informed at every step updating the issues. The Company reserves its right to debit such cost to the contractor if the Company must bear such costs in the event of Contractor failing to perform his part.

The list main causes include but not limited to death are falls, getting hit by an object, electrocution, and getting caught in machines or between things. Other dangerous activities involve scaffolding, excavations, ladders, trench collapse, head protection, and hazard communication

6 Taxes

7 GST EXTRA AS APPLICABLE/TDS WILL BE DEDUCTED AS APPLICABLE

Prepared By

For LEAKSEAL WATERPRO

For ABHINAV LIFESPACES

Rucha.Mare

Authorized Signatory

Authorized Signatory